

RESEARCH

Association between parenting styles and intimate partner violence among nursing students

Asociación de estilos parentales y violencia de pareja en estudiantes de enfermería

Associação entre estilos parentais e violência por parceiro íntimo em estudantes de enfermagem

Laura Berenice Zorrilla-Martínez ^{1*}

 <https://orcid.org/0000-0003-1322-2326>

Ana Gabriela Flores-Romo ²

 <https://orcid.org/0000-0002-4865-4519>

Perla María Trejo-Ortiz ³

 <https://orcid.org/0000-0003-4441-446X>

Roxana Araujo-Espino ⁴

 <https://orcid.org/0000-0001-6684-9830>

1. Doctor in Bioethics, Unidad Académica de Enfermería, Universidad Autónoma de Zacatecas, Francisco García Salinas, Zacatecas, Zacatecas, México.
2. Doctor in Bioethics, Unidad Académica de Enfermería, Universidad Autónoma de Zacatecas, Francisco García Salinas, Zacatecas, Zacatecas, México.
3. Doctor in Nursing Sciences, Unidad Académica de Enfermería, Universidad Autónoma de Zacatecas, Francisco García Salinas, Zacatecas, Zacatecas, México.
4. Doctor in Nursing Sciences, Unidad Académica de Enfermería, Universidad Autónoma de Zacatecas, Francisco García Salinas, Zacatecas, Zacatecas, México.

*Author for correspondence: berenice_zorrilla@uaz.edu.mx

Received: 26/02/2025

Accepted: 22/09/2025

Abstract

Introduction: Parenting styles shape children's attitudes and create an emotional environment, which could influence their future romantic relationships and the presence or absence of intimate partner violence among nursing students. **Objective:** To identify the relationship between parenting styles and intimate partner violence among nursing students at a public university. **Methodology:** Descriptive correlational study, using a systematic random sample of 300 nursing students from a Mexican university, enrolled in the first, third or seventh academic semester with aged 18 to 23 years, who had a current relationship, or one in the last year. Those who did not wish to participate were excluded. The Perceived Parenting Styles and Inconsistency Scale and the Violence Scale and Intimate Partner Violence Severity Index were applied; both have been validated for use with this population. Data were analyzed using descriptive and inferential statistics. **Results:** 81.3 % were women, 73.3 % were 18 to 20 years, 89.3 % single, 95 % with heterosexual partner, 82.7 % with a partner, 42 % with more than 1 year in the relationship, 47.3 % lived with their mother, and 75.3 % were studying. It was found that the father exercised an indifferent parenting style, while the mother exercised a permissive style, showing greater demand than response. A statistically significant relationship was found between parenting styles and severe cases of physical, psychological and sexual intimate partner violence. **Conclusions:** In nursing, it is essential to raise awareness among students and promote knowledge of the types of intimate partner violence and contribute to its prevention.

Keywords: Association; Parenting education; Intimate partner violence; Nursing students; Primary prevention (DeCS).

Resumen

Introducción: Los estilos parentales ejercidos en los hijos configuran actitudes y crean un clima emocional, esto podría influir en sus futuras relaciones de pareja y la presencia o no de violencia de pareja en estudiantes de enfermería. **Objetivo:** Identificar la relación de estilos parentales y violencia de pareja en estudiantes de enfermería de una universidad pública. **Metodología:** Estudio descriptivo, correlacional, muestreo aleatorio sistemático en 300 estudiantes de enfermería de una universidad mexicana, matriculados en la carrera, cursando primero, tercero y séptimo semestre, con 18 a 23 años y que contaron con relación de pareja actual o en el último año, se excluyeron quienes no quisieron participar. Se aplicó Escala de Estilos Parentales e Inconsistencia Percibida y Escala de Violencia e Índice de Severidad de Violencia de Pareja, ambas validadas para la población, se analizaron los datos mediante estadística descriptiva e inferencial. **Resultados:** 81.3 % fueron mujeres, 73.3 % tenían 18 a 20 años, 89.3 % solteros, 95 % con pareja heterosexual, 82.7 % tenía una pareja, 42 % con más de 1 año en la relación, 47.3 % vivía con la madre y 75.3 % solo estudiaba. Se encontró que el padre ejercía estilo indiferente y la madre estilo permisivo mostrando mayor demanda que respuesta, hubo relación estadística significativa en estilos parentales y casos severos de violencia de pareja física, psicológica y sexual. **Conclusiones:** Es imprescindible en enfermería concientizar a la población estudiantil y fomentar el conocimiento de los tipos de violencia de pareja y coadyuvar en su prevención.

Palabras clave: Asociación; Educación parental; Violencia de pareja; Estudiantes de enfermería; Prevención primaria (DeCS).



Abstrato

Introdução: Os estilos parentais exercidos sobre as crianças moldam atitudes e criam um clima emocional, que pode influenciar seus relacionamentos futuros e a presença ou ausência de violência conjugal em estudantes de enfermagem. **Objetivo:** Identificar a relação entre estilos parentais e violência conjugal em estudantes de enfermagem de uma universidade pública. **Metodologia:** Estudo descritivo, correlacional, amostragem aleatória sistemática em 300 estudantes de enfermagem de uma universidade mexicana, matriculados no programa, em seus primeiro, terceiro e sétimo semestres, e a idade deles variou entre 18 e 23 anos, que estavam em um relacionamento atual ou do ano anterior. Aqueles que não quiseram participar foram excluídos. A Escala de Estilos Parentais e Inconsistência Percebida e a Escala de Violência e o Índice de Gravidade da Violência Parceira, ambos validados para a população, foram aplicados. Os dados foram analisados por meio de estatística descritiva e inferencial. **Resultados:** 81,3 % eram mulheres, 73,3 % tinham entre 18 e 20 anos de idade, 89,3 % eram solteiros, 95 % tinham parceiro heterossexual, 82,7 % tinham parceiro, 42 % estavam com o parceiro há mais de um ano, 47,3 % moravam com a mãe e 75,3 % estavam estudando. Foi constatado que o pai exerceu um estilo indiferente e a mãe um estilo permissivo, demonstrando maior demanda do que resposta. Houve relação estatística significativa entre os estilos parentais e casos graves de violência física, psicológica e sexual por parceiro. **Conclusões:** Na enfermagem, é fundamental conscientizar os estudantes e promover o conhecimento sobre os tipos de violência praticada pelo parceiro íntimo e contribuir para sua prevenção.

Palavras-chave: Associação; Educação parental; Violência de parceiro; Estudantes de enfermagem; Prevenção primária (DeCS).

Introduction

Parenting style ⁽¹⁾ involves the imposition of rules ⁽²⁾, patterns of communication and conflict management ⁽³⁾. Family socialization allows children to internalize norms and values ⁽⁴⁾. In 1996, Baumrind conceptualized the term “parenting styles” as the attitudes, behaviors and strategies that parents use to socialize their children, classifying them as follows: a) Authoritarian: Parents show a low level of involvement and are associated with irritable and withdrawn behavior. b) Authoritative or democratic: Parents show high commitment and are associated with responsible and independent behavior. c) Permissive: Parents show a high level of involvement and are associated with low independence and discipline.

Maccoby and Martin ⁽⁵⁾ introduced the concept of the “neglectful” parenting style ^(6,7), which is characterized by a lack of responsiveness to and involvement in the child's needs. Such parents are



absorbed in their own issues (e.g. stress, depression and substance abuse) and are unable to provide their children with the necessary emotional and physical support ^(2,3,8,9). Consequently, children may perceive various forms of violence as normalized in their romantic relationships.

In this study, the research variable intimate partner violence (IPV) is defined by the World Health Organization ⁽¹⁰⁾ as behaviors by a current or former partner that cause physical, sexual, psychological or economic harm, as well as controlling behaviors and intentional threats ⁽¹¹⁾. It also refers to the mistreatment that one sex exerts towards the other, present in all socioeconomic and cultural classes ^(12,13). IPV is considered a public health problem ^(14,15) and a serious manifestation of inequality between men and women ⁽¹⁶⁾. According to the National Institute of Statistics and Geography (INEGI, Mexico) ⁽¹⁷⁾, 70.1 % of women aged 15 and over have experienced psychological violence. In Colombia, 47.2 % of women who experienced IPV identified their permanent partner as the aggressor ⁽¹⁸⁾.

In Zacatecas, Mexico, 59.3 % of women reported experiencing some form of violence ⁽¹⁹⁾. For nursing students, violence can have physical and psychological effects, causing de-motivation and poor academic performance ⁽²⁰⁾, as well as interfering with the quality of care provided to patients ⁽²¹⁾. In a university setting, understanding perceptions of violence is crucial in order to promote safe and equitable environments, especially among nursing students ⁽¹¹⁻¹³⁾. Studies performed in Brazil, Spain and Mexico ^(2,21-24) suggest that the greater the severity of IPV, the lower a woman's self-esteem may be, and the more likely she is to turn to alcohol as a coping mechanism ⁽²⁵⁾. Peruvian researchers ^(26,27) found that authoritarian, neglectful or permissive parenting styles were associated with a higher probability of violence in couples. In Colombia ⁽²⁸⁾, affectionate, indifferent, and paternal and maternal dialogue styles predominated among the lesbian, gay, bisexual, transgender, queer, intersex, asexual, and other (LGBTQIA+) population. In Ecuador ⁽²⁹⁾, children perceived their parents as authoritarian, whereas in Mexico ⁽²⁾ they were perceived as permissive.



With regard to IVP, serious cases of psychological violence have been followed by physical and sexual violence ^(2,30,31). Studies in Peru agree that parenting styles influence violent behaviors such as jealousy, overprotection, control and humiliation. In the nursing context, studying parenting styles and their relationship to IPV among university students can contribute to nursing science by informing the design of preventive interventions and programs that promote emotional and psychological well-being through professional training. This helps to foster safe environments and prepare students to identify and address violence in their professional practice. For all these reasons, the research question was: What is the association between parenting styles and IPV among nursing students at a public university in the state of Zacatecas?

The aim of this study is to promote gender equality and create inclusive and respectful spaces for both men and women. However, little research has been performed on IPV in university settings. Therefore, this study aimed to identify the relationship between parenting styles and IPV among nursing students at a public university.

Methodology

This is a quantitative, cross-sectional, descriptive and correlational study ⁽³²⁾. The study population consisted of 1,425 nursing students, aged 18 to 23, who were enrolled in the third, fifth and seventh academic semesters at a public university. A sample of 360 students was selected by systematic random sampling from the lists for each academic semester (first semester, *n*1; third semester, *n*2; fifth semester, *n*3; seventh semester, *n*4), starting with the first student on the list, then the sixth student, and so on at an interval of five, until 90 participants from each semester were reached. Students who were currently in a relationship or had been in a relationship in the last year, and who agreed to participate, were included in the study. Students who did not have a partner, were not present at the time of the study, decided not to participate, or answered incorrectly were excluded.



A sociodemographic data form was used for data collection, containing the following items: Gender, age, marital status, type of partner (homosexual or heterosexual), presence of problems with the partner due to use of social networks, number of partners, length of relationship, where the student lived, and their occupation. The form was developed by the authors of the study themselves. Parenting styles were measured using the Perceived Parenting Styles And Inconsistency Scale (EPIPP) ⁽³³⁾, which includes 48 questions (24 for mothers and 24 for fathers) and measures two components: a) Perceived demand, which has three subscales: Verbal coercion (four items), physical coercion (three items) and prohibition (four items); and b) The perceived responsiveness component had three subscales: Affection (four items), dialogue (four items) and indifference (four items). Indexes were created for the combination of both components, denoting the four parenting styles: democratic, authoritarian, authoritative and permissive. Where the father and mother had different styles, parenting inconsistency was measured by adding up all the items in part B of each question for the father and mother. A low score is considered to be between 0 and 25 points, a medium score is considered to be between 25 and 75 points, and a high score is considered to be between 75 and 100 points. According to the authors, the reliability of the EPPIP (by its acronym in Spanish) scale is 0.86 among high school students (34). In this study, an overall reliability of 0.94 was obtained, as well as reliabilities of 0.85 for affection, 0.77 for dialogue, 0.79 for indifference, 0.83 for verbal coercion, 0.79 for physical coercion and 0.83 for prohibition.

To measure IPV, the Violence Scale (VS) and the Intimate Partner Violence Severity Index (IPVS), which were validated in the Mexican population, were used ⁽³⁵⁾. Consisting of 19 questions, the Index classifies cases of violence perpetrated by a partner in the last year in the following categories: Physical violence (11 questions), psychological violence (five questions) and sexual violence (three questions) ⁽³⁰⁾. The IPVS Index indicates the severity of violence perceived by the nursing student reported at the end of each VS question, ranging from 0 to 100, for the cut-off



points for the severity of physical, psychological, and sexual violence, the severity of physical violence was considered as “no cases of violence” for scores of 0 to 2.4 points, “cases of physical violence” for scores of 2.4 to 12 points, and “cases of severe physical violence” for scores greater than 12. In terms of the severity of psychological violence, scores of 0 to 5 were categorized as “no cases of psychological violence”, scores of 5.1 to 18.2 as “cases of psychological violence”, and scores of 18.3 to 81 as “severe cases of psychological violence”. For sexual violence, scores of 0 to 1 were categorized as “no cases of sexual violence”, scores of 1.1 to 6 as “less severe cases of sexual violence”, and scores above 6 as “severe cases of sexual violence”. Internal consistency was validated in Mexico, where a value of $\alpha = 0.99$ was obtained ⁽³⁰⁾. In the present study, an overall reliability value of 0.88 was obtained, alongside values of 0.81, 0.62 and 0.56 for physical, psychological and sexual violence, respectively.

This study was approved by the university's Academic Nursing Unit Research Committee (CI-UAE-31-2023) and Research Ethics Committee (40/CEI-UAE-UAZ/2023), as well as the directors of the institution. The criteria established in the regulations of the General Health Law on Health Research ⁽³⁶⁾, which stipulate voluntary and anonymous participation and the signing of an informed consent form, were also taken into account. Data analysis was performed using the Statistical Package for the Social Sciences (SPSS), version 24. Descriptive statistics were used to analyze sociodemographic variables, with frequencies and proportions obtained for dichotomous variables and means and standard deviations for continuous variables. Inferential statistics were then applied using non-parametric tests (Mann–Whitney U and Kruskal–Wallis H) and the Spearman correlation coefficient.

Results

Among the study participants, 81.3 % were women, 73.3 % were between 18 and 20 years old, 89.3 % were single, and 95 % had a heterosexual partner. Of these participants, 73 % said they had



never experienced problems related to social network use; 82.7 % had only one partner; 42 % had been with their partner for over a year; 47.3 % lived with their mother; and 24.7 % had a job alongside their studies.

Regarding the results obtained in the six subscales of the EPPIP scale, fathers reported 88 % prevalence in the indifference subscale, 79.7 % in the dialogue subscale, and 74.3 % in the affection subscale. With regard to the parenting relationship with the mother, a higher prevalence was found in the dialogue and indifference subscales, with 94.7 %, followed by affection, with 85.7 %, (Table 1).

Table 1. Parenting style subscales, 2025 (n=300)

Index of parenting style subscales	High		Average		Low	
	f	%	f	%	f	%
Father						
Affection	223	74.3	45	15.0	32	10.7
Dialogue	239	79.7	26	8.7	34	11.3
Indifference	264	88.0	16	5.3	20	6.7
Verbal coercion	192	64.0	73	24.3	35	11.7
Physical coercion	42	14.0	78	26.0	180	60.0
Prohibition	166	55.3	84	28.0	50	16.7
Mother						
Affection	257	85.7	31	10.3	12	4.0
Dialogue	284	94.7	11	3.7	5	1.7
Indifference	284	94.7	11	3.7	5	1.7
Verbal coercion	229	76.3	57	19.0	14	4.7
Physical coercion	50	16.7	77	25.7	173	57.7
Prohibition	185	61.7	78	26.0	37	12.3

Source: Self-developed

Regarding the parenting styles exercised by the fathers of nursing students, the following were identified: Neglectful (78.7 %), authoritarian (19 %), and permissive (2.3 %). For the mothers, the most common parenting styles were permissive (59.4 %) and authoritarian (26 %), with no democratic style identified for either parent (Table 2).



Table 2. Nursing students' perceptions of their parents' parenting styles, 2025 (n=300)

Parenting Styles	Father		Mother	
	f	%	f	%
Democratic	0	0	0	0
Authoritarian	57	19.0	78	26.0
Permissive	7	2.3	178	59.3
Negligent	236	78.7	39	13.0

Source: Self-developed

In terms of parenting violence, the following cases were reported: Severe physical violence (5 %), severe psychological violence (20.3 %) and severe sexual violence (11.3%), (Table 3).

Table 3. Subscales of partner violence among nursing students, 2025 (n=300)

Types of intimate partner violence	Physical		Psychological		Sexual	
	f	%	f	%	f	%
No case of violence	228	76.0	137	45.7	266	88.7
Case of violence	57	19.0	102	34.0	0	0
Case of severe violence	15	5.0	61	20.3	34	11.3

Source: Self-developed

The results of the Spearman's bivariate correlation test for the study variables revealed the following: A negative and statistically significant relationship between the father's affection index and the overall, psychological and sexual violence indexes ($r_s = -0.119$, $p < 0.05$; $r_s = 0.143$, $p < 0.05$; $r_s = -0.116$, $p < 0.05$). A positive and statistically significant relationship between the mother's verbal coercion index and psychological violence ($r_s = 0.119$, $p < 0.05$). A positive and statistically significant relationship between the mother's physical coercion index and psychological violence reported by nursing students ($r_s = 0.122$, $p < 0.05$). A positive and statistically significant relationship between the mother's prohibition index and overall, physical, psychological and sexual violence ($r_s = .126$, $p < 0.05$; $r_s = 0.113$, $p < 0.05$; $r_s = 0.179$, $p < 0.05$, respectively, (Table 4).



Table 4. Spearman's correlation coefficient for sociodemographic variables, parenting style indexes, partner violence indexes, and subscales, 2025 (n=300)

Indexes	Overall Violence	Physical Violence	Psychological Violence	Sexual Violence
Father affection	-.119* (.040)	-.049 (.400)	-.143* (.013)	-.116* (.045)
Mother affection	-.067 (.248)	-.030 (.608)	-.080 (.165)	-.085 (.143)
Father dialogue	-.091 (.116)	-.060 (.298)	-.075 (.194)	-.063 (.278)
Mother dialogue	-.091 (.116)	.060 (.777)	-.091 (.116)	-.663 (.278)
Father indifference	-.033 (.572)	.088 (.891)	.016 (.780)	.059 (.309)
Mother indifference	-.001 (.985)	.007 (.910)	.031 (.599)	-.021 (.719)
Father verbal coercion	-.003 (.959)	.036 (.339)	.024 (.689)	.026 (.653)
Mother verbal coercion	.085 (.142)	.110 (.057)	.119* (.040)	.067 (.246)
Father physical coercion	.084 (.148)	.041 (.483)	.101 (.079)	.108 (.062)
Mother physical coercion	.057 (.322)	.025 (.670)	.122* (.035)	.054 (.352)
Father prohibition	.063 (.278)	.084 (.149)	.100 (.085)	.047 (.416)
Mother prohibition	.126* (.030)	.113* (.049)	.179** (.002)	.127* (.028)

Source: Self-developed, Note: **p<.01, *p<.05, () = Correlation coefficient.

Regarding the demand index exercised by the participants' mothers, a positive and statistically significant relationship was identified in relation to overall, psychological, and sexual violence ($r_s = 0.119$, $p < 0.05$; $r_s = 0.180$, $p < 0.1$; $r_s = 0.114$, $p < 0.01$). In addition, a positive and statistically significant relationship was identified between the index of parenting inconsistency perceived by nursing students and overall, physical, psychological, and sexual partner violence ($r_s = 0.279$; $p < 0.01$; $r_s = 0.209$; $p < 0.01$; $r_s = 0.317$; $p < 0.01$; and $r_s = 0.193$; $p < 0.01$), respectively, (Table 5).



Table 5. Spearman's correlation coefficient and response and demand indexes for parenting styles and intimate partner violence, 2025 (n=300)

Variable	Overall Violence	Physical Violence	Psychological Violence	Sexual Violence
Father's demand	.051 (.376)	.052 (.371)	.075 (.193)	.093 (.109)
Mother's demand	.119* (.039)	.113 (.050)	.180** (.002)	.114** (.018)
Father's response	-.092 (.111)	-.041 (.477)	-.089 (.125)	-.097 (.094)
Mother's response	-.047 (.419)	-.035 (.569)	-.033 (.569)	-.059 (.306)
Perceived parenting inconsistency	.279** (.000)	.209** (.000)	.317** (.000)	.193** (.001)

Source: Self-developed, Note: **p<.01, *p<.05, () = Correlation coefficient.

Discussion

This study examined the relationship between parenting styles and IVP among nursing students. The sociodemographic profile of the participants showed a higher percentage of women, which is consistent with reports from Peru and Guadalajara (Mexico) ^(25,30,31). This may be because more women than men have historically enrolled in nursing degrees. The average age was 18 to 20 years old, which differs from what was reported in Colombia ⁽²⁸⁾, since their study population was individuals from the LGBT community and pregnant adolescents, respectively. This is similar to studies performed at the Universidad Nacional Autónoma de México ⁽³⁷⁾, since the age of entry into the nursing degree program is 18 years old and the average age of graduation is 22.

Most participants were single and in a heterosexual relationship. One-third acknowledged experiencing problems with their partner due to social media use at times, which is consistent with reports from Ecuador ⁽²⁹⁾, where a minority had been with more than three partners for over a year. Almost half of the students lived with their mother and two-thirds dedicated themselves solely to their studies. This is consistent with reports from Mexico ^(5,6) as nursing degrees require long hours, preventing students from taking on part-time work and forcing them to communicate with their partners via mobile phone.



With regard to the father's parenting style, the highest scores were obtained for indifference, dialogue and affection. For the mother, the highest scores were obtained for dialogue, indifference and affection. These results differ from those reported in Mexico ^(5,6), possibly because the present study focused on university students, whereas the other studies involved adolescents. The family and social environments of the two populations differ, which is why they perceive parenting styles differently. In terms of the parenting styles perceived by the participants, it was noted that none of them reported a democratic parenting style. This is significant, given that an authoritative parenting style fosters better family relationships in the short, medium and long term, and can help to reduce cases of violence among students.

This differs from what has been reported in Colombia ⁽²⁸⁾ among members of the LGBT+ community, where the authoritarian parenting style of the father coincides with the permissive parenting style of the mother. This is similar to what has been reported in Mexico ⁽⁶⁾ and Ecuador ⁽²⁹⁾. This could be a consequence of the context of the analyzed variables, since violence among nursing students has received little attention and, being a sensitive issue, is rarely discussed within the family. Furthermore, the reported cases of severe violence could be attributed to authoritarian and permissive parenting styles, which are risk factors for behavioral disorders and play a key role in personal development. These styles may be related to aggressive beliefs and behaviors in individuals, with the authoritarian style being the most harmful, leading to IVP ⁽³⁸⁾. Moreover, the democratic style can act as a protective factor.

In terms of parenting inconsistency, the father showed high levels of inconsistency between parenting styles, while the mother exhibited medium levels. Children of consistent parents have higher levels of self-esteem than children of inconsistent parents ⁽³⁹⁾. Consequently, the presence of a mother with a democratic parenting style seems to mitigate the negative effects of an authoritarian fathering style. However, this differs from the findings of the present study, in which



the mother had a permissive style and the father a negligent one. Consistency in both parents' parenting styles favors the emergence of structured and predictable environments for children.

Therefore, inconsistency is harmful. The degree of consistency is an adequate predictor of well-being and the quality of the couple's relationship. Parenting inconsistency is also considered a potential source of psychological imbalance in children, which is related to the future presence or absence of IVP. In this regard, almost half of the students were victims of severe psychological violence, and one-tenth was victims of severe physical violence. This matches the results of studies performed in Ecuador and Peru with female university students. Due to their age, lack of social experience, immature psychological defense mechanisms and inability to manage their emotions, nursing students are often victims of some form of violence in the classroom, in clinical practice and in their intimate relationships, which negatively impacts their well-being and academic performance.

Studies have shown that authoritarian, neglectful or permissive parenting styles are more likely to result in violence within relationships. Excessive attachment and emotional deprivation contribute to the development of abuse and emotional dependence. Emotional deficiencies in early childhood can lead to emotional dependence and the choice of violent partners in adulthood ⁽²⁶⁾. Parenting styles are a predisposing factor for future emotional dependence. As attachment is susceptible to psychological violence, the family environment is fundamental in teaching children to recognize and reject violent attitudes. The way in which the couple's relationship is perceived depends on the parenting style received ⁽⁴¹⁾.

The way in which parents treat their children, whether empathetic, indifferent, controlling or prohibitive, will be reflected in their future romantic relationships. Similarly, individuals exposed to violence within their family environment may exhibit aggressive behavior or become victims of violence in adulthood ⁽³⁹⁾. The parenting philosophies of fathers and mothers differ: mothers tend



to be more influential and open to dialogue and criticism, whereas fathers may be less actively involved in parenting ⁽⁴²⁾.

In addition, a negative and significant correlation was observed between the father's affection index and the indexes of overall, psychological, and sexual violence. This suggests that the lower the level of paternal affection, the higher the prevalence of IVP. A statistically significant relationship was also found between the mother's verbal coercion index and psychological violence, and between her prohibition index and overall, physical, psychological and sexual violence. This suggests that strict parenting, which was previously considered beneficial to child development, can negatively impact the intimate relationships of adult children ⁽⁴⁰⁾. It was also found that the demand index and the perceived parenting inconsistency index were associated with the prevalence of physical, psychological and sexual violence experienced by nursing students.

It has been found that IVP occurs less frequently in families where parents are highly committed to raising their children. Furthermore, a high level of parenting commitment perceived by children during their upbringing could act as a barrier to the development of violent intimate partner relationships ⁽³⁸⁾.

One limitation of the study was the lack of student cooperation; in fact, they requested that the semester be omitted for fear of identification, meaning the sample was not representative of the general population. As this is a correlational study, the analysis only indicates the relationship between the variables, meaning that cause-and-effect relationships cannot be established and the results cannot be generalized. It should also be noted that the sample consisted mainly of women, which may influence the generalization of the results in relation to gender. Additionally, the use of self-administered questionnaires reflects the participants' subjective perceptions.



Conclusions

The nursing students revealed that they had experienced an indifferent parenting style from their father and a permissive style from their mother. The parenting style adopted by parents during their children's early years contributes to the development of personality, social skills, and emotional coping mechanisms, equipping individuals to recognize, manage, and prevent potential cases of IVP.

This study reported serious cases of physical, psychological and sexual violence, indicating the need for preventive intervention during students' formative years. This is because human development is progressive and adapts to environmental and social factors. This is crucial in nursing practice for raising awareness among students and promoting knowledge of the different forms of IVP, thereby contributing to its prevention. It was also found that paternal affection was associated with overall violence, as well as psychological and sexual violence. In addition, verbal and physical coercion by the mother was associated with psychological violence. Therefore, future research should focus on designing educational interventions for parents in order to help them recognize their parenting style and adopt more structured, respectful practices.

This study makes a significant contribution to nursing science by identifying the relationship between parenting styles and IVP. The study found a statistically significant relationship between the level of prohibition expressed by the mother and all types of violence: Physical, psychological and sexual. Therefore, it is important to design educational programs and interventions, as well as longitudinal studies that evaluate their impact on modifying parenting styles and preventing violence among university students. These programs should focus on early detection and the promotion of healthy relationships among nursing students.

Conflict of interest

The authors declare that there are no conflicts of interest.



Funding

The authors declare that no funding was received.

Artificial intelligence

The authors declare that they have not used any type of artificial intelligence resource in any section of this manuscript.

Bibliographic References

1. Martínez GR, Rodríguez-Ruiz B, Iglesias GM. Comparación de competencias parentales en padres y en madres con hijos e hijas adolescentes. *Aula Abierta* [Internet]. 2020 [cited 27 jan 2025];50(4):777-786. Available at: <https://reunido.uniovi.es/index.php/AA/article/view/16718>
2. Delfín-Ruiz C, Saldaña OC, Cano GR, Peña VE. Caracterización de los roles familiares y su impacto en las familias de México. *Rev. Cienc. Soc* [Internet]. 2021 [cited 17 jan 2025];27(3):128-138. Available at: <https://www.redalyc.org/articulo.oa?id=28068276012>
3. García PJ, Arana MC, Restrepo BJ. Estilos padres en el proceso de crianza de niños con trastornos disruptivos. *Investig.desarro* [Internet]. 2018 [cited 07 jan 2025];26(1):55-74. Available at: http://www.scielo.org.co/scielo.php?script=sci_arttext&pid=S0121-32612018000100055
4. Sáez MC, Canales FV, Cifuentes FP. Estilos educativos parentales: transición de modelos clásicos de comprensión hacia los multidimensionales de intervención. *Cuad. trab. soc* [Internet]. 2022 [cited 31 may 2025];0(23):46-57. Available at: <https://www.tscuadernosdetrabajosocial.cl/index.php/TS/article/view/213>
5. Lalaleo LJ, Rodríguez-Pérez M. Estilos parentales y apego en estudiantes universitarios. *Prometeo conoc. cient* [Internet]. 2024 [cited 03 may 2025];4(1):1-14. Available at: <https://prometeojournal.com.ar/index.php/prometeo/article/view/72>
6. Ante-Morillo G, Almeida ML. Estilos de socialización parental y el riesgo de consumo de drogas en adolescentes. *Psicología UNEMI* [Internet]. 2024 [cited 12 feb 2025];8(15):44-54. Available at: <https://ojs.unemi.edu.ec/index.php/faso-unemi/article/view/1985>
7. Córdova GL, Becerra FS, Chávez SA, Ortiz SN, Franco MJ. Factores de los estilos de crianza parental como mediadores en la relación entre la resiliencia y calidad de vida en universitarios. *Rev. investig. psicol* [Internet]. 2022 [cited 18 feb 2025];25(1):5-22. Available at: <https://doi.org/10.15381/rinvp.v25i1.22015>
8. Larico VR, Quispe LE. Estilos de crianza parental y conductas agresivas en adolescentes de una institución educativa pública, Juliaca. *Rev. Cient. Cienc. Salud* [Internet]. 2023 [cited 11 feb 2025];16(1):13-25. Available at: <https://doi.org/10.17162/rccs.v16i1.1982>
9. Espinoza-García A, Cuesta IM. Autoconcepto y estilos de socialización parental según grupos socioeconómicos en adolescentes chilenos. *Suma Psicol* [Internet]. 2023 [cited 19 feb 2025];30(2):64-72. Available at: <https://www.redalyc.org/articulo.oa?id=134278542007>
10. Organización Mundial de la Salud (OMS). Violencia contra la mujer. [Internet]. 2022 [cited 25 feb 2025]. Available at: <https://www.paho.org/es/temas/violencia-contra-mujer>
11. Sánchez EJ, Uzcátegui EM, Uzcátegui P. Violencia contra la mujer en las estudiantes de enfermería de una universidad pública. *EHI* [Internet]. 2022 [cited 13 mar 2025];9(1):30-42. Available at: <https://doi.org/10.53766/EHI/2022.09.01.03>
12. Secretaría de Salud (SS). Norma Oficial Mexicana NOM-046-SSA2-2005. Violencia familiar, sexual y contra las mujeres. Criterios para la prevención y atención. [Internet]. Ciudad de



- México: Secretaría de Salud; 2005, [cited 10 jan 2025]. Available at: <https://www.cndh.org.mx/DocTR/2016/JUR/A70/01/JUR-20170331-NOR19.pdf>
13. Macias VL, Villa RD, Gaxiola FM. Percepción sobre violencia en estudiantes de enfermería de una facultad pública. RECIE FEC-UAS [Internet]. 2024 [cited 25 may 2025];1(2):47-56. Available at: <https://revistas.uas.edu.mx/index.php/RECIE/article/view/679>
 14. Oviedo GN. Impacto de la violencia familiar y estructural en la mujer y sus hijos: Algunos apuntes. Lat. Am. Hum. Rights Stud [Internet]. 2024 [cited 21 mar 2025];4(1):1-28. Available at: <https://doi.org/10.5216/lahrs.v4.80546>
 15. Instituto Nacional de Estadística Geografía e informática (INEGI). Encuesta nacional sobre la dinámica de las relaciones en los hogares (ENDIREH). Programas INEGI [Internet]. México; 2021 [cited 02 jan 2025]. Available at: <https://www.inegi.org.mx/programas/endireh/2021/>
 16. Méndez SM, Barragán RA, Peñaloza GR, García MM. Severidad de la violencia de pareja y reacciones emocionales en mujeres. Psicumex [Internet]. 2022 [cited 19 mar 2025];12(1):1-20. Available at: <https://psicumex.unison.mx/index.php/psicumex/article/view/400>
 17. Instituto Nacional de Salud Pública (INSP). Encuesta nacional de los niños, niñas y mujeres en México (ENIM) [Internet]. México; 2020 [cited 12 jan 2025]. Available at: <https://www.insp.mx/enim2015.html>
 18. Ruiz-Guevara S. Comprendiendo la violencia de género: Perspectiva holística desde la psicología jurídica y social. Cf-cjs [Internet]. 2024 [cited 21 mar 2025];3(6):63-71. Available at: <https://cf-cjs.uicui.edu.mx/ojs/index.php/CJS/article/view/81>
 19. Instituto Nacional de Estadística Geografía e informática (INEGI). Violencia contra las mujeres en México. [Internet]. México; 2020 [cited 11 jan 2025]. Available at: <https://www.inegi.org.mx/tablerosestadisticos/vcmm/>
 20. Rodríguez BC, Guerrero RA, Ramírez CA, Muños RD. Efectos de la violencia en el noviazgo en estudiantes universitarios: una revisión integrativa. Rev. iberoam. educ. invest. enferm [Internet]. 2021 [cited 31 may 2025];12(1):55-69. Available at: <https://www.kerwa.ucr.ac.cr/server/api/core/bitstreams/9665d013-f43f-4210-bbe7-f220984e59c7/content>
 21. Busnell GF, Trindade DL, Dal PD, Brancalione D, Calderan MM, Bauermann KB. Enfrentamiento de la violencia en el trabajo de enfermería en el contexto hospitalario y en la atención primaria de salud. Enfermería glob [Internet]. 2021 [cited 13 jan 2025];20(62):216-253. Available at: <https://dx.doi.org/10.6018/eglobal.425181>
 22. Momeñe J, Estévez A, Pérez-García A, Olave L, Iruarizaga I. Estilos de afrontamiento, esquemas disfuncionales y síntomas psicopatológicos relacionados con la dependencia emocional hacia la pareja agresora. Psicol. conduct [Internet]. 2021 [cited 18 jan 2025];29(1):29-50. Available at: <https://doi.org/10.51668/bp.8321102n>
 23. Cortaza RL, Torres LM, Vega ME, André MM, Hermida FA. Violencia en las relaciones de noviazgo en estudiantes universitarios de enfermería. Horiz. Sanitario [Internet]. 2024 [cited 17 jan 2025];23(1):21-28. Available at: <https://doi.org/10.19136/hs.a23n1.5663>
 24. Zegarra CR, Zeladita HJ, Cuba SJ, Castillo PH, Moran PG, Cárdenas NL. Asociación entre los estilos de crianza y el rol de los adolescentes peruanos en el acoso escolar, 2019. Rev Cuid [Internet]. 2022 [cited 25 mar 2025];14(1):1-15. Available at: <https://doi.org/10.15649/cuidarte.2679>
 25. González-Elices P, Vague CM. El rechazo parental en la edad infantil como factor de riesgo en la violencia de pareja en la edad adulta. Psychol. soc. educ [Internet]. 2023 [cited 27 mar 2025];15(1):57-67. Available at: <https://dx.doi.org/10.21071/psye.v15i1.15164>



26. Denegri VM, Chunga DT, Quispilay JG, Ugarte DS. Violencia de género, dependencia emocional y su incidencia en la autoestima en madres de estudiantes. *Rev. Cienc. Soc* [Internet]. 2022 [cited 01 may 2025];28(3):318-333. Available at: <https://produccioncientificaluz.org/index.php/rcs/article/view/38477>
27. Córdova GL, Becerra FS, Chávez SA, Ortiz SN, Franco MJ. Factores de los estilos de crianza parental como mediadores en la relación entre la resiliencia y calidad de vida en universitarios. *Rev. investig. psicol* [Internet]. 2022 [cited 12 feb 2025];25(1):5-22. Available at: <https://doi.org/10.15381/rinvp.v25i1.22015>
28. Aguilar SM, Benítez GL, Cardona BL, Muñetones ML. Conductas agresivas, contexto familiar y estilos de apego en adultos de la comunidad LGBTQIA, 2022 [Tesis de maestría]. Medellín, Colombia; Tecnológico de Antioquia Institución Universitaria. 2022 [cited 07 feb, 2025];143. Available at: <https://lc.cx/NuJy5q>
29. Mielles ZS, Aveiga MV. Violencia filio-parental y estilos de crianza en estudiantes y progenitores de Guayaquil-Ecuador. *Rev. Int. Polít. Bienest. Trab. Soc* [Internet]. 2024 [cited 01 jun 2025];(22):35-56. Available at: <https://revistas.proeditio.com/ehquidad/article/view/5385>
30. Rizo ML, Dueñas ML, Santoyo TF. El síndrome de Estocolmo en mujeres mexicanas víctimas de violencia de pareja. *An. psicol. juríd* [Internet]. 2020 [cited 01 jun 2025];30(1):55-62. Available at: <https://doi.org/10.5093/apj2019a16>
31. Rizo ML, Sánchez SJ. Facilitadores de la violencia de pareja percibidos por víctimas y victimarios: Estudio exploratorio en el contexto de la teoría del aprendizaje social. *Acta investigación psicol* [Internet]. 2022 [cited 13 feb 2025];12(2):37-51. Available at: <https://doi.org/10.22201/fpsi.20074719e.2022.2.442>
32. Polit DF, Tatano BC. Investigación en enfermería: Fundamentos para el uso de la evidencia en la práctica de la enfermería. 9ª ed. España: Wolters Kluwer. 2018. p.119-120.
33. De la Iglesia G, Ongarato P, Fernández M. Propiedades psicométricas de una escala de estilos parentales e inconsistencia parental percibida (EPIPP). *Evaluar* [Internet]. 2022 [cited 13 feb 2025];10(1):32-52. Available at: <https://revistas.unc.edu.ar/index.php/revaluar/article/view/455>
34. Moral DR, Garza TD. Relación entre los estilos parentales y las conductas sexuales de riesgo en adolescentes escolarizados de Monterrey, Nuevo León. *PERS* [Internet]. 2018 [cited 21 sep 2025];19(1):41-65. Available at: <https://perspectivassociales.uanl.mx/index.php/pers/article/view/5>
35. Valdez-Santiago R, Híjar-Medina M, Salgado-de Snyder V, Rivera RL, Ávila-Burgos L, Rojas R. Escala de violencia e índice de severidad: una propuesta metodológica para medir la violencia de pareja en mujeres mexicanas. *Salud pública Méx* [Internet]. 2006 [cited 26 feb 2025];48(Suppl 2):s221-s231. Available at: http://www.scielo.org.mx/scielo.php?script=sci_arttext&pid=S0036-36342006000800002&lng=es.
36. Secretaría de Salud (SS). Reglamento de la ley general de salud en materia de investigación para la salud. [Internet]. México; 2020 [cited 10 jan 2025]. Available at: <https://salud.gob.mx/unidades/cdi/nom/compi/rlgsmis.html>
37. Muñoz TT, Sánchez LF, Izar AV. La experiencia de ser estudiante de enfermería en la nueva normalidad post COVID-19. *Rev. digit. univ* [Internet]. 2023 [cited 26 feb 2025];24(5):1-15. Available at: <http://doi.org/10.22201/cuaieed.16076079e.2023.24.5.16>
38. Salavera C, Urbón E, Usán P, Antoñanzas JL. Estilos parentales y creencias agresivas. El papel mediador de los afectos. *An. psicol* [Internet]. 2024 [cited 06 feb 2025];40(1):76-84. Available at: <https://doi.org/10.6018/analesps.532741>



39. Abellán RL. Relación entre modelos educativos parentales y problemas de conducta en estudiantes. IE rev. investig. educ. REDIECH [Internet]. 2021 [cited 01 apr 2025];12(1) 1-14. Available at: https://www.rediech.org/ojs/2017/index.php/ie_rie_rediech/article/view/1120
40. Larriva J, Vintimilla M. Estilos de crianza como predictores del apego, dependencia emocional, abuso psicológico en relaciones de pareja. REPSI [Internet]. 2023 [cited 13 feb 2025];6(15):130-141. Available at: <https://doi.org/10.33996/rep.si.v6i15.95>
41. Saldívar HG, Moreno RA, Trejo AJ. Exposición a la violencia familiar y violencia en el noviazgo en adolescentes de Ciudad de México: factores protectores y riesgo. Psicol. iberoam [Internet]. 2023 [cited 01 jun 2025];30(2):e302475. Available at: <https://psicologiaiberoamericana.ibero.mx/index.php/psicologia/article/view/475>
42. Gómez SP, Loor SL. Estilos de crianza y su vinculación en el desempeño académico de la básica media. UBM [Internet]. 2024 [cited 01 jun 2025];5(9):162-168. Available at: https://revistas.uleam.edu.ec/index.php/uleam_bahia_magazine/article/view/577

How to cite this article: Zorrilla-Martínez L, Flores-Romo A, Trejo-Ortiz P, Araujo-Espino R. Association between parenting styles and intimate partner violence among nursing students. SANUS [Internet]. 2025 [cited dd mmm yyyy];10(21): e564. Available at: DOI/URL.

