NPM : 212310035


Nama : Adrian Adhari

## Tugas Lab. Pemrograman Web


## **Proses Branch**

1. Buat repository

© (5) When he had no see that the control of t



2. Clone repository tersebut ke lokal



3. Buat project laravel di folder yang sudah kita clone

```
E:\kampung-labirin>laravel new web-kampung-labirin

Creating a "laravel/laravel" project at "./web-kampung-labirin"
Info from https://repo.packagist.org: #StandwithUkraine
Installing laravel/laravel (v10.2.2)
Downloading laravel/laravel (v10.2.2):
Estracting archive
Created project in E:\kampung-labirin/web-kampung-labirin

@php - "file exists('.env') | copy('.env.example', '.env');"
Loading composer repositories with package information
Updating dependencies
Locking brick/math (0.11.0)
Locking brick/math (0.11.0)
Locking drifydev/dot-access-data (v3.0.2)
Locking dottrine/inflector (2.0.6)
Locking dottrine/inflector (2.0.6)
Locking factorine/inflector (2.0.6)
Locking factorine/inflector (4.0.1)
Locking fakerphyfaker (3.0.9)
Locking fakerphyfaker (3.2.0)
Locking fakerphyfaker (4.2.0.9)
Locking fakerphyfaker (4.2.0.9)
Locking fruitsake/php-cors (v1.2.0)
Locking fruitsake/php-cors (v1.2.0)
Locking guzzlehttp/promises (2.0.0)
```

4. git add & git commit


```
E:\kampung-labirin>git add .

E:\kampung-labirin>git commit -m "upload"
[main (noot-commit) 01343f5] upload
79 files changed, 10917 insertions(+)
create mode 108644 web-kampung-labirin/.env.example
create mode 108644 web-kampung-labirin/.gitignore
create mode 108644 web-kampung-labirin/.gitignore
create mode 108644 web-kampung-labirin/app/Console/Kernel.php
create mode 108644 web-kampung-labirin/app/Fonsole/Kernel.php
create mode 108644 web-kampung-labirin/app/Fonsole/Kernel.php
create mode 108644 web-kampung-labirin/app/Fttp/Controllers/Controller.php
create mode 108644 web-kampung-labirin/app/Http/Controllers/Controller.php
create mode 108644 web-kampung-labirin/app/Http/Kidleware/Authenticate.php
create mode 108644 web-kampung-labirin/app/Http/Midleware/Authenticate.php
create mode 108644 web-kampung-labirin/app/Http/Midleware/Authenticate.php
create mode 108644 web-kampung-labirin/app/Http/Midleware/FrentRequestsDuringMaintenance.php
create mode 108644 web-kampung-labirin/app/Http/Midleware/FrentRequestsDuringMaintenance.php
create mode 108644 web-kampung-labirin/app/Http/Midleware/Trusthosts.php
create mode 108644 web-kampung-labirin/app/Providers/AppServiceProvider.php
create mode 108644 web-kampung-labirin/app/Providers/AppServiceProvider.php
create mode 108644 web-kampung-labirin/app/Providers/FoadcastServiceProvider.php
create mode 108644 web-kampung-labirin/app/Providers/FoadcastServiceProvider.php
create mode 108644 web-kampung-labirin/app/Providers/RoadcastServiceProvider.php
create mode 108644 web-kampung-labirin/app/Providers/RoadcastServiceProvider.php
create mode 108644 web-kampung-labirin/app/Providers/RoadcastServiceProvider.php
create mode 108644 web-kampung-labirin/app/Providers/RoadcastServiceProvider.ph
```

5. git push origin main

```
create mode 100644 web-kampung-labirin/resources/js/app.js
create mode 100644 web-kampung-labirin/resources/js/bootstrap.js
create mode 100644 web-kampung-labirin/resources/views/welcome.blade.php
create mode 100644 web-kampung-labirin/resources/views/welcome.blade.php
create mode 100644 web-kampung-labirin/routes/api.php
create mode 100644 web-kampung-labirin/routes/console.php
create mode 100644 web-kampung-labirin/routes/console.php
create mode 100644 web-kampung-labirin/routes/console.php
create mode 100644 web-kampung-labirin/storage/app/public/.gitignore
create mode 100644 web-kampung-labirin/storage/framework/.gitignore
create mode 100644 web-kampung-labirin/storage/framework/cache/data/.gitignore
create mode 100644 web-kampung-labirin/storage/framework/sessions/.gitignore
create mode 100644 web-kampung-labirin/storage/framework/sessions/.gitignore
create mode 100644 web-kampung-labirin/storage/framework/sessions/.gitignore
create mode 100644 web-kampung-labirin/storage/framework/views/.gitignore
create mode 100644 web-kampung-labirin/tests/createsApplication.php
create mode 100644 web-kampung-labirin/tests/feature/ExampleTest.php
create mode 100644 web-kampung-labirin/tes
```

6. Cek kembali repositorynya apakah ada perubahan



7. Membuat branch dan cek status dan merubah branch yang dibuat

```
E:\kampung-labirin>git branch AdrianAdhari

E:\kampung-labirin>git status
On branch main
Your branch is up to date with 'origin/main'.
nothing to commit, working tree clean

E:\kampung-labirin>git checkout AdrianAdhari
Switched to branch 'AdrianAdhari'

E:\kampung-labirin>_

E:\kampung-labirin>_
```

8. git push origin (nama branchnya)

```
E:\kampung-labirin>git push origin AdrianAdhari
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0
remote:
remote: Create a pull request for 'AdrianAdhari' on GitHub by visiting:
remote: https://github.com/adrianadhari/kampung-labirin/pull/new/AdrianAdhari
remote:
To https://github.com/adrianadhari/kampung-labirin.git
* [new branch] AdrianAdhari -> AdrianAdhari
```

9. Mentrack perubahan file

## 10. git commit & git push untuk melakukan perubahan

```
E:\kampung-labirin\web-kampung-labirin\git commit -m "ubah return routes"

[AdrianAdhari 7d9c2d8] ubah return routes

1 file changed, 1 insertion(+), 1 deletion(-)

E:\kampung-labirin\web-kampung-labirin\git push origin AdrianAdhari

Enumerating objects: 9, done.

Counting objects: 100% (9/9), done.

Delta compression using up to 4 threads

Compressing objects: 100% (4/4), done.

Writing objects: 100% (5/5), 436 bytes | 436.00 KiB/s, done.

Total 5 (delta 3), reused 0 (delta 0), pack-reused 0

remote: Resolving deltas: 100% (3/3), completed with 3 local objects.

To https://github.com/adrianadhari/kampung-labirin.git
    01343f5..7d9c2d8 AdrianAdhari -> AdrianAdhari
```

## 11.Merge

