

REVISION 2

1. Which statements are **TRUE** about "Class" definition in Java?
 - i. In object oriented approach, everything is an object and every object is not necessary member of a class.
 - ii. Each object that is created from a class is an instance of the class.
 - iii. A class diagram consists of three components or members: class name, attributes and methods.
 - iv. The methods represent of an attribute.

A. i and ii.
B. i and iv.
C. ii and iii.
D. iii and iv.
2. A description below shows characteristic of special method called constructor. Which statements are **NOT TRUE**?
 - i. Automatically called when an object is created.
 - ii. The typical tasks is initializing instance variables.
 - iii. It will be created after declaration of data attributes.
 - iv. It will be presented by the symbol to represent **public**, **private** and **protective** respectively.

A. i and ii.
B. ii and iii.
C. i, ii and iii.
D. iii and iv.
3. What will be the value of **x** after the following code is executed?

```
int x, y = 4, z = 6;  
x = (y++) * (++z);
```

- A. 24
B. 28
C. 30
D. 35

A. 574.20

B. 580.00

C. 522.00

D. There is no value because the object order has not been created.

6. Given a declaration of variable two dimensional array named **numbers** as follow:

```
int numbers[][];  
int row, col, total;
```

Which of the following is **TRUE** to sum all the elements in the array?

A. `for (int row = 1; row < numbers.length; row++){
 for (int col = 1; col < numbers.length; col++){
 total += numbers[row][col]; } }`

B. `for (int row = 0; row < numbers.length; row++){
 for (int col = 0; col < numbers.length; col++){
 total += numbers[row][col]; } }`

C. `for (int row = 0; row < numbers[row].length; row++){
 for (int col = 0; col < numbers.length; col++){
 total += numbers[row][col]; } }`

D. `for (int row = 0; row < numbers.length; row++) {
 for (int col = 0; col < numbers[row].length; col++){
 total += numbers[row][col]; } }`

8. Look at the following declaration:

```
enum Fruit { APPLE, BLUEBERRY, WATERMELON }
```

What is the ordinal value of the **BLUEBERRY** enum constant?

A. 0

B. 1

C. 2

D. 3

9. Given a declaration of variable as follows:

```
int numbers[] = new int[10];  
int i = 10;
```

Which of the following statement are **TRUE**?

- i. `numbers[0]= "VOLLEYBALL";`
- ii. `numbers[1]= i;`
- iii. `numbers[10]= 5;`
- iv. `i= numbers[10];`

- A. i only.
- B. ii only.
- C. i, ii and iii.
- D. ii and iv.

2. Given the source codes as shown below.

[5 Marks]

```
1 public class TestKira
2 {
3     public static void main(String []a)
4     {
5         final int ARRAY_SIZE= 5;)
6         int Arr1[]= new int [ARRAY_SIZE];
7         inputData(Arr1);
8         Kira k1 = new Kira(Arr1);
9         k1.display(Arr1);
10    }
11    static void inputData(int Arr1[])
12    {
13        for (int x=0; x < Arr1.length; x++)
14            Arr1[x]= x+1;
15    }
16 }
17 class Kira
18 {
19     int Arr2 []= new int[5];
20
21     Kira(int x[])
22     {
23         Arr2= x;
24         display(Arr2);
25     }
26
27     public void display(int y[])
28     {
29         for (int x : y)
30             System.out.print("*" + x + "*");
31     }
32 }
33
34
```


- a. What is the output?
- b. Draw the content of **array Arr1**

4. Complete the following program based on the question stated in the comment given:

[7 Marks]

1	<code>public class Test2</code>
2	<code>{</code>
3	<i>a. Declare the CarColor enumerated type with member are RED,</i>
4	<i>BLACK, BLUE, SILVER and YELLOW</i>
5	
6	
7	<code>int []arr ={1,2}</code>
8	
9	<code>public static void main(String[] args){</code>
10	
11	<i>b. Declare a CarColor variable named color and assign a value is</i>
12	<i>"BLUE"</i>
13	<code>_____ //1m</code>
14	
15	<i>c. Display "BLUE"</i>
16	<code>_____ /1m</code>
17	
18	<i>d. Display the ordinal value for CarColor.YELLOW</i>
19	<code>_____</code>
20	
21	
22	
23	<i>e. Compare two enum constant "SILVER" and "YELLOW" using if</i>
24	<i>statement and display SILVER is "greater than YELLOW" or</i>
25	<i>"SILVER is NOT greater than YELLOW"</i>
26	<code>_____</code>
27	<code>_____</code>
28	<code>}</code>
29	<code>}</code>
30	
31	

5. Given the directory structure as shown below:



Complete the following program based on question stated in the comment given:

[7 Marks]

1	a. Write the package name to this code
2	_____
3	
4	<code>public class Flower {</code>
5	<code>...</code>
6	<code>}</code>

1	<i>//Test.java</i>
2	b. Import Flower.class here
3	
4	c. Import Private class here
5	
6	d. Import Utm class here
7	
8	
9	<code>public class Test {</code>
10	<code>public static void main(String[] args) {</code>
11	
12	e. Define object Flower
13	_____objf = _____//1m
14	
15	f. Define object Private
16	_____objp = _____; //1m
17	
18	g. Define object Utm
19	_____obju = _____ //1m
20	
21	

