

OVERVIEW



1. Optical drive	6. USB 3.1 Gen 1
2. Kensington Security Slot	7. USB 3.1 Gen 1
3. Power connector	8. Headphone / microphone combo jack (3.5mm)
4. Ethernet (RJ-45)	9. USB-C 3.1 Gen 1 (data transfer only)
5. HDMI 1.4b	

Notes:

- Ports with \* are only available on selected models

PERFORMANCE

Processor

Processor Family

AMD Athlon™ or AMD Ryzen™ 3 / 5 / 7 Processor

Processor\*\*

Processor Name	Cores	Threads	Base Frequency	Max Frequency	Cache	Memory Support	Processor Graphics
AMD Athlon 300U	2	4	2.4GHz	3.3GHz	1MB L2 / 4MB L3	DDR4-2400	AMD Radeon™ Vega 3 Graphics
AMD Ryzen 3 3200U	2	4	2.6GHz	3.5GHz	1MB L2 / 4MB L3	DDR4-2400	AMD Radeon Vega 3 Graphics
AMD Ryzen 5 3500U	4	8	2.1GHz	3.7GHz	2MB L2 / 4MB L3	DDR4-2400	AMD Radeon Vega 8 Graphics
AMD Ryzen 7 3700U	4	8	2.3GHz	4.0GHz	2MB L2 / 4MB L3	DDR4-2400	AMD Radeon RX Vega 10 Graphics

Operating System

Operating System\*\*

- Windows® 10 Pro 64
- Windows 10 Home 64
- Windows 10 Home in S mode
- FreeDOS

Graphics

Graphics\*\*

Graphics	Type	Memory	Key Features
AMD Radeon RX Vega 10 Graphics	Integrated	Shared	DirectX® 12
AMD Radeon Vega 8 Graphics	Integrated	Shared	DirectX 12
AMD Radeon Vega 3 Graphics	Integrated	Shared	DirectX 12

Monitor Support

Monitor Support

Supports up to 2 independent displays via native display and 1 external monitor; supports external monitor via HDMI® (up to 3840x2160@30Hz)

Chipset

Chipset

AMD SoC (System on Chip) platform

Memory

Max Memory<sup>[2]</sup>

- Up to 8GB (4GB soldered + 4GB SO-DIMM) DDR4-2400 offering
- Up to 16GB (16GB SO-DIMM) DDR4-2400 offering
- Up to 8GB (8GB SO-DIMM) DDR4-2400 offering
- Up to 12GB (4GB soldered + 8GB SO-DIMM) DDR4-2400 offering

Memory Slots\*\*

- One DDR4 SO-DIMM slot
- One memory soldered to systemboard, one DDR4 SO-DIMM slot, dual-channel capable

Memory Type

DDR4-2400

Notes:

1. The max memory is based on the test results with current Lenovo® memory offerings. The system may support more memory as the technology develops.
2. AMD R5 or R7 model: Up to 16GB (16GB SO-DIMM) DDR4-2400 offering

Storage

Storage Support

Up to two drives, 1x 2.5" HDD/SSD + 1x M.2 SSD

- 2.5" HDD up to 2TB
- 2.5" SSD up to 256GB
- M.2 2242 SSD up to 512GB
- M.2 2280 SSD up to 512GB

Storage Type\*\*\*

Disk Type	Interface	RPM	Security
2.5" SATA HDD	SATA 6Gb/s	5.4K	-
2.5" SATA SSD	SATA 6Gb/s	-	-
M.2 2242 SSD	PCIe NVMe, PCIe 3.0 x2	-	-
M.2 2280 SSD	PCIe NVMe, PCIe 3.0 x4	-	-

Removable Storage

Optical

- DVD burner (DVD±RW), SATA 1.5Gb/s, slim (9.0mm)
- None

Card Reader

No card reader

Multi-Media

Audio Chip

High Definition (HD) Audio

Speakers

Stereo speakers, 1.5W x2, Dolby® Audio™

Microphone

Single microphone

Camera\*\*

- 0.3-megapixel, with privacy shutter, fixed focus
- 720p, with privacy shutter, fixed focus

Battery

Battery

Integrated Li-Polymer 36Wh battery, supports Rapid Charge (charge up to 80% in 1hr)

Max Battery Life<sup>[1]</sup>

MobileMark® 2014: 8.5 hr

Notes:

1. All battery life claims are approximate maximum and based on results using the MobileMark 2014, MobileMark 2018, JEITA 2.0, continuous 1080p video playback (with 150nits brightness and default volume level) or Google Power Load Test (PLT) battery-life benchmark tests. Actual battery life will vary and depends on many factors such as product configuration and usage, software use, wireless functionality, power management settings, and screen brightness. The maximum capacity of the battery will decrease with time and use.

Power Adapter

Power Adapter

65W round tip (2-pin, wall-mount) AC adapter

DESIGN

Display

Display\*\*<sup>[1]</sup>

Size	Resolution	Touch	Type	Brightness	Surface	Aspect Ratio	Contrast Ratio	Color Gamut	Viewing Angle	Key Features
15.6"	HD (1366x768)	None	TN	220 nits	Anti-glare	16:9	-	-	-	-
15.6"	HD (1366x768)	Multi-touch	TN	220 nits	Anti-glare	16:9	-	-	-	-
15.6"	FHD (1920x1080)	None	TN	220 nits	Anti-glare	16:9	-	-	-	-

Touchscreen

- Capacitive-type multi-touch, supports 10-point touch
- Non-touch

Notes:

1. California Electronic Waste Recycling Fee  
In California, per state law, Lenovo charges an electronic waste recycling fee on this covered device at the time of sale of the product.  
For more information, go to <https://www.calrecycle.ca.gov/Electronics/Consumer>

Input Device

Keyboard

6-row, multimedia Fn keys, numeric keypad

Keyboard Backlight

No support

Touchpad

Buttonless Mylar® surface multi-touch touchpad

Mechanical

Dimensions (WxDxH)

Models	Dimensions
All models	363 x 254.6 x 22.9 mm (14.29 x 10.02 x 0.9 inches)

Weight<sup>[1]</sup>

Models	Weight
All models	2.2 kg (4.8 lbs)

Case Color\*\*

- Abyss blue
- Blizzard white
- Dark orchid
- Granite black
- Platinum grey

Surface Treatment

IMR (in-mold decoration by roller)

Case Material

PC + ABS (top), PC + ABS (bottom)

Notes:

1. The system weight varies depending on configurations

CONNECTIVITY

Network

Onboard Ethernet

Gigabit Ethernet

**WLAN + Bluetooth®**

802.11ac 1x1 Wi-Fi® + Bluetooth 4.2, M.2 card

**Ports<sup>[1]</sup>****Standard Ports**

- 2x USB 3.1 Gen 1
- 1x USB-C 3.1 Gen 1 (support data transfer only)
- 1x HDMI 1.4b
- 1x Ethernet (RJ-45)
- 1x Headphone / microphone combo jack (3.5mm)
- 1x Power connector

**Notes:**

1. The transfer speed of following ports will vary and, depending on many factors, such as the processing speed of the host device, file attributes and other factors related to system configuration and your operating environment, will be slower than theoretical speed.  
USB 2.0: 480 Mbit/s;  
USB 3.2 Gen 1 (SuperSpeed USB 5Gbps, formerly USB 3.0 / USB 3.1 Gen 1): 5 Gbit/s;  
USB 3.2 Gen 2 (SuperSpeed USB 10Gbps, formerly USB 3.1 Gen 2): 10 Gbit/s;  
USB 3.2 Gen 2x2 (SuperSpeed USB 20Gbps): 20 Gbit/s;  
Thunderbolt™ 3: 40 Gbit/s;  
FireWire 400: 400 Mbit/s;  
FireWire 800: 800 Mbit/s

**SECURITY & PRIVACY****Security****Security Chip**

Firmware TPM 2.0 integrated in chipset

**Physical Locks**

Kensington® Security Slot

**Fingerprint Reader**

No fingerprint reader

**BIOS Security**

- Supervisor password
- Power-on password
- Hard disk password

**Other Security**

Camera privacy shutter

**SERVICE****Warranty****Base Warranty\*\***

- 1-year mail-in service
- 1-year depot service
- 2-year (1-yr battery) depot service

**ENVIRONMENTAL****Operating Environment****Temperature<sup>[1]</sup>**

- At altitudes up to 2438 m (8,000 ft)
  - Operating: 5°C to 35°C (41°F to 95°F)
  - Storage: 5°C to 43°C (41°F to 109°F)
- At altitudes above 2438 m (8,000 ft)
  - Maximum temperature when operating under the unpressurized condition: 31.3°C (88°F)

**Humidity**

- Operating: 8% to 95% at wet-bulb temperature 23°C (73°F)
- Storage: 5% to 95% at wet-bulb temperature 27°C (81°F)

**Altitude**

Maximum altitude (without pressurization): 3048 m (10,000 ft)

**Notes:**

1. When you charge the battery, its temperature must be no lower than 10°C (50°F)

## CERTIFICATIONS

### Green Certifications

**Green Certifications**

- ENERGY STAR® 8.0
- ErP Lot 3
- RoHS compliant

- Feature with "\*\*\*\*" means that only one offering listed under the feature is configured on selected models.
- Feature with "\*\*\*\*\*" means that one or more offerings listed under the feature could be configured on selected models.
- Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors. LENOVO PROVIDES THIS PUBLICATION "AS IS," WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING THE IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some jurisdictions do not allow disclaimer of express or implied warranties in certain transactions, therefore this disclaimer may not apply to you.
- The specifications on this page may not be available in all regions, and may be changed or updated without notice.



AMD



AMD



AMD



AMD



AMD



AMD