Feedback we gave:

- They understood our three high level interactions without too much additional explanation.
- They thought our sketch supported high level interactions well, but were interested in seeing how Smith compares to other similar institutions, suggesting another tab to compare Smith's carbon emissions with those of other similarly-sized schools.
- They were also interested in seeing Becca's projections for years in the future in some way.
- After explaining how many categories there were in the transportation data, she suggested that for our transportation-only view, we extend the bar graphs so it'll be easier to see the different categories specifically.
- They also mentioned to us that, as per the requirements of the final project submission, we need a coordinated view of the data somewhere. She suggested a scatter plot that would coordinate with the bar plot, but after we thought about the nature of our data a bit more we decided a time series graph might actually work best.

Feedback we received:

Catherine (Beccas group)

- Recommended to add a default selection as the first view of the website. Have a default graph to show before the user selects any of the variables. Catherine thinks this can help the user feel more open to play with the data if shown how it works first.
- Recommended to be an add option to click on points to know more information.
- Recommended to have a side-by-side view of functional feeding groups with the taxonomic/family groups to see patterns.
- Overall, Catherine thought the high-level and low-level interactions were clear.
- Catherine liked our graphs, especially the updated selectors and labels to guide the user in the exploration process.
- She thought the table was a little confusing, so she advised us to make sure to add good titles.
- She also considers that the selection for the year should be some other selector instead of a tab, because if data gets added to it or there are a lot of years it would be not too great to navigate.

Updated Sketches based on feedback



Anomalous Organisms

Find organisms responding unusually to environmental conditions. Click any anomalous colored cell to see details on the right.

☑ Show anomalies only (|r| > 0.3)

	Conductivity	Flow	Dissolved O_2	Water Temp	Precip	Discharge
Aeshnidae	-0.26	0.18	0.13	-0.08	0.74	0.33
Ataridae	-0.79	-0.28	-0.63	0.73	0.22	-0.38
Ceratopogonidae	-0.48	-0.01	0.29	-0.39	0.25	0.09
Chloroperlidae	-0.62	-0.13	-0.12	-0.21	0.73	-0.04
Corydalidae	-0.47	0.07	0.09	-0.12	0.37	-0.23
Crambidae	-0.27	-0.05	0.15	-0.18	0.38	-0.14
Dugesiidae	-0.13	0.32	0.07	-0.11	0.28	-0.23
Empididae	-0.22	0.26	0.15	-0.15	0.30	-0.13
Glossiphoniidae	-0.79	-0.04	-0.71	0.63	0.03	0.15
Goeridae	-0.49	0.36	0.15	-0.15	0.58	0.40
Gomphidae	-0.56	0.04	-0.15	-0.03	0.71	0.13
Hygrobatidae	-0.47	-0.22	0.35	-0.11	0.04	-0.02
Leptophlebiidae	-0.38	-0.21	0.10	-0.13	0.15	-0.05
Limnephilidae	0.15	-0.07	-0.19	0.18	-0.43	-0.11
Lumbriculidae	0.21	0.44	-0.05	0.43	0.03	0.28
Naididae	0.18	0.43	0.31	-0.17	-0.43	-0.36

Added clear title

Aeshnidae × Precip

r = 0.744

Strong positive correlation