ieco.io

Análise clúster de datos de entrada para simulacións de sistemas fotovoltaicos con afección de sombras locais

UNIVERSIDADE DA CORUÑA

USC UNIVERSIDADE DE SANTIAGO DE COMPOSTELA

Universidade Vigo

Adrián Blanco Aguiar



ieco

Online platform for photovoltaic system simulations

Crucial for system sizing

Open source simulation methods


Brief photovoltaic introduction



Credits:https://unsplash.com/es/fotos/paneles-solares-en-campo-verde-513dBrMJ_5w


ieco.io


Brief photovoltaic introduction




ieco.io

Brief photovoltaic introduction







IV curve and MPP



ieco.io


Full module






ieco.io


Shading mismatch





ieco.io

Shading mismatch




Bypass diodes

Active

Inactive

ieco.io


Shading mismatch





Credits: https://www.youtube.com/watch?v=AZ8VQ_zmf1M&t=209s

ieco.io

Simulation process








ieco.io


Simulation process



$(12 \times 6) \times 2 = 144$ cells


ieco.io


Simulation process




ieco.io

Submodule-level simulation





This is the one we use as the accurate reference method in our work!




ieco.io

8760

hourly operating conditions in a year!

Problem



hourly operating conditions in a year!


high computational cost

ieco.io

4000


How do we reduce this number?

Similar operating conditions produce similar outputs



ieco.io

Aggregation of similar operating conditions



Just one simulation!

2 November, 11:00

Irradiance	922.49 W/m²
Sun elevation	31.14°
Sun azimuth	-24.87°
Temperature	43.19°C

3 November, 11:00

Irradiance	919.51 W/m²
Sun elevation	30.85°
Sun azimuth	-24.75°
Temperature	43.39°C

Mean operating conditions

mean	921 W/m²
mean	31°
mean	-24.81°
mean	43.29°C

Simulation

MPP output

382.81 W

Real value:
383.60 W

MPP output for **2** November, 11:00

382.81 W

MPP output for **3** November, 11:00

382.81 W

Real value:
382.02 W

ieco.io

Aggregation of similar operating conditions


How do we automatically aggregate similar operating conditions?

k-means

Unsupervised machine learning algorithm for data segmentation (clustering)

ieco.io

K-means algorithm



Centroids (✖) as new data points


ieco.io

Initial data aggregation approaches

- StraightForward Aggregation (SFA)
- Hierarchical Hourly Aggregation (HHA)

ieco.io


Straight-Forward Aggregation (SFA)



ieco.io

Simulation scenarios for performance testing

Meteorological data
from Madrid, Spain




ieco.io

SFA performance results

$$Relative\ Error = \frac{\sum \left| MPP_{new\ method} - MPP_{reference\ method} \right|}{\sum MPP_{reference\ method}}$$

$$Relative\ Time = \frac{time_{new\ method} - time_{reference\ method}}{time_{reference\ method}}$$




Module-level performance for comparison

ieco.io

SFA performance results

$$Relative\ Error = \frac{\sum \left| MPP_{new\ method} - MPP_{reference\ method} \right|}{\sum MPP_{reference\ method}}$$

$$Relative\ Time = \frac{time_{new\ method} - time_{reference\ method}}{time_{reference\ method}}$$




More stable results!

Less errors than module-level simulation

More reduction in computational time than module-level simulation

ieco.io


Hierarchical Hourly Aggregation (HHA)



more complex and less interpretable way of selecting the number of clusters compared with SFA


ieco.io

SFA performance




More interpretable!

HHA performance



ieco.io

How do we compare both methods?



mean

$$Relative\ Error = \frac{\sum \left| MPP_{new\ method} - MPP_{reference\ method} \right|}{\sum MPP_{reference\ method}}$$


VS

mean

$$Relative\ Time = \frac{time_{new\ method} - time_{reference\ method}}{time_{reference\ method}}$$


ieco.io

Methods comparison (Pareto Frontier)



ieco.io

Methods comparison (Pareto Frontier)



$$Relative\ Error = \frac{\sum \left| MPP_{new\ method} - MPP_{reference\ method} \right|}{\sum MPP_{reference\ method}}$$

$$Relative\ Time = \frac{time_{new\ method} - time_{reference\ method}}{time_{reference\ method}}$$

SFA outperforms both methods

ieco.io


Performance in terms of total annual power loss caused by partial shading (SFA)

$$MPP_{loss} = MPP_{no\ shading} - MPP_{shading}$$

$$Relative\ Difference = \frac{\sum \left(MPP_{loss\ new\ method} - MPP_{loss\ reference\ method} \right)}{\sum MPP_{loss\ reference\ method}}$$

$$= \frac{\sum MPP_{loss\ new\ method}}{\sum MPP_{loss\ reference\ method}} - 1$$

$$Relative\ Time = \frac{time_{new\ method} - time_{reference\ method}}{time_{reference\ method}}$$



Module-level performance for comparison

ieco.io


Performance in terms of total annual power loss caused by partial shading (SFA)

$$MPP_{loss} = MPP_{no\ shading} - MPP_{shading}$$

$$Relative\ Difference = \frac{\sum \left(MPP_{loss\ new\ method} - MPP_{loss\ reference\ method} \right)}{\sum MPP_{loss\ reference\ method}}$$

$$= \frac{\sum MPP_{loss\ new\ method}}{\sum MPP_{loss\ reference\ method}} - 1$$

$$Relative\ Time = \frac{time_{new\ method} - time_{reference\ method}}{time_{reference\ method}}$$



Simulation 85% faster with nearly the same results!

ieco.io

Summary

- Aggregation methods for initial data segmentation
- Better alternative in terms of accuracy/speed trade-off than module-level simulation without aggregation
- Very tunable models depending on the use case

ieco.io

END

PV shading models with pvlib

Accelerating photovoltaic system simulations via statistical data aggregation