

Ship It

Mode 3 — getting animations into the real app: loading, testing, releasing (for adults) · 模式三：把动画装进真正的应用——加载、测试、发布（给大人）

The kids made something great in `animation-studio/output/`. This guide is how it reaches the actual pet on the desktop. There are two paths, and knowing which one you need saves you an hour:

孩子们在 `output/` 里做出了好东西。这份指南教你把它装到桌面上真正的宠物身上。有两条路，选对路能省一小时：

	Path A — User theme 用户主题	Path B — Built-in 内置发布
Best for 适合	New creature families; quick experiments 新物种、快速试玩	Permanently improving the default Clawd 永久改进默认 Clawd
Needs a release? 需要发版？	No — instant 不需要，立即生效	Yes: version bump + tag + publish 需要：升版本+打标签+发布
Reaches 谁能看到	This computer only 只有这台电脑	Every installed copy that updates 所有安装并更新的电脑

Path A — Load as a user theme (no release needed)

1

Find the user themes folder 找到用户主题文件夹

```
Windows: %APPDATA%\clawd-on-desk\themes\  
macOS:   ~/Library/Application Support/clawd-on-desk/themes/  
Linux:   ~/.config/clawd-on-desk/themes/
```

Create it if it doesn't exist, then make a subfolder per theme, e.g. `themes/rect-bird/`.

2

Assemble the theme 组装主题

Inside `rect-bird/`: a `theme.json` plus an `assets/` folder containing the SVGs. The repo ships a fully commented scaffold at `themes/template/theme.json` — start from it. A minimal working example:

```
{
  "schemaVersion": 1,
  "name": "Rect-Bird",
  "author": "Your kid's name here",
  "version": "1.0.0",
  "viewBox": { "x": -15, "y": -25, "width": 45, "height": 45 },
  "sleepSequence": { "mode": "direct" },
  "states": {
    "idle": ["pip-idle.svg"],
    "thinking": ["pip-thinking.svg"],
    "working": ["pip-working.svg"]
  }
}
```

Only three states are mandatory: `idle`, `thinking`, `working` (see `src/theme-schema.js`). Every other state is optional and falls back gracefully. `"sleepSequence": {"mode": "direct"}` avoids needing the four sleep-transition animations. Add more states as the kids produce them — `juggling` is the one the dance feature uses.

只有三个状态是必需的：`idle`（发呆）、`thinking`（思考）、`working`（工作）。其他都可省略。`direct` 睡眠模式可以免掉四个睡觉过渡动画。孩子做出新动画就往里加——跳舞功能用的是 `juggling` 状态。

3

Activate 启用

Restart the app → tray menu → Settings → Theme → your theme is listed. Switch to it and the pet transforms.

重启应用 → 托盘菜单 → 设置 → 主题 → 选择你的主题，宠物立刻变身。

Path B — Bake into the built-in Clawd theme (released)

1

Add the file to the repo 把文件放进仓库

Copy the SVG into `assets/svg/`, keeping the `clawd-*.svg` naming.

2

Map it to a state 映射到状态

In `themes/clawd/theme.json`, find `"states"` and either replace an existing file or append yours to the array (the app can rotate among several). Example — a new dance for the activity-dance feature:

```
"juggling": ["clawd-headphones-groove.svg", "clawd-dance-party.svg"]
```

Scope note: mapping files to *existing* states is config-only. Inventing a brand-new state (e.g. "singing") requires app code — that's a developer task, not covered here.

在 `themes/clawd/theme.json` 的 `states` 里替换或追加文件名。注意：只有映射到现有状态是纯配置；发明全新状态需要改代码，不在本指南范围。

3

Release 发布

The installed app updates from **GitHub Releases** of this fork — never from branches. The runbook:

1. Bump `"version"` in `package.json` (e.g. 0.11.0 → 0.11.1). *Mandatory* — the updater only acts on a higher version.
2. Create `docs/releases/release-v0.11.1.md` with the release notes. *Mandatory* — CI reads exactly this path and fails without it.
3. Commit to `main`, then:

```
git tag v0.11.1 && git push origin main v0.11.1
```

4. GitHub Actions (`.github/workflows/build.yml`) builds Windows/macOS/Linux installers and creates a **draft** release.
5. Go to the repo's Releases page and **Publish** the draft. Drafts are invisible to the updater.
6. Installed apps pick it up on the next scheduled check, or immediately via tray → Check for Updates.

发布六步：① 升 `package.json` 版本号（必须）② 写 `docs/releases/release-v版本号.md`（必须，CI 读这个路径）③ 提交并推送标签 ④ CI 自动构建三平台安装包并创建草稿发布 ⑤ 到 Releases 页面点 Publish——草稿对更新器不可见 ⑥ 已安装的应用会自动发现更新。



Testing before you ship 上线前测试

1. **Browser pass:** double-click the SVG. Full loop, no jump at the loop point, nothing clipped, still on-model.
2. **Live app pass:** from a repo clone run `npm install && npm start`.
 - `idle` : hands off the mouse and wait.
 - `working / thinking` : start a real Claude Code session in a hooked terminal — or temporarily map your file to `idle` for instant viewing, then map it back.
 - Dance tiers (this fork's feature): launch with

```
CLAUD_ACTIVITY_DANCE_FORCE_TIER=2 npm start
```

to pin the dance regardless of real keyboard activity (1=groove, 2=party, 0=off). Also make sure "Dance with Me" is ticked in the tray menu.
3. **Size pass:** in Settings try the smallest and largest pet size — small sizes eat pixel details; confirm the silhouette still reads.

三道测试：① 浏览器双击看整圈循环 ② 从代码仓库 `npm start` 真机测试（想立即看到可临时映射到 `idle`；跳舞用 `CLAUD_ACTIVITY_DANCE_FORCE_TIER=2` 强制触发，并确认托盘菜单勾选了“陪我跳舞”）③ 在设置里试最大和最小尺寸，确认轮廓依然清晰。

Troubleshooting 排查

Symptom 症状	Cause & fix 原因与解决
App says no update found 应用说没有更新	Version not bumped, or the release is still a draft. 版本号没升，或发布还是草稿。
CI release job failed CI 发布失败	Missing <code>docs/releases/release-v<version>.md</code> . 缺少发布说明文件。
macOS won't auto-install update macOS 不自动更新	Unsigned builds can't auto-install on macOS — download the .dmg from the Releases page manually. 未签名的构建在 macOS 上不能自动安装，需手动下载。
Theme doesn't appear in Settings 主题没出现	Wrong folder path, or <code>theme.json</code> invalid / missing one of <code>idle/working/thinking</code> . 文件夹路径不对，或 <code>theme.json</code> 无效、缺少三个必需状态。
Animation frozen in the app 动画在应用里不动	Low-power idle mode may pause animations; also verify the SVG uses CSS keyframes, not SMIL. 可能是低功耗模式暂停了动画；并确认 SVG 用的是 CSS 关键帧而不是 SMIL。

