

Assignment 1

Solve the following exercises. Any non-code part of the assignment must be handed in as comments in the source code.

You write multiline comments between `(*` and `*)` and single-line comments using `//`.

Some of the exercises (which are marked) are copied more or less verbatim from the course book, for your convenience, possibly with minor reformulations.

Green Exercises

Exercise 1.1

Write a function `sqr : int -> int` that given an integer `x` returns `x` squared

Exercise 1.2

Write a function `pow : float -> float -> float` that given two floating point numbers `x` and `n` returns `x` to the power of `n`

Hint: Use the library function: `System.Math.Pow`

Exercise 1.3 (based on 1.4 from HR)

Write a recursive function `sum : int -> int` such that given an integer `n` such that `n ≥ 0` returns the sum of all integers from `0` to `n` inclusive.

$$\text{sum } n = 0 + 1 + 2 + 3 + \dots + n$$

Hint: Use two clauses with `0` and `n` as patterns.

Exercise 1.4 (based on 1.5 from HR)

The sequence F_0, F_1, F_2, \dots of Fibonacci numbers is defined by:

$$\begin{aligned} F_0 &= 0 \\ F_1 &= 1 \\ F_n &= F_{n-1} + F_{n-2} \end{aligned}$$

Thus, the first members of the sequence are 0, 1, 1, 2, 3, 5, 8, 13, ...

Write a function `fib : int -> int` that given an integer `n` such that `n ≥ 0` computes F_n . Use a declaration with three clauses, where the patterns correspond to the three cases of the above definition.

Exercise 1.5

Write a function `dup : string -> string` that given a string `s` concatenates `s` with itself. You can either use `+` or `^` to concatenate strings.

Example: `dup "Hi " = "Hi Hi "`

Exercise 1.6

Write a function `dupn : string -> int -> string` that given a string `s` and an integer `n` concatenates `s` with itself `n` times.

Example: `dupn "Hi " 3 = "Hi Hi Hi "`

Exercise 1.7 (based on 2.8 from HR)

The following figure gives the first part of Pascal's triangle

```
      1
     1 1
    1 2 1
   1 3 3 1
  1 4 6 4 1
```

The entries of the triangle are called binomial coefficients. The k 'th binomial coefficient of the n 'th row is denoted $\binom{n}{k}$, for $n \geq 0$ and $k \leq n$. For example, $\binom{2}{1} = 2$ and $\binom{4}{2} = 6$ (note that we start counting at 0). The first and last binomial coefficients, that is, $\binom{n}{0}$ and $\binom{n}{n}$, of row n are both 1. Binomial coefficient inside a row is the sum of the two binomial coefficients immediately above it. These properties can be expressed as follows:

$$\binom{n}{0} = \binom{n}{n} = 1$$

$$\binom{n}{k} = \binom{n-1}{k-1} + \binom{n-1}{k} \text{ if } n \neq 0, k \neq 0, \text{ and } n > k$$

Declare a function `bin : int * int -> int` that given a pair (n, k) computes $\binom{n}{k}$.

Extra-curricular activities

There is an [interesting video](#) on fractal-like properties that are found when looking at even and odd numbers of Pascal's triangle.

Yellow Exercises

Exercise 1.8

Assume the time of day is represented as a pair `(hh, mm) : int * int` where `hh` represents the hour (a number between 0 and 23) and `mm` represents the minutes (a number between 0 and 59).

Write a function `timediff : int * int -> int * int -> int` so that `timediff t1 t2` computes the difference in minutes between `t1` and `t2`, i.e., `t2-t1`.

Examples:

```
> timediff (12,34) (11, 35);;
val it : int = -59

> timediff (12,34) (13, 35);;
val it : int = 61
```

Exercise 1.9

Write a function `minutes : int * int -> int` that computes the number of minutes since midnight.

Hint: This is easily done using the function `timediff`.

Examples:

```
> minutes (14,24);;
val it : int = 864

> minutes (23,1);;
val it : int = 1381
```

Exercise 1.10 (based on 2.13 from HR)

The functions `curry` and `uncurry` have the types

```
curry : ('a * 'b -> 'c) -> 'a -> 'b -> 'c
uncurry : ('a -> 'b -> 'c) -> 'a * 'b -> 'c
```

where

- `curry` takes a function `f` of type `'a * 'b -> 'c` and transforms it into a function of type `'a -> 'b -> 'c` such that `uncurry (curry f) (x, y) = f (x, y)`,
- `uncurry` takes a function `f` of type `'a -> 'b -> 'c` and transforms it into a function of type `('a * 'b) -> 'c` such that `f x y = curry (uncurry f) x y`

Write definitions of `curry` and `uncurry`.

Examples:

```
> curry (fun x, y -> x + y) 5 3;;
val it : int = 8

> uncurry (fun x y -> x + y) (5, 3);;
val it : int = 8
```

Scrabble assignments

If you have not done so already, make sure that you have read and understood the [rules of Scrabble](#). It is not strictly necessary to solve this assignment, but it helps to have a mental image of what we are implementing.

We are now going to get started with the Scrabble project as well as getting familiar with the *first-class* nature of functions in functional programming languages. Before we start, we will use the following terminology for the duration of the project:

- A *tile* is a piece that you place on the board. It contains a character and a point value. The pair `('H', 4)` or `('A', 1)` are, for instance, two examples of tiles where the first element denotes a character and the second value its point value. We currently do not consider wild card tiles but they will be covered later.
- A *square* is one element of the grid of the board that helps calculate the points of words that are placed over it. Two examples of squares on a standard Scrabble board are *double letter score* or *triple word score* but we will have the opportunity to make our own. All empty squares on the board can be thought of as *single letter score*.

This week we focus on two things:

1. representing words as a sequence of tiles
2. representing squares as functions that compute point values

As we progress through the course this design will change slightly, but the principles that we cover here will remain the same.

Sequences of tiles

From your previous courses you are familiar with several ways to handle collections of data (Linked lists, arrays, maps, etc). F# has all of these. Today we will focus on representing words as functions of type `int -> char * int` that given an integer position `p` returns a character and its point value at that position. This solution is not entirely optimal.

- All words are infinite (up to 32-bit integers anyway) and a default value needs to be used outside the intended length of the word.
- The length of the word is not made clear from the representation while structures like lists and arrays have their lengths readily available.
- Lookup times can be absolutely anything depending on the complexity of the function.

We will optimise this in future exercises.

Assignment 1.11

Create a function `empty : char * int -> (int -> char * int)` (note that the parentheses are strictly not necessary for the type but help with readability in this case) that given a default value `def` returns a function that given any integer returns `def`.

Hint: Here are four different correct ways that you can start the `empty` function

```
let empty (letter, pointValue) = fun pos -> ...
let empty (letter, pointValue) pos = ...

let empty pair = fun pos -> ...
let empty pair pos = ...
```

Examples:

```
// Explicit typing information will, depending on your definition of empty
// most likely be necessary here.
> let theLetterA : int -> char * int = empty ('A', 1);;
- val theLetterA : (int -> char * int)

> theLetterA 0;;
- val it : char * int = ('A', 1)

> theLetterA 42;;
- val it : char * int = ('A', 1)

> theLetterA -762;;
- val it : char * int = ('A', 1)
```

Red Exercises

Assignment 1.12

Create a function `add : int -> (char * int) -> (int -> char * int) -> (int -> char * int)` (note that the middle set of parentheses *are* needed in this case and are not just there for readability) that given a position `pos`, a pair containing a character and a point value `cv`, and a word represented by the function `word` returns another function that behaves exactly like `word` except that it returns `cv` when its position argument is equal to `pos`.

Hint: Here are two different correct ways that you can start the `add` function

```
let add newPos (letter, pointValue) word = fun pos -> ...
let add newPos (letter, pointValue) word pos = ...
```

Examples:

```

> let theLettersAB = add 1 ('B', 3) theLetterA;;
- val theLettersAB : (int -> char * int)

> theLettersAB 0;;
- val it : char * int = ('A', 1)

> theLettersAB 1;;
- val it : char * int = ('B', 3)

> theLettersAB 42;;
- val it : char * int = ('A', 1)

```

Assignment 1.13

Use the functions `empty` and `add` to create the function `hello : int -> char * int` that spells HELLO starting at index 0 and ending at index 4. Use `(char 0, 0)` as the default value. The letter H is worth four points and all other letters are worth one point.

Hint: By far the easiest way to do this is by using the piping operator `|>` as described in HR 2.11.

Creating squares

The squares on the board help calculate the number of points players get when placing words over them. Modelling them in a good way is non-trivial and we start here with a few simple cases. For this exercise we focus on squares that give points for single letters of words only (double letter score for instance) and next week we move on to squares that give points for the entire word (like double word score). We also keep our representation reasonably general in order to be able to expand to more esoteric types of squares down the line (squares that give negative points for vowels for instance).

Assignment 1.14

For this exercise, squares are functions and have the type `(int -> char * int) -> int -> int`. They take a word function `word`, the position in the word of the tile that is placed on the square `pos`, and returns the number of points you get for that square.

Create the square functions `singleLetterScore`, `doubleLetterScore` and `trippleLetterScore` that all have the type `(int -> char * int) -> int -> int` such that:

- `singleLetterScore` returns the point value of the tile placed on the square
- `doubleLetterScore` returns twice the point value of the tile placed on the square
- `trippleLetterScore` returns thrice the point value of the tile placed on the square

Examples:

```
> singleLetterScore hello 4;;  
- val it : int = 1  
  
> doubleLetterScore hello 4;;  
- val it : int = 2  
  
> trippleLetterScore hello 4;;  
- val it : int = 3
```

Next week we will cover more types of squares and alternative ways to represent our words. The overall structure and the general intuition will, however, remain the same.