
## Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

## Showing results for contents of text-input area



Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

## Document checking completed. No errors or warnings to show.

## Source

```
1. ↩
2. <!DOCTYPE html>↔
3. <html lang="en">↔
4. ←
5. <head>←
        <meta charset="utf-8">↔
6.
7.
        <meta http-equiv="X-UA-Compatible" content="IE=edge">←
8.
        <meta name="viewport" content="width=device-width, initial-scale=1">←
9. ب
        <!-- CSRF Token -->←
10.
        <meta name="csrf-token"</pre>
11.
    content="nbl5YVF31wRhSe2kmtJvm3bpIVCQTicc47nBNp9i">←
12.
        <meta name="public-token" content="">←
13. ↩
14.
        <!-- Open Graph Tags -->↔
        <meta name="viewport" content="width=device-width, initial-scale=1.0">←
15.
16.
        <meta property="og:title" content="ProjeX - Take Control of Your</pre>
    Projects">
17.
        <meta property="og:description"←</pre>
```

```
18.
            content="The best platform to coordinate projects, organize tasks, and
    maintain clear communication.">↔
19.
        <meta property="og:image"</pre>
    content="http://localhost:8000/assets/projex_logo.png">↔
20.
        <meta property="og:url" content="http://localhost:8000/mainPage">←
21.
        <meta property="og:type" content="website">↔
22.
        <meta property="og:site_name" content="ProjeX">←
23.
        <meta property="og:locale" content="en">←
   ب
24.
        <link rel="icon" type="image/x-icon"</pre>
25.
    href="http://127.0.0.1:8000/assets/faviconWhite.ico">↔
26.
        <title>ProjeX - Project Details</title>←
27.
28.
        <!-- Styles -->↔
        <link href="http://127.0.0.1:8000/css/milligram.min.css"</pre>
29.
    rel="stylesheet">↔
30.
        <link href="http://127.0.0.1:8000/css/app.css" rel="stylesheet">←
        <link href="http://127.0.0.1:8000/css/project.css" rel="stylesheet">←
31.
        k href="http://127.0.0.1:8000/css/invite.css" rel="stylesheet">↔
32.
33. ←
34.
        <link rel="stylesheet"←)</pre>
35.
            href="https://fonts.googleapis.com/css2?
    family=Material+Symbols+Outlined:opsz,wght,FILL,GRAD@20..48,100..700,0..1,-50.
    .200">↔
   ب
36.
37.
            <link rel="stylesheet"</pre>
    href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.0.0-
    beta3/css/all.min.css">↔
38.
            <script
    src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/js/bootstrap.bundle.min
    .js"↩
39.
            integrity="sha384-
    YvpcrYf0tY31HB60NNkmXc5s9fDVZLESaAA55NDzOxhy9GkcIds1K1eN7N6jIeHz"
    crossorigin="anonymous">↔
40.
        </script>↔
41.
        <script src="https://cdn.jsdelivr.net/npm/chart.js"></script>↔
42.
        <script src="https://cdn.jsdelivr.net/npm/moment@2.29.4/moment.min.js">
    </script>↔
        <script src="https://cdn.jsdelivr.net/npm/chartjs-adapter-moment@1.0.0">
43.
    </script>↔
44.
45.
        <script>↔
46.
            window.userId = 4;↔
47.
            window.Laravel = {←
48.
                 csrfToken: document.querySelector('meta[name="csrf-
    token"]').getAttribute('content')ं↔
49.
            };€
50.
        </script>↔
51.
        <script src=http://127.0.0.1:8000/js/app.js defer></script>↔
52.
        <script src="http://127.0.0.1:8000/js/utils.js" defer></script>\leftrightarrow
53.
        <script src="https://js.pusher.com/7.0/pusher.min.js" defer></script>↔
54.
55.
                 <script src="http://127.0.0.1:8000/js/sideBar.js" defer>
    </script>↔
56.
        </head>←
57. ↔
58. <body>€
59.
        <header>↔
            <a href="#content" class="jump-link">Go to contents</a>↔
60.
61.
                                  <a href="http://127.0.0.1:8000/account/taskHub"</pre>
    class="jump-link">Go to Task Hub</a>↔
62.
                                 <div class="header">↔
63.
                                 <div class="logo tooltip right" data-</pre>
    text="Projects page">↔
64.
                         <a href="http://127.0.0.1:8000/projects">←
65.
                             <img
    src="http://127.0.0.1:8000/assets/projex_logo.png" alt="ProjeX logo">↔
66.
                         </a>↔
67.
                     </div>↔
68.
```

```
69.
                                           <h1 id="projectName">Project Management
     System</h1>↔
                                       <div class="header-icons">←
 70.
 71.
                          <div class="dropdown">↔
 72.
                              <a href="http://127.0.0.1:8000/account#invitations"</pre>
     class="dropdown-toggle"↔
 73.
                                  id="dropdown-toggle-invite">↔
 74.
                                  <i class="fas fa-envelope"></i>↔
 75.
                                                                    <span
     id="invitation-badge" class="badge">2</span>↔
                                                            </a>↔
 76.
 77.
                              <div class="dropdown-content invitations-dropdown">←
 78.
     <div class="container-list-item invitation-item">←
 79.
                                               Blockchain Integration
 80.
                                               <div class="accept-actions">←
81.
                                                   <form
     action="http://127.0.0.1:8000/invitation/75/accept"↔
 82.
                                                        method="POST" class="accept-
     form">↔
 83.
                                                        <input type="hidden"</pre>
     name=" token" value="nbl5YVF31wRhSe2kmtJvm3bpIVCQTicc47nBNp9i">
     <input type="hidden" name=" method" value="PATCH">
     <button type="submit" class="accept-btn" title="Accept"><i←</pre>
 84.
                                                                class="fas fa-check">
     </i></button>↔
 85.
                                                   </form>↔
86.
                                                   <form
     action="http://127.0.0.1:8000/invitation/75/decline"↔
                                                       method="POST" class="decline-
 87.
     form">↔
                                                        <input type="hidden"</pre>
 88.
     name="_token" value="nb15YVF31wRhSe2kmtJvm3bpIVCQTicc47nBNp9i">
     <input type="hidden" name="_method" value="DELETE">
     <button type="submit" class="decline-btn" title="Decline"><i←)</pre>
 89.
                                                                class="fas fa-times">
     </i></button>↔
 90.
                                                   </form>↔
91.
                                               </div>↔
92.
                                           </div>↔
 93.
                                                                             <div
     class="container-list-item invitation-item">←
94.
                                               Employee Training Portal
←
                                               div class="accept-actions">ج
95.
96.
                                                   <form
     action="http://127.0.0.1:8000/invitation/128/accept"←
97.
                                                       method="POST" class="accept-
     form">↔
 98.
                                                        <input type="hidden"</pre>
     name=" token" value="nbl5YVF3lwRhSe2kmtJvm3bpIVCQTicc47nBNp9i">
     <input type="hidden" name=" method" value="PATCH">
     <button type="submit" class="accept-btn" title="Accept"><i↔</pre>
 99
                                                                class="fas fa-check">
     </i></button>↔
100.
                                                   </form>←
101.
                                                   <form
     action="http://127.0.0.1:8000/invitation/128/decline"↔
102.
                                                       method="POST" class="decline-
     form">↔
103.
                                                        <input type="hidden"</pre>
     name=" token" value="nbl5YVF31wRhSe2kmtJvm3bpIVCQTicc47nBNp9i">
     <input type="hidden" name=" method" value="DELETE">
     <button type="submit" class="decline-btn" title="Decline"><i↔</pre>
104.
                                                                class="fas fa-times">
     </i></button>↔
105.
                                                   </form>↔
106.
                                               </div>↔
107.
                                           </div>↔
108.
                                                                         <a
     href="http://127.0.0.1:8000/account#invitations" class="see-all-
     invitations">See all←
```

```
22/12/24, 16:53
                                    Showing results for contents of text-input area - Nu Html Checker
    109.
                                              invitations...</a>↔
    110.
                                                               </div>↔
    111.
                              </div>↔
    112.
                              <div class="dropdown">↔
    113.
                                  <a href="http://127.0.0.1:8000/account#notifications"</pre>
         class="dropdown-toggle"↔
    114.
                                      id="dropdown-toggle-notification">↔
    115.
                                      <i class="fas fa-bell"></i></i>
    116.
                                                                       <span
         class="badge" id="notification-badge">17</span>↔
                                                               </a>↔
    117.
    118.
                                  <div class="dropdown-content notifications-</pre>
         dropdown">↔
    119.
         <div class="container-list-item notification-item">←
    120.
                                                   You were assigned to task
         ' Relational Model' in project ' Project Management System'.
         ↔
    121.
                                                   <div class="accept-actions">←
    122.
         action="http://127.0.0.1:8000/notification/8/check"↔
    123.
                                                           method="POST" class="decline-
         form">↔
    124.
                                                           <input type="hidden"</pre>
         name="_token" value="nb15YVF31wRhSe2kmtJvm3bpIVCQTicc47nBNp9i">
         <input type="hidden" name="_method" value="PATCH">
         <button type="submit" class="accept-btn" title="Accept"><i←)</pre>
                                                                   class="fas fa-check">
    125.
         </i></button>↔
    126.
                                                       </form>↔
    127.
                                                   </div>↔
    128.
                                              </div>↔
    129.
                                                                                <div
         class="container-list-item notification-item">←
    130.
                                                   You were assigned to task
         'Generate insights' in project 'Data Analysis Project'.
         131.
                                                   <div class="accept-actions">←
    132.
                                                       <form
         action="http://127.0.0.1:8000/notification/35/check"↔
    133.
                                                           method="POST" class="decline-
         form">↔
    134.
                                                           <input type="hidden"</pre>
         name=" token" value="nb15YVF31wRhSe2kmtJvm3bpIVCQTicc47nBNp9i">
         <input type="hidden" name=" method" value="PATCH">
         <button type="submit" class="accept-btn" title="Accept"><i€</pre>
    135.
                                                                   class="fas fa-check">
         </i></button>↔
    136.
                                                       </form>←
    137.
                                                   </div>↔
    138.
                                              </div>↔
    139.
                                                                                <div
         class="container-list-item notification-item">↔
    140.
                                                   You were assigned to task
         'Complete Artifact Checklist' in project 'Project Management
         System'.↔
    141.
                                                   <div class="accept-actions">↔
    142.
         action="http://127.0.0.1:8000/notification/4/check"↔
    143.
                                                           method="POST" class="decline-
         form">↔
    144.
                                                           <input type="hidden"</pre>
         name=" token" value="nbl5YVF3lwRhSe2kmtJvm3bpIVCQTicc47nBNp9i">
         <input type="hidden" name=" method" value="PATCH">
         <button type="submit" class="accept-btn" title="Accept"><i←</pre>
    145.
                                                                   class="fas fa-check">
         </i></button>↔
    146.
                                                       </form>←
    147.
                                                   </div>↔
    148.
                                              </div>↔
```

```
149.
    href="http://127.0.0.1:8000/account#notifications" class="see-all-
    invitations">See↔
150.
                                         all notifications...</a>↔
151.
                                                          </div>↔
152.
                         </div>↔
153.
                         <div class="profile-menu">↔
                             <nav class="profile-dropdown">←
154.
                                 <a href="http://127.0.0.1:8000/account">←
155.
156.
                                     <img
    src="http://127.0.0.1:8000/accountAsset/fDStNEHbEJPCjs7eQ4n2fgUcgxvuvzjQaKPbpM
    Fj.png" class="round-photo"←
157.
                                         alt="Profile Picture">↔
                                 </a>↔
158.
159.
                                 ↔
160.
                                     marta_silva
161
                                     <a
    href="http://127.0.0.1:8000/account/taskHub"><i class="fas fa-list-check"></i>
    Task↔
162.
                                             Hub</a>↔
163.
                                                                      <a
    href="http://127.0.0.1:8000/logout"><i class="fas fa-arrow-right-from-
    bracket"></i>↔
164.
                                             Logout</a>↔
165.
                                 166.
                             </nav>↔
                         د/div>
167.
                     </div>↔
168.
169.
                 4
170.
             </div>↔
171.
         </header>↔
             <main id="content"↔
172.
173.
             class="project-page align-start">↔
174.
                 <script src=http://127.0.0.1:8000/js/search.js defer></script>←
175.
         <script src="http://127.0.0.1:8000/js/modal.js" defer></script>←
176.
         <script src="http://127.0.0.1:8000/js/taskSearch.js" defer></script>←
177.
         <script src="http://127.0.0.1:8000/js/task.js" defer></script>←
178.
         <script src="http://127.0.0.1:8000/js/project.js" defer></script>↔
179.
         <script src="http://127.0.0.1:8000/js/deleteTasktable.js" defer>
     </script>↔
180.
181.
                 <script src="http://127.0.0.1:8000/js/createTaskTable.js" defer>
     </script>↔
182.
183.
         <div id="search-header-bar" class="search-header-bar header-bar">↔
184.
             <div class="left-section">←>
185.
                 <a href="http://127.0.0.1:8000/projects" class="back-arrow"><i</pre>
    class="fas fa-arrow-left"></i>
</i>
←
186.
                     <h3>Projects</h3>↔
                 </a>↔
187.
188.
             </div>↔
189.
             <div class="searchBox ">↔
190.
         <form id="search-form" action="http://127.0.0.1:8000/project/0"</pre>
191.
             <div class="search-container" style="position: relative;">←
                 <input type="text" id="search-input" class="search filter"</pre>
192.
    name="search"↔
193.
                     value="" placeholder="Search tasks..." autocomplete="off">↔
194.
                 <aside id="search buttons">←>
195.
                     <i class="fa fa-times-circle clear-icon focusable" id="clear-</pre>
    input"↩
196.
                         style="display: none;">↔
197.
                     </i>↔
198.
199.
                                         <div class="filter-dropdown">←>
200.
                             <select id="filter-select" name="filter">←
201.
202.
                                                                  <option value=""←</pre>
203.
                                         selected>↔
204.
                                         All Priorities↔
205.
                                     </option>↔
```

```
206.
    value="High"↔
207.
                                         >ب
208.
                                         High↔
209.
                                     </option>↔
210.
                                                                 <option
    value="Medium"↔
211.
                                         >ب
212.
                                         Medium↔
213.
                                     </option>↔
214.
                                                                 <option
    value="Low"↔
215.
                                         >
                                         Low←
216.
217.
                                     </option>↔
218.
                                                         </select>↔
219.
                         </div>↔
220.
                                 </aside>↔
221.
             </div>↔
222.
        </form>↔
223. ←
         ب
224.
225. ↔
226.
         tables/search">↔
227.
                 228. ←
229.
        4
230.
         </div>↔
231. ←
232.
         </div>↔
233. ↩
234. ←
235.
                 <div id="side-bar">↔
236.
         <div class="sidebar-button">↔
237.
             <a id="open-side-bar-mobile">←>
238.
                 <i class="fa fa-bars fa-lg"></i>↔
239.
                 <span class="nav-text"></span>←
240.
             </a>↔
241.
         </div>↔
242.
         دul>
243.
             دli>
244.
                 <a id="open-side-bar">←
                     <i class="fa fa-bars fa-lg"></i>↔
245.
                     <span class="nav-text">Sidebar</span>←
246.
247.
                 </a>↔
248.
             ↔
249.
             ان>ب
                 <a href=""↔
250.
251.
                     class="selected">↔
252.
                     <i class="fa fa-house fa-lg"></i>↔
253.
                     <span class="nav-text">Project</span>←
254.
                 </a>↔
255.
             ↔
256.
             ان>ب
257.
                 <a href="http://127.0.0.1:8000/project/0/table"←)</pre>
                     class="">↔
258.
259.
                     <i class="fa fa-table-list"></i></i>
260.
                     <span class="nav-text">Table View</span>↔
261.
                 </a>↔
             ↔
262.
             ⟨li⟩←)
263.
264.
                 <a href="http://127.0.0.1:8000/project/0/projectMembers"←</pre>
                     class="">↔
265.
266.
                     <i class="fa fa-users fa-lg"></i></i>
267.
                     <span class="nav-text">Members</span>←
                 </a>↔
268.
269.
             ↔
270.
             ان>ب
                 <a href="http://127.0.0.1:8000/project/0/timeline"←
    class="">←
271.
272.
```

```
22/12/24, 16:53
                                  Showing results for contents of text-input area - Nu Html Checker
    273.
                        <i class="fa fa-history fa-lg"></i>↔
    274.
                        <span class="nav-text">History</span>←
    275.
                    </a>↔
    276.
                ↔
    277.
                دli>ج
    278.
                    <a href="http://127.0.0.1:8000/project/0/forum"↔
                        class="">↔
    279.
    280.
                        <i class="fa fa-comments fa-lg"></i></i>
    281.
                        <span class="nav-text">Forum</span>↔
    282.
                    </a>↔
                ↔
    283.
                دli>
    284.
    285.
                    <a href="http://127.0.0.1:8000/project/0/settings"↔</pre>
    286.
                        class="">↔
    287.
                        <i class="fa fa-cog fa-lg"></i>↔
    288.
                        <span class="nav-text">Settings</span>←
    289.
                    </a>↔
    290.
                ↔
    291.
                    ↔
    292. </div>↔
    293.
                <div id="main-content" class="project-details">←
    294.
                    <aside id="left-components">↔
    295.
         </aside>↔
    296.
                    <section id="project-middle">←
    297.
             <div id="taskTables">↔
    298.
                            <div class="taskTable">↔
    299.
                        <h4>To Do</h4>↔
    300.
                                            <form action="/taskTables/1" method="POST"</pre>
        class="remove-task-table confirmation">←
    301.
                                <input type="hidden" name="_token"</pre>
        value="nbl5YVF31wRhSe2kmtJvm3bpIVCQTicc47nBNp9i">↔
    302.
                                <input type="hidden" name="_method" value="DELETE">
        <div class="tooltip left" data-text="Delete task table">←
    303.
                                    <button type="submit" class="icon-button confirm-</pre>
        action">↔
    304.
                                        <i class="fa fa-trash"></i></i>
    305.
                                    </button>↔
                                </div>↔
    306.
                            </form>↔
    307.
                                        ↔
    308.
    309.
                                                    class="task ">↔
                                    <a href="#" class="task-link" data-id="0">↔
    310.
                                        <div class="taskHead">↔
    311.
    312.
                                            Implement High-
        Priority User Stories
←
    313.
                                            ←)
    314.
                                                High↔
                                        </div>↔
    315.
    316.
                                                                           <div
        class="taskBody">↔
    317.
                                                Work on all user stories with high
        priority↔
    318.
                                            </div>↔
    319.
                                                                        <div
        class="taskFooter">↔
    320.
                                            class="date ">↔
    321.
                                                No deadline↔
    322.
                                            323.
                                                                                   <p
        class="accounts">1 <i class="fa fa-user"></i>↔
    324.
                                                ←
    325.
                                                                            </div>↔
    326.
                                    </a>↔
    327.
                                ↔
    328.
                                                    class="task ">↔
                                    <a href="#" class="task-link" data-id="1">↔
    329.
    330.
                                        <div class="taskHead">↔
    331.
                                            Project Setup and
        Initialization←
    332.
                                            ↔
```

```
22/12/24, 16:53
                                  Showing results for contents of text-input area - Nu Html Checker
                                       High↔</div>↔
    333.
    334.
    335.
                                                                           <div
        class="taskBody">↔
    336.
                                               Initialize the project with
        necessary tables, roles, and initial data
→
    337.
                                           </div>↔
    338.
                                                                       <div
        class="taskFooter">↔
                                           class="date ">↔
    339.
    340.
                                               No deadline↔
    341.
    342.
                                                                                  <p
        class="accounts">1 <i class="fa fa-user"></i>↔
    343.
    344.
                                                                          </div>↔
                                    </a>↔
    345.
    346.
                                ↔
    347.
                                           </01>↔
    348.
                                           <div class="add-task">↔
                                <a href="#" class="taskTable-link tooltip left" data-
    349.
        text="Create new task"↔
    350.
                                   data-id="1">+</a>↔
                            </div>↔
    351.
    352.
                                    </div>↩
                            <div class="taskTable">↔
    353.
    354.
                        <h4>Assigned</h4>↔
    355.
                                           <form action="/taskTables/2" method="POST"</pre>
        class="remove-task-table confirmation">←
    356.
                                <input type="hidden" name="_token"</pre>
        value="nb15YVF31wRhSe2kmtJvm3bpIVCQTicc47nBNp9i">↔
                                <input type="hidden" name="_method" value="DELETE">
    357.
        <div class="tooltip left" data-text="Delete task table">←
    358.
                                    <button type="submit" class="icon-button confirm-</pre>
        action">↔
    359.
                                       <i class="fa fa-trash"></i></i>
    360.
                                    </button>↔
                                </div>↔
    361.
                            </form>↔
    362.
    363.

    class="taskList">↔

                                                   ←)
    364.
                                    <a href="#" class="task-link" data-id="2">↔
    365.
                                       <div class="taskHead">↔
    366.
                                           Deliver EBD
    367.
        Artifact↔
    368.
                                           ←
    369.
                                               Completed↔
                                       د/div>
    370.
    371.
                                                                       <div
        class="taskFooter">↔
                                           ⟨p class="date finished"⟩←⟩
    372.
    373.
                                               2024-12-02←
    374.
                                           375.
                                                                          </div>↔
    376.
                                    </a>↔
                                ↔
    377.
                                                   class="task ">↔
    378.
                                    <a href="#" class="task-link" data-id="3">↔
    379.
                                       <div class="taskHead">↔
    380.
    381.
                                           Complete Artifact
        Checklist↔
    382.
                                           ↔
                                               High↔
    383.
                                       </div>↔
    384.
    385.
                                                                          <div
        class="taskBody">↔
    386.
                                               Review and complete all required
        items on the artifact checklist.↔
                                           </div>↔
    387.
    388.
                                                                       <div
        class="taskFooter">↔
```

```
22/12/24, 16:53
                                   Showing results for contents of text-input area - Nu Html Checker
    389.
                                            class="date ">↔
    390.
                                                2024-12-20€
    391.
    392.
                                                                                    <p
         class="accounts">1 <i class="fa fa-user"></i>↔
    393.
                                                ←
    394.
                                                                            </div>↔
                                    </a>↔
    395.
    396.
                                 ↔
                                            ↔
    397.
    398.
                                             <div class="add-task">↔
                                <a href="#" class="taskTable-link tooltip left" data-</pre>
    399.
         text="Create new task"↔
                                    data-id="2">+</a>↔
    400.
                             </div>↔
    401.
    402.
                                     </div>↔
    403.
                             <div class="taskTable">↔
    404.
                         <h4>In Progress</h4>↔
    405.
                                            <form action="/taskTables/3" method="POST"</pre>
         class="remove-task-table confirmation">←
                                <input type="hidden" name="_token"</pre>
    406.
         value="nbl5YVF31wRhSe2kmtJvm3bpIVCQTicc47nBNp9i">↔
                                 <input type="hidden" name="_method" value="DELETE">
    407.
         <div class="tooltip left" data-text="Delete task table">←
    408.
                                    <button type="submit" class="icon-button confirm-</pre>
         action">↔
    409.
                                         <i class="fa fa-trash"></i>↔
    410.
                                     </button>↔
    411.
                                 </div>↔
    412.
                            </form>↔
    413.

    class="taskList">←

    414.
                                                    class="task ">↔
    415.
                                    <a href="#" class="task-link" data-id="5">↔
    416.
                                        <div class="taskHead">↔
    417.
                                            Writing SQL Population
         Script↔
    418.
                                             ←
    419.
                                                Low↔
                                         د/div>
    420.
    421.
                                                                            <div
         class="taskBody">↔
    422.
                                                >Develop SQL to populate tables with
         initial data↔
    423.
                                            </div>↔
                                                                        <div
    424.
         class="taskFooter">↔
    425.
                                             class="date ">↔
    426.
                                                2024-12-10↔
    427.
                                            ←
    428.
                                                                                    <p
         class="accounts">1 <i class="fa fa-user"></i>↔
    429.
                                                ←
    430.
                                                                            </div>↔
    431.
                                     </a>↔
    432.
                                 ↔
                                                    class="task ">↔
    433.
                                     <a href="#" class="task-link" data-id="4">↔
    434.
    435.
                                         <div class="taskHead">↔
    436.
                                             class="taskName">Creating SQL

    437.
                                             ←
    438.
                                                Medium↔
    439.
                                        </div>↔
    440.
                                                                            <div
         class="taskBody">↔
    441.
                                                >Developing SQL statements for
         project database schema and data population
→
    442.
                                             </div>↔
    443.
                                                                        <div
         class="taskFooter">↔
    444.
                                            class="date ">↔
    445.
                                                No deadline↔
```

```
446.
                                    ↩
447.
                                                                        <p
    class="accounts">1 <i class="fa fa-user"></i>↔
448.
449.
                                                                 </div>↔
450.
                             </a>↔
451.
                         452.
                                           class="task ">↔
                             <a href="#" class="task-link" data-id="7">↔
453.
                                <div class="taskHead">↔
454.
455.
                                    Review Business
    Requirements↔
456.
                                    ↔
457.
                                       Low↔
458.
                                 </div>↔
459.
                                                                 <div
    class="taskBody">↔
460.
                                        Analyze requirements and confirm
    they match implementation goals
←
461.
                                    </div>↔
462.
                                                             <div
    class="taskFooter">↔
463.
                                    class="date ">↔
464.
                                       No deadline↔
465.
466.
                                                                        <p
    class="accounts">0 <i class="fa fa-user"></i>↔
467.
                                        ←
468.
                                                                 </div>↔
469.
                             </a>↔
470.
                         ↔
471.
                                           class="task ">↔
                             <a href="#" class="task-link" data-id="6">↔
472.
473.
                                <div class="taskHead">↔
474.
                                    Implementing
    Triggers↔
475.
                                    ↔
476.
                                       High↔
                                 د/div>
477.
478.
                                                                 <div
    class="taskBody">↔
479.
                                        >Define and create triggers to
    enforce business rules
←
480.
                                    </div>↔
481.
                                                             <div
    class="taskFooter">↔
482.
                                    class="date ">↔
483.
                                        2024-12-10↔
484.
                                    485.
                                                                        <p
    class="accounts">0 <i class="fa fa-user"></i>↔
486.
                                        ←
487.
                                                                 </div>↔
488.
                             </a>↔
489.
                         ↔
                                           class="task ">↔
490.
                             <a href="#" class="task-link" data-id="8">↔
491.
492.
                                <div class="taskHead">↔
493.
                                    Configuring
    Transactions↔
494.
                                    ←
495.
                                       Medium↔
                                 د/div>
496.
497.
                                                                 <div
    class="taskBody">↔
498.
                                        Setting up transactions with
    appropriate isolation levels↔
499.
                                    </div>↔
500.
                                                             <div
    class="taskFooter">↔
501.
                                    class="date ">←>
```

```
22/12/24, 16:53
    502.
                                              2024-12-20↔
    503.
                                          504.
                                                                                <p
        class="accounts">2 <i class="fa fa-user"></i>↔
    505.
    506.
                                                                         </div>↔
    507.
                                   </a>↔
    508.
                               509.
                                          ↔
    510.
                                          <div class="add-task">↔
                               <a href="#" class="taskTable-link tooltip left" data-</pre>
    511.
        text="Create new task"↔
                           data-id="3">+</a>↔
    512.
    513.
    514.
                                   </div>↔
                           <div class="taskTable">↔
    515.
    516.
                       <h4>Completed</h4>↔
                                          <form action="/taskTables/4" method="POST"</pre>
    517.
        class="remove-task-table confirmation">\leftarrow
    518.
                               <input type="hidden" name="_token"</pre>
        value="nbl5YVF31wRhSe2kmtJvm3bpIVCQTicc47nBNp9i">↔
                               <input type="hidden" name="_method" value="DELETE">
    519.
        <div class="tooltip left" data-text="Delete task table">←
    520.
                                   <button type="submit" class="icon-button confirm-</pre>
        action">↔
    521.
                                       <i class="fa fa-trash"></i>↔
    522.
                                   </button>↔
                               </div>↔
    523.
   524.
                           </form>↔
    525.

    class="taskList">←

    526.
                                                  class="task ">↔
                                   <a href="#" class="task-link" data-id="9">↔
    527.
    528.
                                       <div class="taskHead">↔
    529.
                                          User Story
        Implementation←
    530.
                                          ←)
                                              High↔
    531.
                                       </div>↔
    532.
    533.
                                                                         <div
        class="taskBody">↔
    534.
                                              Complete implementation of high-
        priority user stories
←
    535.
                                          </div>↔
    536.
                                                                     <div
        class="taskFooter">↔
                                          class="date ">↔
    537.
    538.
                                              2024-12-30€
    539.
                                          ↩
    540.
                                                                                <p
        class="accounts">1 <i class="fa fa-user"></i>↔
    541.
                                              542.
                                                                         </div>↔
    543.
                                   </a>↔
    544.
                               ↔
    545.
                                                  ←)
                                   <a href="#" class="task-link" data-id="10">↔
    546.
    547.
                                       <div class="taskHead">↔
    548.
                                          Design
        Wireframes↔
    549.
                                          ←
    550.
                                              Completed←
    551.
                                       </div>↔
    552.
                                                                     <div
        class="taskFooter">↔
    553.
                                          ⟨p class="date finished"⟩←)
    554.
                                              2024-12-01←
                                          555.
                                                                         </div>↔
    556.
    557.
                                   </a>↔
    558.
                               ↔
    559.
                                                  class="task ">↔
```

```
22/12/24, 16:53
                                   Showing results for contents of text-input area - Nu Html Checker
    560.
                                     <a href="#" class="task-link" data-id="11">↔
    561.
                                         <div class="taskHead">↔
    562.
                                             UML Class Model←
    563.
                                             class="taskPriority Low">←
    564.
                                                 Low↔
                                         د/div>
    565.
    566.
                                                                              <div
         class="taskBody">↔
    567.
                                                 Design and document the UML class
         model↔
    568.
                                             </div>↔
    569.
                                                                         <div
         class="taskFooter">↔
                                             class="date ">↔
    570.
                                                 No deadline↔
    571.
    572.
    573.
                                                                                      <p
         class="accounts">0 <i class="fa fa-user"></i>↔
    574.
    575.
                                                                              </div>↔
                                     </a>↔
    576.
    577.
                                 ↔
    578.
                                                     class="task ">↔
                                     <a href="#" class="task-link" data-id="12">↔
    579.
    580.
                                         <div class="taskHead">↔
    581.
                                             class="taskName">Relational Model
    582.
                                             ←>
    583.
                                                 High↔
                                         </div>↔
    584.
    585.
                                                                              <div
         class="taskBody">↔
    586.
                                                 Design and document the relational
         model↔
    587.
                                             </div>↔
    588.
                                                                         <div
         class="taskFooter">↔
    589.
                                             ⟨p class="date ">↔
    590.
                                                 No deadline↔
    591.
                                             ↩
    592.
                                                                                      <p
         class="accounts">2 <i class="fa fa-user"></i>↔
    593.
                                                 ←
    594.
                                                                              </div>↔
    595.
                                     </a>↔
    596.
                                 ↔
                                             </o1>↔
    597.
    598.
                                             <div class="add-task">↔
                                 <a href="#" class="taskTable-link tooltip left" data-</pre>
    599.
         text="Create new task"↔
                                     data-id="4">+</a>↔
    600.
                             </div>↔
    601.
    602.
                                     </div>↔
    603.
                     </div>↔
    604.
                                 <div class="openCreateTaskTable">←>
                         <a href="#" id="create-task-table" class="create-task-table</pre>
    605.
         tooltip left"↔
    606.
                             data-text="Create task table">+</a>↔
                     </div>↔
    607.
    608.
    609. ↔
    610. ↔
                     <!-- Create Task Modal -->←
    611.
    612.
                 <div id="createModal" class="modal">↔
    613.
                     <div class="modal-content">←
    614.
                         <div class="modal-header">↔
    615.
                             <h2>Create New Task</h2>←
                             <div class="modal-actions">↔
    616.
                                 <button class="icon-button close-modal"</pre>
    617.
         id="closeCreateModal">↔
                                     <i class="fa fa-times"></i></i>
    618.
    619.
                                 </button>↔
```

```
</div>↔
620.
621.
                      </div>↔
622.
                      <div class="modal-body">↔
623.
                          <form id="createTaskForm" action="#" method="POST">←
     <input type="hidden" name="</pre>
624.
625.
                              <input type="hidden" name="_method" value="POST">
     <div class="task-attribute">←
                                  <label for="createTaskName" class="form-</pre>
626.
     label">Name</label>↔
627.
                                  <input type="text" class="form-control"</pre>
     id="createTaskName" name="name" required>↔
                              </div>↔
628.
629. ←
630.
                              <div class="task-attribute">←>
631.
                                  <label for="createTaskDescription" class="form-</pre>
     label">Description</label>↔
632.
                                  <textarea class="form-control"
     id="createTaskDescription" name="description" style="resize:none">
     </textarea>↔
633.
                              </div>↔
634.
635.
                                                           <div class="task-
     attribute">↔
636.
                                      <label for="createTaskDeadlineDate"</pre>
     class="form-label">Deadline</label>←
637.
                                      <input type="date" class="form-control"</pre>
     id="createTaskDeadlineDate"↔
638.
                                          name="deadline_date">↔
639.
                                  </div>↔
640.
                              ے
641.
                              <div class="task-attribute">←>
642.
                                  <label for="createTaskPriority" class="form-</pre>
     label">Priority</label>←
643.
                                  <select class="form-select"</pre>
     id="createTaskPriority" name="priority" required>↔
644.
                                      <option value="" selected>Select an
     Option</option>←
645.
                                      <option value="High">High</option>←)
                                      <option value="Medium">Medium</option>←
646.
647.
                                      <option value="Low">Low</option>←
648.
                                  </select>↔
649.
                              </div>↔
650. ←
651.
                              <button type="submit" class="btn btn-primary">Create
     Task</button>↔
652.
                          </form>←
653.
                      </div>↔
654.
                 </div>↔
655.
             </div>↔
656.
657. ←
658.
                 <!-- Create Task Table Modal -->←
659.
             <div id="createTaskTableModal" class="modal">←
                 <div class="modal-content">↔
660.
                      <div class="modal-header">↔
661.
662.
                          <h2>Create New Task Table</h2>↔
663.
                          <div class="modal-actions">←
                              <button class="icon-button close-modal"</pre>
664
     id="closeCreateTaskTableModal">↔
665.
                                  <i class="fa fa-times"></i></i>
666.
                              </button>↔
                          </div>↔
667.
668.
                      </div>↔
669.
                      <div class="modal-body">←
670.
                          <form id="createTaskTableForm"←)</pre>
671.
                              action="http://127.0.0.1:8000/project/0/task-tables"
     method="POST">←
                              <input type="hidden" name="_token"</pre>
672.
     value="nbl5YVF31wRhSe2kmtJvm3bpIVCQTicc47nBNp9i">↔
                              <div class="form-group">↔
673.
```

```
674.
                                 <label for="createTaskTableName" class="form-</pre>
    label">Task Table Name</label>↔
675.
                                 <input type="text" class="form-control"</pre>
    id="createTaskTableName" name="name"€
676.
                                     required>↔
                             </div>↔
677.
678.
                             <button type="submit" class="btn btn-primary">Create
    Task Table</button>↔
679.
                         </form>↔
                     </div>↔
680.
                 د/div>
681.
             </div>↔
682.
683.
         </section>↔
684.
                 <div class="task-modal">←
                     <div id="taskPanel" class="panel">↔
685.
         <div id="content-task-details" class="panel-content">←
686.
687.
             <section class="panel-header">←
                 <h2 class="taskTitleModal">Task Title</h2>↔
688.
                 <div class="panel-actions">←
689.
690.
                                         <a href="#" id="editTaskLink" data-</pre>
    text="Edit" class="icon-button tooltip left">↔
691.
                             <i class="fa fa-pencil"></i>←
692.
693.
                         <form id="deleteTaskForm" action="#" method="POST"</pre>
    class="confirmation"↔
694.
                             style="display:inline;">↔
695.
                             <input type="hidden" name="_token"</pre>
    value="nb15YVF31wRhSe2kmtJvm3bpIVCQTicc47nBNp9i">
    <input type="hidden" name="_method" value="PUT">
    <button type="submit" class="icon-button confirm-action tooltip left" data-</pre>
    text="Delete Task">↔
696.
                                 <i class="fa fa-trash"></i></i>
697.
                             </button>↔
698.
                         </form>↔
699.
                                     <button class="icon-button close-panel tooltip</pre>
    left" data-text="Close Panel" id="closePanel">↔
700.
                         <i class="fa fa-times"></i></i>
701.
                     </button>↔
702.
                 </div>↔
                 <span</pre>
703.
    id="taskPriorityPanel">High</span>↔
704.
                 <strong>Start Date:</strong> <span</pre>
    id="taskStartDatePanel"></span>
↔
705.
             </section>↔
706.
             <div class="details-panel-body">←>
707.
                 <!-- Task Details Section -->↔
708.
                 <div id="details">↔
709.
                     <span id="taskDescriptionPanel"></span>
     ←
710.
                     <strong>Deadline Date:</strong> <span</pre>
    id="taskDeadlineDatePanel"></span>
711.
                     <strong>Finish Date:</strong> <span</pre>
    id="taskFinishDatePanel"></span>↔
712.
                 </div>↔
713. ↔
714.
                 <!-- Assignees Section -->↔
715.
                 <div id="panel-right">←
                     <section id="assignees">←>
716.
717.
                         <h6>←
718.
                             <strong>Assignees:</strong>↔
719
                                                          <span class="icon-button</pre>
    focusable tooltip left" data-text="Assign User"↔
720.
                                     id="toggleAssignIcon">↔
721.
                                     <i class="fa fa-user-plus"</pre>
    id="openAssignIcon"></i>↔
722.
                                     <i class="fa fa-times hidden"</pre>
    id="closeAssignIcon"></i>↔
                                 </span>↔
723.
724.
                                                  </h6>↔
725.
                         <div id="taskAssigneesPanel" class="assignees-list">
     </div>↔
```

```
726.
                                                 <div class="search-bar-
    container">↩
727.
                                 <input type="text" id="userSearch"</pre>
    placeholder="Search users..." class="search-bar"↔
728.
                                     style="display: none;">↔
729.
                                 <span id="clearSearch" class="clear-search</pre>
    focusable" style="display: none;">×</span>↔
730.
                                 No
    users found↔
731.
                                 d="taskAssignPanel" class="usersList">↔
732.
                                 ↔
                             </div>↔
733.
734.
                                         </section>↔
                     <div id="button-complete">↔
735.
736.
                                                  <form id="markCompletedForm"</pre>
    action="#" method="POST" style="display:inline;">↔
                                 <input type="hidden" name="_token"</pre>
737.
    value="nbl5YVF31wRhSe2kmtJvm3bpIVCQTicc47nBNp9i">
    <input type="hidden" name="_method" value="PATCH">
     <button type="submit" class="btn btn-success">Mark as Completed</button>←
738.
                             </form>↔
739.
                             <form id="markUncompletedForm" action="#"</pre>
    method="POST" style="display:inline;">↔
740.
                                 <input type="hidden" name=" token"</pre>
    value="nb15YVF31wRhSe2kmtJvm3bpIVCQTicc47nBNp9i">
    <input type="hidden" name="_method" value="PATCH">
    <button type="submit" class="btn btn-success">Mark as Uncompleted</button>←
741.
                             </form>↔
742.
                                         </div>↔
743.
                 </div>↔
744. ↔
745.
                 <!-- Task Events Section -->↔
746.
                 <section id="events">←
747.
                     <h6><strong>Task Events:</strong></h6>↔
748.
                     <div class="events-scroll">←>
749.
                         ←
750.
                             <!-- Dynamically populated -->↔
751.
                         ↔
752.
                     </div>↔
753.
                 </section>↔
754. ↔
755.
                 <!-- Comments Section -->←
756.
                 <section id="comments">←>
757.
                     <h6><strong>Comments:</strong></h6>↔
                     <div id="commentsContainer"></div>←
758.
759.
                                         <div class="comment-form">←
760.
                             <form id="commentForm" method="POST" action="#">←
                                 <input type="hidden" name="_token"</pre>
761.
    value="nbl5YVF31wRhSe2kmtJvm3bpIVCQTicc47nBNp9i">
    <textarea name="messageContent" id="messageContent" rows="4" placeholder="Type</pre>
    your comment here..." required></textarea>↔
762.
                                 <button type="submit">Comment</button>←
763.
                             </form>←
764.
                         </div>↔
765.
                                 </section>↔
766.
             </div>↔
767.
         </div>↔
768.
                 <!-- Edit Task Modal -->↔
769.
             <div id="content-task-edit" class="panel-content">←
770.
                 <div class="panel-headerB">←
                     <div class= "backpanel">←
771.
772.
                         <button class="icon-buttonB" id="backToTaskPanel">←
773.
                             <i class="fa fa-arrow-left"></i>↔
774.
                         </button>↔
775.
                     </div>↔
776.
                     <h2>Edit Task</h2>↔
777.
                     <div class="panel-actions">←
778.
                         <button class="icon-button close-panel"</pre>
     id="closeEditModal">↔
779.
                             <i class="fa fa-times"></i></i>
780.
                         </button>↔
```

```
781.
                      </div>↔
782.
                  </div>↔
783.
                  <div class="panel-body">↔
                      784.
785.
     value="nb15YVF31wRhSe2kmtJvm3bpIVCQTicc47nBNp9i">
                                                                             <input
     type="hidden" name="_method" value="PUT">↔
786.
                          _
<label for="editTaskName" class="form-
     label">Name</label>↔
787.
                          <input type="text" class="form-control" id="editTaskName"</pre>
     name="name" required>←
788.
                          <label for="editTaskDescription" class="form-</pre>
789.
     label">Description</label>↔
790.
                          <textarea class="form-control" id="editTaskDescription"
     name="description" style="resize:none"></textarea>↔
791.
                                                   <label for="editTaskDeadlineDate"</pre>
     class="form-label">Deadline</label>←
792.
                              <input type="date" class="form-control"</pre>
     id="editTaskDeadlineDate" name="deadline date">↔
793.
794.
                          <label for="editTaskPriority" class="form-</pre>
     label">Priority</label>←
795.
                          <select class="form-select" id="editTaskPriority"</pre>
     name="priority" required>←
                              <option value="" selected>Select an Option</option>↔
796.
797.
                              <option value="High">High</option>←
798.
                              <option value="Medium">Medium</option>←
799.
                              <option value="Low">Low</option>←
                          </select>↔
800.
801. ↔
802.
                          <button type="submit" class="btn btn-primary">Update
     Task</button>←
803.
                      </form>↔
804.
                  </div>↔
805.
              </div>↔
806.
         </div>↔
807.
                  </div>↔
808.
                  <aside id="right-components">←
809.
     </aside>↔
810.
              </div>↔
811.
              </main>↔
         <footer>↔
812.
                  </footer>↔
813.
814. </body>€
815. ↔
816. </html>
Used the HTML parser.
```

About this checker • Report an issue • Version: 24.11.29

Total execution time 95 milliseconds.