



HÖGSKOLAN DALARNA

Test Plan

System Maintenance and Test of IT-Systems

Course Code: GIK2PB

Authors: Ali Adrian Nasrat, Vehid Sumic, Anna Backolars, Nengxi Peng

Group: 5

Table of contents

Table of Contents

1	Introduction	3
	Background	3
	Why Testing Is Important	3
	How It Will Help the School	4
1.1	Scope	4
1.1.1	In Scope	4
1.1.2	Out of Scope	5
1.2	Quality Objective	6
1.3	Roles and Responsibilities	6
	Role: Tester for the Motor Difficulties Persona	6
2	Methodology	8
2.1	Overview	8
2.2	Test Levels	9
	Persona Description: P003 – Motor Difficulties	9
2.3	Bug Triage	10
	Bug Prioritization Levels	10
	Bug Reporting and Tracking Process	11
2.4	Suspension Criteria and Resumption Requirements	12
	WCAG 2.1 Level A–AA Checklist (Relevant Accessibility Criteria)	12
	Testing Suspension Example	13
2.5	Test Completeness	14
	Completion Criteria	14
	Exit Criteria	14
3	Test Deliverables	15
	List of Deliverables	15
	Additional Deliverables	15
4	Resource & Environment Needs	16
	4.1 Testing Tools	16
	4.2 Test Environment	17
5	Terms/Acronyms	18

1 Introduction

Background

Accessibility testing plays a crucial role in ensuring that digital platforms are usable by all individuals, regardless of their physical or cognitive abilities. According to Hambling (2010), software testing aims to verify that a system meets both functional and non-functional requirements; accessibility testing specifically ensures that users with disabilities can interact with a system in an effective and equitable manner. For universities such as Dalarna University, accessibility is not only a quality objective but also a legal and ethical responsibility under the Web Content Accessibility Guidelines (WCAG 2.1).

This test plan focuses on evaluating the accessibility of the Dalarna University website (<https://www.du.se/en>) through the lens of various personas. Each group member tests one scenario derived from assigned user stories that reflect real user needs. In this case, the selected user story is:

“As an employee, I want to know if I can get a wellness allowance to buy an exercise app.”

The scenario involves navigating the university’s website to locate information about the wellness allowance, specifically under the *Health and Wellness Allowance* section. The testing process examines whether a user with motor difficulties can efficiently access this information using both desktop and mobile devices.

Why Testing Is Important

Accessibility testing helps ensure that no user is excluded from obtaining important information or performing essential actions on the website. For users with motor difficulties, such as reduced hand dexterity, tremors, or limited precision, common web interactions like clicking small buttons, scrolling through long pages, or typing in narrow fields may be challenging. Therefore, testing the site for keyboard accessibility, touch-friendly interface design, and adequate target sizes becomes vital to improving usability and compliance with WCAG 2.1 Level AA standards.

This testing also supports the university’s commitment to inclusive digital environments, aligning with both Swedish accessibility regulations and international web accessibility standards. The results will inform potential design improvements and raise awareness of the importance of accessibility in higher education environments.

How It Will Help the School

By conducting this accessibility test, Dalarna University can identify barriers that may prevent employees or other users from finding relevant information independently. Improving the accessibility of the *Health and Wellness Allowance* section can lead to a more inclusive and user-friendly website, reduce the need for external assistance, and demonstrate the institution's dedication to digital equality. Furthermore, the process encourages continuous quality improvement within the university's IT systems and aligns with best practices in system maintenance and usability testing (Hambling, 2010).

1.1 Scope

1.1.1 In Scope

This test focuses on evaluating the **accessibility** and **usability** of the Dalarna University English website (<https://www.du.se/en>) from the perspective of an **employee with motor difficulties**. The main objective is to determine whether such a user can independently locate and access information about the university's **wellness allowance** policy, specifically related to purchasing an exercise app.

The following areas are within scope:

- The **search functionality** and how easily it can be used with a keyboard or assistive devices.
- Navigation to the **Health and Wellness Allowance** page via search results.
- Accessibility of key interactive elements (buttons, links, menus, scrollbars, etc.) using both **keyboard-only** and **touch-based** input.
- Layout and spacing of clickable elements to ensure sufficient **target size** and prevent accidental activation.
- Compatibility and responsiveness of the site when viewed on a **desktop** and a **mobile device**.
- Compliance with relevant **WCAG 2.1 Level AA success criteria**, particularly:
 - **2.1.1 Keyboard Accessibility** – all functionalities should be operable via keyboard.
 - **2.1.2 No Keyboard Trap** – users must not get stuck when navigating by keyboard.
 - **2.5.1 Pointer Gestures** – gestures should not require fine motor control or path-based movements.



- **2.5.2 Pointer Cancellation** – users should be able to easily cancel unintended actions.
- **2.5.5 Target Size** – touch targets should be large enough to be easily activated.

These aspects are tested through a combination of **manual and automated testing** using tools such as **WAVE** and **ANDI**, in addition to practical verification on physical devices.

1.1.2 Out of Scope

The following items fall outside the scope of this test:

- Testing of **non-accessibility features**, such as backend functionality, database integration, or server performance.
 - Testing of **content accuracy** or **language translations** within the wellness allowance page.
 - Testing of other unrelated sections of the website (e.g., course catalogs, research pages, or student login portals).
 - Assessment of **visual impairments**, **cognitive disabilities**, or other personas not related to motor difficulties.
 - Testing of **browser compatibility** beyond Chrome and Safari, unless issues arise that directly impact accessibility.
-

1.2 Quality Objective

The main quality objective of this accessibility test is to ensure that the Dalarna University website (<https://www.du.se/en>) provides an **inclusive and barrier-free user experience** for employees with motor difficulties. The website should enable users to efficiently search for and access information regarding the **wellness allowance** without requiring high levels of physical precision, complex gestures, or extended interaction time.

This objective aligns with the **Web Content Accessibility Guidelines (WCAG) 2.1 Level AA**, which define international best practices for accessible web content. The test will verify that all interactive components, such as search bars, navigation links, and buttons are:

- **Keyboard accessible,**
- **Sufficiently large and well-spaced,**
- **Operable without simultaneous multi-key actions,**
- **and easily cancelable in case of mistakes.**

By meeting these criteria, the website will achieve a high degree of usability and accessibility for users with motor limitations, contributing to Dalarna University's broader goals of digital inclusion and equal access to information.

According to Hambling (2010), a core goal of quality assurance in testing is to confirm that the system is "fit for purpose" and meets user expectations within its intended context. In this case, quality is defined not only by technical performance but also by the ability of all users regardless of physical ability to interact with the system successfully and independently.

1.3 Roles and Responsibilities

Role: Tester for the Motor Difficulties Persona

As part of the project group, my role focuses on testing the **Dalarna University website** (<https://www.du.se/en>) from the perspective of a user with **motor difficulties**. This includes identifying barriers that could affect users who experience challenges with fine motor control, such as difficulty clicking small buttons, using precise gestures, or performing rapid actions.

My main responsibilities include:

- Designing and executing accessibility tests based on the **user story**:

"As an employee, I want to know if I can get a wellness allowance to buy an exercise app."

- Applying both **manual** and **automated** accessibility testing techniques to evaluate navigation, form usage, and page interaction.
- Using tools such as **ANDI** and **WAVE** to detect potential accessibility issues and confirm compliance with **WCAG 2.1 Level AA**.



- Verifying that all relevant interface components are accessible via **keyboard navigation** and can be operated using **assistive input methods**.
- Reporting test findings and observations clearly to the group, including both **functional results** (e.g., page loads, links working) and **usability findings** (e.g., ease of navigation, button spacing).
- Contributing to the overall **test documentation**, including the **test plan**, **test cases**, and **error reports**, ensuring consistency with the team's shared methodology.

This role is critical in ensuring that the group's test plan represents multiple accessibility perspectives. Collaboration with other group members each testing a different persona enables a more holistic evaluation of the university's website accessibility.

According to Hambling (2010), defining clear roles and responsibilities within a test team improves efficiency, traceability, and communication throughout the testing process. By assigning distinct personas and test focuses, the group ensures coverage across diverse accessibility needs while maintaining coherence in documentation and reporting.

2 Methodology

2.1 Overview

The testing will be conducted as an **accessibility and usability evaluation** of the Dalarna University website (<https://www.du.se/en>), with a focus on identifying barriers that may prevent users with **motor difficulties** from effectively locating and reading information about the **wellness allowance** for employees.

The testing approach follows a **dynamic, black-box, non-functional** testing method (Hambling, 2010), meaning that the internal code structure of the website will not be examined. Instead, the evaluation will focus on the system's external behavior specifically how users interact with its interface, navigation, and content. This aligns with accessibility testing principles, which aim to assess *how well* a system supports real user interaction rather than how it is implemented internally.

Both **manual and automated testing** techniques will be used:

- **Manual testing** will simulate real-world scenarios where a user with limited motor control navigates the website using a keyboard, mouse, or touch input. The tester will observe ease of access to elements like the search bar, navigation menus, and clickable links.
- **Automated testing** will use tools such as **WAVE** (Web Accessibility Evaluation Tool) and **ANDI** (Accessible Name & Description Inspector) to identify missing accessibility attributes, improper focus order, or elements that fail WCAG 2.1 Level AA guidelines.

Testing will be performed on both **desktop and mobile platforms**, in line with the lab's requirement that all user stories must be achievable across devices. Specific attention will be paid to success criteria relevant to users with motor impairments, such as:

- **2.1.1 Keyboard Accessibility** – ensuring all interactive elements can be operated by keyboard alone.
- **2.5.1 Pointer Gestures** – avoiding the need for fine motor control or path-based gestures.
- **2.5.5 Target Size** – confirming that buttons and links are large and well-spaced for easier selection.

The test process will be iterative, involving the identification of issues, documentation of defects, and discussion of potential improvements. All findings will be documented in a **Test Log** and summarized in an **Error Report**, which together form part of the deliverables.

As Hamilton (n.d.-a) describes, accessibility testing ensures that software systems meet both usability and compliance standards by integrating automated analysis with human judgment. This combined approach enables a comprehensive understanding of how different users experience the website, highlighting not just technical compliance but actual **user inclusiveness**.

2.2 Test Levels

Accessibility testing of the Dalarna University website (<https://www.du.se/en>) is conducted according to the **Web Content Accessibility Guidelines (WCAG) 2.1**, which define three conformance levels:

- **Level A** – the minimum level, covering essential accessibility features.
- **Level AA** – the mid-range level, addressing the most common barriers for users with disabilities.
- **Level AAA** – the highest level, covering advanced accessibility improvements.

For this lab, testing will be performed primarily against **WCAG 2.1 Level AA**, as required by the course and by current Swedish and EU accessibility legislation. Level AA ensures that the website can be used effectively by a wide range of users, including those with **motor difficulties** who rely on alternative input methods such as keyboards, adaptive mice, or touch interfaces with larger target areas.

The testing process follows a **black-box, usability-oriented approach**, where the tester interacts with the system without accessing its internal code. According to Hambling (2010), this level of testing focuses on how well a product meets user needs and usability expectations, which in this case relate to accessibility for individuals with physical limitations.

Persona Description: P003 – Motor Difficulties

This persona represents users who may have **limited hand dexterity, tremors, involuntary movements, or reduced precision** when interacting with digital interfaces. Such users often rely on **keyboard navigation** instead of a mouse or use **assistive technologies** to simplify pointer control.

The following **WCAG 2.1 success criteria** are especially relevant for this persona and will guide the testing process:

WCAG 2.1 Criterion	Level	Description
2.1.1 Keyboard	A	All functionalities must be operable through a keyboard interface.
2.1.2 No Keyboard Trap	A	Users must not get trapped in any section of the page while navigating via keyboard.
2.5.1 Pointer Gestures	A	Complex gestures (e.g., drag, pinch, or swipe) should not be required to complete tasks.
2.5.2 Pointer Cancellation	A	Users must be able to easily cancel actions triggered by touch or click.
2.5.5 Target Size	AAA	Interactive elements should have sufficient size and spacing to prevent accidental activation.

Testing will verify whether these criteria are satisfied on both desktop and mobile devices when performing the user story:

“As an employee, I want to know if I can get a wellness allowance to buy an exercise app.”

Meeting Level AA ensures that the core accessibility requirements for motor-impaired users are fulfilled, while elements from Level AAA will be considered as **enhancements** to improve user experience further.

2.3 Bug Triage

The **bug triage process** defines how reported defects and accessibility issues will be reviewed, prioritized, and assigned for follow-up. It ensures that the most critical issues impacting accessibility and usability are addressed first. According to Hambling (2010), efficient defect management and prioritization are essential for maintaining quality control throughout the testing lifecycle.

During accessibility testing of the Dalarna University website, defects will be classified based on their **impact on users with motor difficulties** and the **severity of non-compliance with WCAG 2.1 Level AA** standards. All detected issues will be recorded in a **Test Log** and summarized in an **Error Report**.

Bug triage meetings (or discussions) within the project group will help determine the importance and urgency of each issue, ensuring resources are allocated effectively. The process follows standard software testing principles described by Hamilton (n.d.-b), focusing on severity and priority to maintain consistency across the group’s findings.

Bug Prioritization Levels

Priority Level	Description	Example
Critical	Accessibility issue prevents the user from completing the primary task or accessing essential content.	The “Search” field cannot be accessed using a keyboard.
High	Accessibility issue significantly impacts usability but has a temporary workaround.	The search results page requires precise mouse clicks that are difficult for users with motor impairments.
Medium	Issue causes inconvenience but does not prevent completion of the task.	Buttons or links are too small or placed too close together, increasing the chance of misclicks.
Low	Cosmetic or minor issue with little impact on usability or accessibility.	Slight visual misalignment or missing hover feedback on non-essential elements.

Bug Reporting and Tracking Process

1. Identify and Record

- Each defect will be documented in a structured format, including a unique ID, date, page URL, steps to reproduce, and WCAG reference.

2. Classify Severity and Priority

- The tester assigns an initial priority level based on the impact on motor-impaired users.

3. Review and Discussion

- The group reviews the reported issues and agrees on final priority assignments.

4. Resolution or Escalation

- Depending on severity, issues may be flagged for immediate correction or deferred to later development cycles.

5. Verification and Closure

- Once fixed, the issue is re-tested to confirm compliance and marked as “closed.”

This triage process ensures that the team systematically handles all defects and prioritizes accessibility barriers that most directly affect the user story scenario:

“As an employee, I want to know if I can get a wellness allowance to buy an exercise app.”

2.4 Suspension Criteria and Resumption Requirements

The **suspension criteria** specify when the accessibility testing process must be paused, while the **resumption requirements** define the conditions that must be met before testing can continue. According to Hambling (2010), test suspension ensures that testing is temporarily halted when the environment, functionality, or test data no longer support meaningful progress. Resuming testing only after identified blockers are resolved maintains consistency and reliability in the results.

In this accessibility test, suspension may occur if:

- The tested webpage or linked resource (e.g., the *Health and Wellness Allowance* page) becomes temporarily unavailable or under maintenance.
- Critical accessibility tools (such as **WAVE** or **ANDI**) fail to load or deliver inconsistent results.
- A defect in navigation or keyboard control prevents the tester from accessing essential parts of the page.
- The test environment (e.g., browser, assistive tool, or network) experiences errors that could bias the results.

Testing will resume once the issues are corrected, verified, or after a consistent testing environment has been restored.

WCAG 2.1 Level A–AA Checklist (Relevant Accessibility Criteria)

Persona P003 – Motor Difficulties

WCAG 2.1 Criterion	Level	Description	Suspension Condition	Resumption Requirement
2.1.1 Keyboard	A	All functionalities must be operable by keyboard.	If any essential navigation (e.g., search field, links) cannot be accessed via keyboard.	Testing resumes after the keyboard focus is restored or accessibility shortcut is functional.
2.1.2 No Keyboard Trap	A	Keyboard users must not get stuck in any section.	If tab or shift-tab navigation causes the tester to lose focus or become trapped in a frame.	Continue after focus navigation is repaired or alternate navigation provided.
2.5.1 Pointer Gestures	A	Avoid complex gestures that require fine motor skills.	If a task requires drag or swipe gestures that cannot be bypassed.	Resume testing once alternate input methods are added (e.g., click or keyboard).
2.5.2 Pointer	A	Allow users to	If a link or button	Resume after



Cancellation		cancel accidental clicks or touches.	cannot be safely deselected or undone.	undo/cancel options are verified as functional.
2.5.5 Target Size	AAA	Ensure clickable elements are large and well-spaced.	If small or overlapping buttons, make testing unreliable.	Continue when target areas meet minimum recommended sizes.

Testing Suspension Example

If the tester cannot reach the “Health and Wellness Allowance” link using only the keyboard due to a focus trap or inaccessible navigation menu, testing will be suspended. Once the focus issue is corrected or a functional workaround (e.g., “Skip to content” link) is introduced, testing will resume from the last successfully executed step.

This process ensures that results remain valid and reproducible, while maintaining accessibility as a measurable quality objective rather than an incidental outcome.

2.5 Test Completeness

Testing will be considered **complete** when all planned accessibility test cases have been executed and evaluated according to the defined scope and objectives of this test plan. The focus is on verifying that users with **motor difficulties** can successfully navigate and access information about the **wellness allowance** through the Dalarna University website (<https://www.du.se/en>), both on desktop and mobile platforms.

According to Hambling (2010), test completeness is achieved when testing coverage meets the defined quality objectives, all critical defects have been resolved or documented, and no remaining high-priority issues prevent the system from fulfilling its intended use. In this case, completeness is determined by the following criteria:

Completion Criteria

Criterion	Description
Execution of All Test Cases	All designed test cases for the <i>motor difficulties</i> persona (P003) have been executed using both manual and automated methods.
Verification of WCAG 2.1 Compliance	All applicable Level A and Level AA success criteria have been tested for compliance (e.g., keyboard access, pointer gestures, target size).
Resolution of Critical and High Defects	All issues categorized as <i>Critical</i> or <i>High</i> in the Bug Triage process have been fixed or mitigated with documented workarounds.
Accessibility Validation Across Devices	Successful navigation and task completion confirmed on both desktop and mobile browsers.
Group Review and Approval	All test results have been reviewed by group members, discussed, and approved as final documentation.

Exit Criteria

Testing can be formally concluded when:

- 100% of planned test cases have been executed,
- At least **90% of test cases have passed**,
- All *Critical* and *High* defects are resolved, and
- Remaining *Medium* or *Low* defects are documented and do not hinder accessibility for users with motor difficulties.

If any of these conditions are not met, further testing or retesting will be scheduled before submission.

The goal is not only technical compliance with WCAG standards but also to ensure a **realistic and inclusive user experience**, confirming that the website is usable and navigable by individuals with limited motor control.

3 Test Deliverables

The purpose of test deliverables is to document every stage of the testing process — from planning to execution and evaluation in a structured and traceable way.

According to Hambling (2010), test deliverables ensure transparency and reproducibility by providing evidence of how testing was performed, what was found, and how quality objectives were achieved.

All deliverables from this lab are essential for demonstrating compliance with the course objectives and will be submitted together in the combined “Lab 1 + 2” report.

List of Deliverables

Deliverable	Description	Purpose / Importance
Test Plan	A document describing the scope, objectives, methodology, roles, and WCAG criteria applied to the accessibility test.	Defines the testing framework and ensures all group members follow the same structure and quality objectives.
Test Cases	A set of at least four accessibility test cases per group member, based on the assigned persona and user story.	Provides detailed, step-by-step testing procedures that verify compliance with accessibility standards.
Test Log	A record of all test executions, outcomes (pass/fail), and observed behaviour during testing.	Enables traceability and validation of results; helps identify trends and recurring issues.
Error Reports	Structured documentation of discovered defects, including severity, WCAG reference, and screenshots where relevant.	Allows for prioritization and follow-up on identified issues according to the bug triage process.
Test Report (Summary)	A final document summarizing the test results, including pass/fail ratios, major findings, and improvement suggestions.	Demonstrates overall accessibility compliance and effectiveness of the testing process.

Additional Deliverables

In addition to the above, the following materials will be included in the final submission:

- Screenshots and tool outputs from **WAVE** and **ANDI**.
- Group meeting notes or shared findings related to persona-specific accessibility issues.
- Any optional *accessibility improvement recommendations* derived from the results.

Together, these deliverables will ensure a comprehensive evaluation of the Dalarna University website’s accessibility, specifically addressing the needs of users with **motor difficulties** who must locate and understand information about the **wellness allowance**.

4 Resource & Environment Needs

To ensure reliable and repeatable accessibility testing, specific hardware, software, and tools are required. These resources provide a consistent environment for executing both manual and automated tests.

According to Hambling (2010), establishing a controlled and well-defined test environment is essential for maintaining accuracy, comparability, and reproducibility of test results across different systems.

4.1 Testing Tools

The following testing tools will be used to evaluate accessibility and usability for users with **motor difficulties**:

Tool / Resource	Purpose	Relevance to Persona (P003)
WAVE (Web Accessibility Evaluation Tool)	Automated accessibility checker that identifies issues such as missing alt text, low contrast, and form errors.	Highlights structural and navigational issues that can hinder keyboard or pointer access.
ANDI (Accessible Name & Description Inspector)	Evaluates accessible names, roles, and states of interactive elements.	Helps verify whether interactive components like buttons and links can be operated without fine motor precision.
Keyboard-only Navigation	Manual testing using Tab, Shift+Tab, and Enter keys to move through the interface.	Simulates users who rely entirely on keyboard input due to limited hand control.
Mouse Simulation Tools (optional)	Tools that adjust click sensitivity or emulate reduced dexterity.	Allows simulation of real-world motor difficulties such as tremors or limited precision.
Screen Magnifier / Browser Zoom	Used to test scalability and target size at higher zoom levels.	Ensures that content remains navigable and clickable without requiring precise movements.

4.2 Test Environment

Testing will be conducted using both **desktop** and **mobile** platforms to ensure accessibility across device types, in accordance with lab requirements.

Environment Component	Specification / Tool	Purpose
Operating Systems	macOS 14 (Sonoma) and Windows 11	To ensure cross-platform accessibility verification.
Web Browsers	Google Chrome (latest version), Safari (mobile), Microsoft Edge	To confirm accessibility behavior across commonly used browsers.
Devices	Laptop (keyboard and trackpad), iPhone / Android smartphone	To simulate accessibility for both desktop and mobile users.
Assistive Tools	Built-in macOS Accessibility features and browser zoom tools	To simulate real-world accessibility settings used by individuals with motor difficulties.
Network Requirements	Stable internet connection	Required for accessing live website content and external resources.

Testing sessions will be documented under consistent conditions to minimize environmental bias. The combination of real-device testing and automated validation ensures both **practical usability** and **technical compliance** with WCAG 2.1 standards.

5 Terms/Acronyms

Term / Acronym	Definition
API	<i>Application Programming Interface</i> . A set of routines and protocols that allow software components to communicate and share data.
Accessibility Testing	A type of software testing that ensures a system is usable by people with disabilities, including those with visual, auditory, cognitive, or motor impairments. It evaluates compliance with accessibility standards such as WCAG 2.1.
ANDI	<i>Accessible Name & Description Inspector</i> . A browser-based tool used to identify accessibility issues in web applications by analyzing HTML elements and ARIA attributes.
Assistive Technology (AT)	Hardware or software tools (such as screen readers, magnifiers, or adaptive keyboards) used to enhance accessibility for users with disabilities.
Bug Triage	The process of reviewing, prioritizing, and assigning discovered defects based on severity and impact on system functionality or accessibility.
Keyboard Accessibility	The ability to navigate and interact with all website components using only the keyboard, without requiring a mouse or complex gestures.
Motor Difficulties	A physical condition that affects movement control, dexterity, or precision, which may influence how users interact with digital interfaces.
P003	The persona used in this test plan, representing a user with motor difficulties who experiences challenges with fine motor movements and gesture-based navigation.
WCAG	<i>Web Content Accessibility Guidelines</i> . A set of international standards developed by the World Wide Web Consortium (W3C) to ensure web accessibility for people with disabilities. Version 2.1 (Level AA) is used in this test.
WAVE	<i>Web Accessibility Evaluation Tool</i> . A browser extension that provides automated analysis of web pages for compliance with accessibility standards.
Usability Testing	A testing method focused on evaluating how easy and intuitive a system is to use for its intended audience. Accessibility testing is a subset of usability testing (Hambling, 2010).

References

Hambling B. (2010). *Software Testing: An ISTQB–ISEB Foundation Guide: Second Edition*.

British Informatics Society Limited

Hamilton, T. (n.d.-a). *Accessibility Testing Tutorial: What is, Tools & Examples*. Retrieved 12

October 2021, from <https://www.guru99.com/accessibility-testing.html>

Hamilton, T. (n.d.-b). *Software Testing Methodologies: Learn QA Models*. Retrieved 12

October 2021, from <https://www.guru99.com/testing-methodology.html>

WCAG_2.1_Checklist.pdf. (n.d.). Retrieved 12 October 2021, from https://kma.global/wp-content/uploads/2019/07/WCAG_2.1_Checklist.pdf

Hambling, B. (2010). *Software Testing: An ISTQB–BCS Certified Tester Foundation Guide* (2nd ed.). British Informatics Society Limited.

World Wide Web Consortium (W3C). (2018). *Web Content Accessibility Guidelines (WCAG) 2.1*. Retrieved from <https://www.w3.org/TR/WCAG21/>