HTML tips by Adriano DevonTM

```
Every HTML doc has to start with <!doctype html>
To open is <head>
To close is </head> always use the / to close.
```

The setting and configuration of words sings etc it is required to use = <meta charset="utf-8"> this will allow the usage of many differents characters, like words, signs, etc.

At the end to close and works properly it is required the tag </body> and down below the tag </html>

And always to close the tag / is required like these tags </title> </head> </body> Following down it has to be added = <html lang="pt-BR">

To add aditional space the tag is required.

The tag <title> will be always the one that will show up on the search bar.

Anything that is necessary to write without restrictions of characters the usage of the tag is required to open and the tag to close.

If it is necessary to add a comment, to open <!-- write here the comment --> to close and it will not show up on the browser but it will be on the code.

If it is necessary to add Euro on the code € same thing with other currencies ex: Pound £ is required etc.

To change the style the page, it requires the tag $\langle style \rangle$ {background: and here the code of the color for ex: red = #F00; and then close with the tag }

The standard font is Time News Roman, but if was necessary to change it, it requires to do the following below the background and still inside the brackets it is necessary to write front-family: Exemple: body { background: #F00; font-family:} and then it is necessary to type the name of the font ex: { background: #F00; font-family: Arial, sans serif:} and so on.

and if is necessary to change the color of the font, the following is required ex: { background: #F00; font-family: Arial, sans serif: color:#ccc }

To add a programming language to HTML for ex: Javascript = <script> open and then </script> close.

To atribute an action the following is required open </body> add and then write the word function between the programming language javascrip <script> </script> see the following exemple: function escreverNome() {

```
nome.innerHTML = "Adriano Devon";
```

window.onload=escreverNome;

When a more prominet text is required, the usage of the tag $\langle h1 \rangle$ is required "always remember that the tag / closes the code, and if it necessary to lower the font uses $\langle h2 \rangle$ $\langle h2 \rangle$ or $\langle h3 \rangle$ and so on until $\langle h6 \rangle$ $\langle h6 \rangle$

To group the head text, the tag hgroup is required.

To add Paragraph the tag p < p is required.

To break the line the tag
 is required.

```
ex Adriano Devon <br/>Colorado-PR
```

```
Brazil<br>
    Leo
    And it will show up this way:
Adriano Devon
Colorado-PR Brazil
Leo
and not a straight line like this Adriano Devon Colorado-PR Brazil Leo.
Highlight a particular word like: italic text, underlined text, etc.
Ex: <b> Devon </b> Bold
Ex: \langle i \rangle Devon \langle i \rangle Italic
Ex : <u> Devon </u> Underline
Ex : <sub> Devon </sub> Subscript
Ex: <sup> Devon </sup> Superscript
Ex: <s> Devon </s> Scratched
To add list without any order:
Ex: \langle ul \rangle
      Brasil
      Argentina
      Uruguai
      Venezuela
    and the result will be like this:
       Brasil
   • Argentina
   • Uruguai
      Venezuela
and the list in order will be like this:
< 01 >
      Alonso
      Vettel
      Massa
      Button
    Ex:
   1. Alonso
   2. Vettel
   3. Massa
   4. Button
```

```
Ex: \langle d1 \rangle
                        <dt>Unity 01</dt>
        < dd>
                Course Instructions
          The best Software ever
        </dd>
        <dt>Unity 02</dt>
```

And it is also possible to drawn a square or a circle instead dots before the words (withou any oder list).

```
Ex:  or
```

And it is also possible to add Roman numbers or letters insted of numbers (list in order).

```
Ex:  = Roman Numbers

    type="A"> = Alphabet

<!-- List in order ---> and if it was added A instead of I the list will start with A and
then B C D etc.

    type="I">

     Alonso
     Vettel
     Massa
     Button
   Ex:
```

I. Alonso

II. Vettel

III. Massa

IV. Button

In different languages in a text the usage of the tag <i> </i> italic is required to differentiate the word or a phrase in a text, and also if it is necessary to express someone else's expression in a text.

There is a certain <i>je ne sais quoi</i> in the air. and it will show up like this: There is a certain je ne sais quoi in the air.

And if it is necessary to emphasize a word or a phrase the tag is required And if it is necessary to make the word or phrase strong or more visible, you need to add the tag

And if it is necessary to add a word or phrase with contrast the tag of $\langle b \rangle \langle b \rangle$ bold can be used.

To add an image the tag and remember that the image has to match with the same name and code like JPG PNG etc.

And it is also possible to change the size of the image using the following tags: width="120" and height="120" and it will be like this:

 and it is possible to change the

numbers to modify its size.

And to add a title in the image when the mouse is over it, the following is required: title="my picture" and it has to be like this

And there's another attribute that is very important, if anyone can't see the image, the tag alt="my picture" will describe it, and it will be like this:

```
<img src="image.jpg" width="120" height="120" title="my picture" alt="my
picture">
```

To add Border on the image the tag Border is required and also the pixels the number and then px and also to add a color on the border the tag solid # the number of the color, like this solid #000 and it is possible to change the position of the picture using the tag

style="float:left;margin-right add the position right, left. like in the following ex

```
<img src="devon.jpg" width="220" height="230" title="Devon"
style="float:left;margin-right:30px;border:2px solid #000">
```

Numbers of Colors:

Black: #000 Red: #F00 Orange: #F74 Dark Blue: #005 Dark Gray: #555 Blue Light Gray: #678 Unfocused Red: #845 Baby Light Blue: #299 Bright Orange: #F62

Light Purple: #B38

To open the link that is on the page to another tab the tag target="bank" is required, following the ex:

```
<a href="https://www.youtube.com/watch?v=hzNDUulRbU4" target="bank" > Adriano Devon<sup>TM</sup> YouTube Channel Page </a>
```

To create a relative link the following is required, a relative link is a link insde the same page and it is possible to add a link to another page or a link to PDF, and the PDF and the html page has to be in the same folder EX:

and they will show up in blue color as a link like this: The Ultimate Phrasal Verb Book | 500 + Real English Phrases

```
    
<style> {background: #F74;}
<br/>
<br/>
<br/>
<br/>
<style> .clear="both">
<style> .clear-right;
margin-right
```