

v2.product.get_brand_list

GET /api/v2/product/get_brand_list

💡 API Description

^ Collapse

Get the brand data of a leaf category. More detail please check: <https://open.shopee.com/developer-guide/209>

Request

Request Address

^ Collapse

Environment	Location	HTTP Address
Live	Global	https://partner.shopeemobile.com/api/v2/product/get_brand_list
	Chinese Mainland	https://openplatform.shopee.cn/api/v2/product/get_brand_list
	Brazil	https://openplatform.shopee.com.br/api/v2/product/get_brand_list
Sandbox	Global	https://openplatform.sandbox.test-stable.shopee.sg/api/v2/product/get_brand_list
	Chinese Mainland	https://openplatform.sandbox.test-stable.shopee.cn/api/v2/product/get_brand_list

Common Request Parameters

^ Collapse

Name	Type	Sample	Description
partner_id	int	1	Partner ID is assigned upon registration is successful. Required for all requests.
timestamp	timestamp	1610000000	This is to indicate the timestamp of the request. Required for all requests. Expires in 5 minutes.
access_token	string	c09222e3fc40ffb25fc947f738b1abf1	The token for API access, using to identify your permission to the api. Valid for multiple use and expires in 4 hours.
shop_id	int	600000	Shopee's unique identifier for a shop. Required param for most APIs.
signature	string	24842e02374604	Signature generated by partner_id, timestamp

Product > v2.product.get_brand_list

040d050d8931596e2

<https://open.shopee.com/documents?module=87&type=2&id=58&version=2>

Request Parameters

^ Collapse

Name	Type	Required	Sample	Description
offset	int64	True	0	Specifies the starting entry of data to return in the current call. Default is 0. If data is more than one page,this field needs to be replaced
Name	Type	Required	Sample	Description

V2.0 Tables of Contents

▶ AMS

▶ Video

▼ Product

get_category

get_attribute_tree

get_brand_list

get_item_limit

get_item_base_info

get_item_extra_info

add_item

update_item

delete_item

init_tier_variation

update_tier_variation

get_model_list

add_model

update_model

delete_model

unlist_item

update_price

update_stock

boost_item

get_boosted_list

get_item_promotion

update_sip_item_price

search_item

get_comment

reply_comment

category_recommend

register_brand

get_recommend_attribute

get_weight_recommendation

get_size_chart_list

Documentation

Support Center

Announcement

Console

AI Assistant

page_size

category_id

status

language

int64	True	10	the size of one page.Max=100
int64	True	12345	ID of category.
int64	True	1	Brand status , 1: normal brand, 2: pending brand
string	False	zh-hans	If language is not uploaded, the default language=en, the following are the languages supported by different markets SG: en ; MY: en / ms-my / zh-hans ; TH: en / th ; VN: en / vi ; PH: en ; TW: en / zh-hant ; ID: en / id ; BR: en / pt-br ; MX: en / es-mx ; CO: en/es-CO ; CL: en/es-CL. Note: For markets that have already launched global tree, Crossboard shop only support returning en and zh-hans language data

Request Example

Java

PHP

cURL

Python

Copy

Unirest.setTimeouts(0, 0);
HttpResponse<String> response = Unirest.get("https://partner.shopeemobile.com/api/v2/product/get_brand_list?sign=sign&partner_id=partner_id&language=zh-hans&access_token=access_token×tamp=timestamp&shop_id=shop_id&status=1&page_size=10&offset=0&category_id=12345").asString();

Response

Response Parameters

Collapse

Name	Type	Sample	Description
error	string		Indicate error type if hit error. Empty if no error happened.
message	string		Indicate error details if hit error. Empty if no error happened.
warning	string		Indicate waring details if hit waring. Empty if no waring happened.
request_id	string	7b9da0c6926642199c33ee9dd3a266f5	The identifier for an API request for error tracking
response	object		
brand_list	object[]		
original_brand_name	string	nike	Original name of brand
brand_id	int64		
display_brand_name	string	nike	Display name of brand

Name

Type

Sample

Description



	the rest of items.	
next_offset	int64	If has_next_page is true, this value need set to next request.offset
is_mandatory	boolean	Whether is mandatory.
input_type	string	Input type: DROP_DOWN

Response Example

Collapse

JSONCopy

```
{
  "error": "",
  "message": "",
  "warning": "",
  "request_id": "6faac36a4a3242aabad2941e3acd7297",
  "response": {
    "brand_list": [
      {
        "brand_id": 2500139861,
        "original_brand_name": "nike",
        "display_brand_name": "nike"
      }
    ]
  }
}
```

Error Codes

Collapse

Business Error Codes

Error	Error Description	Details and Guidance
error_network	Inner http call failed	
error_data	parse data failed	
error_data	data not exist	
error_param	parameter invalid	
error_param	The information you queried is not found.	
error_param	Wrong parameters, detail: {msg}.	
error_server	Something wrong. Please try later.	
error_shop	shopid is invalid	
error_param	request not from gateway	
error_param_shop_id_not_found	Shop_id is not found.	
error_param	Invalid category.	
error_param	status is required.	
Error	Error Description	Details and Guidance





error_invalid_category	Invalid category ID {{error_info}}
error_inner	Our system is taking some time to respond, please try later.
error_inner	System error, please try again later or contact the OpenAPI support team.
error_item_not_found	Product not found
error_category_is_block	Category is restricted
error_inner	Update item failed {{error_info}}
error_inner	Update item failed {{error_info}}
error_inner	System error, please try again later or contact the OpenAPI support team.
error_inner	System error, please try again later or contact the OpenAPI support team.
error_invalid_category	Invalid category ID
error_auth	Your shop can not use model level dts
error_system_busy	Our system is taking some time to respond, please try later.

Common Error Codes

Error Example

Collapse

JSON

Copy

```
{
  "error": "product.error_param",
  "message": "invalid field Offset: value must Not Null",
  "request_id": "2c026fd4906b505b1d3c12320c35299b"
}
```

API Permissions

Collapse

APP types that can call this API.

ERP System Seller In House System Product Management Customized APP Swam ERP

API Tools

Collapse

API Test Tools

API Access Log

Update Log





2021-10-21	update page_size description
2021-09-29	update language description
2021-08-27	add language parameters
2021-05-17	update offset description

User Guide

- Developer Guide
- API reference
- Push Mechanism
- Shopee Open Platform Data Protection Policy

Shopee Markets

- Service Market
- Seller Education Hub (Singapore)
- Seller Education Hub (Malaysia)
- Seller Education Hub (Thailand)
- Seller Education Hub (Vietnam)
- Seller Education Hub (Indonesia)
- Seller Education Hub (Philippines)
- Seller Education Hub (Brazil)
- Seller Education Hub (Japan)
- Seller Education Hub (Korea)
- Seller Education Hub (Hongkong)
- 虾皮卖家学习中心

Support

- Announcement
- FAQ
- Raise Ticket