

V2.0 Tables of Contents

- add_item
- update_item
- delete_item
- init_tier_variation
- update_tier_variation
- get_model_list
- add_model
- update_model
- delete_model
- unlist_item
- update_price
- update_stock
- boost_item
- get_boosted_list
- get_item_promotion
- update_sip_item_price
- search_item
- get_comment
- reply_comment
- category_recommend
- register_brand
- get_recommend_attribute

Product > v2.product.register_brand

v2.product.register_brand

POST /api/v2/product/register_brand

API Description

Use this call to register a brand.

^ Collapse

Request

Request Address

^ Collapse

Environment	Location	HTTP Address
Live	Global	https://partner.shopeemobile.com/api/v2/product/register_brand
	Chinese Mainland	https://openplatform.shopee.cn/api/v2/product/register_brand
	Brazil	https://openplatform.shopee.com.br/api/v2/product/register_brand
Sandbox	Global	https://openplatform.sandbox.test-stable.shopee.sg/api/v2/product/register_brand
	Chinese Mainland	https://openplatform.sandbox.test-stable.shopee.cn/api/v2/product/register_brand

Common Request Parameters

^ Collapse

Name	Type	Sample	Description
partner_id	int	1	Partner ID is assigned upon registration is successful. Required for all requests.
timestamp	timestamp	1610000000	This is to indicate the timestamp of the request. Required for all requests. Expires in 5 minutes.
access_token	string	c09222e3fc40ffb25fc947f738b1abf1	The token for API access, using to identify your permission to the api. Valid for multiple use and expires in 4 hours.
shop_id	int	600000	Shopee's unique identifier for a shop. Required param for most APIs.
sign	string	e318d3e932719916a9f9ebb57e2011961bd47abfa54a36e040d050d8931596e2	Signature generated by partner_id, api path, timestamp, access_token, shop_id and partner_key via HMAC-SHA256 hashing algorithm. More details: https://open.shopee.com/documents?module=87&type=2&id=58&version=2

Request Parameters

^ Collapse

Name	Type	Required	Sample	Description
original_brand_name	string	True	Nike	Brand name, length<=254.

Name	Type	Required	Sample	Description
------	------	----------	--------	-------------



[-] product_image	object	True		
image_id_list	string[]	True		Image Id of product image for this brand, max input num of file = 10 ,each file's length<=498. ID market is optional.
app_logo_image_id	string	False	6373157f9408b42c8aacda1d63d3a209	Image_id of logo for app client,please input hashcode of this picture.
brand_website	string	False	www.nike.com	Official website of brand, length<=254.
brand_description	string	False	Our mission is what drives us to do everything possible to expand human potential. We do that by creating groundbreaking sport innovations, by making our products more sustainably, by building a creative and diverse global team and by making a positive impact in communities where we live and work	The description of this brand, can input the information, length<=254.
additional_information	string	False	additional notes or comment can seller can add	Additional notes or comment can seller can add, length<=254.
pc_logo_image_id	string	False	6373157f9408b42c8aacda1d63d3a209	Image_id of logo for pc client,please input hashcode of this picture.
brand_region	string	True	US	origin region of brand.
[-] licenses	object[]	False		For appeal blacklisted brand data
file_name	string	False	image.jpg	Brand registration certificate image name, len < 254
file_hash	string	False	6373157f9408b42c8aacda1d63d3a209	Image id of brand registration certificate image , max input num of file = 1 , each file's length<=498
brand_registration_website	string	False	https://www.jumbomark.com/indonesia/trade-mark-registration/mischief-DID2019017755	The link to brand registration website, It is mandatory when brand name hit blacklist.len<254

Request Example

Collapse

PayloadJavaPHPcURLPythonCopy

```
{
  "original_brand_name": "Nike",
  "category_list": [
    16521,
    16522
  ],
  "product_image": {
    ...
  }
}
```



```
    },
    "app_logo_image_id": "6373157f9408b42c8aacda1d63d3a209",
  },
}
```

Response

Response Parameters

[^ Colla](#)

Name	Type	Sample	Description
request_id	string	3e0976b06baa4e059b278ef1fdae1f01	The identifier for an API request for error tracking.
error	string	product.duplicate_request	Indicate error type if hit error. Empty if no error happened.
message	string	You has replied this comment already.	Indicate error details if hit error. Empty if no error happened.
☐ response	object		
brand_id	int		The identity of brand.
original_brand_name	string		Brand name

Response Example

[^ Collapse](#)

JSON

Copy

```
{
  "error": "",
  "message": "",
  "warning": "",
  "request_id": "558ce5454c9b461aad47aa5cd8bb1e9f",
  "response": {
    "brand_id": 1234,
    "original_brand_name": "brand_name"
  }
}
```

Error Codes

[^ Collapse](#)

Business Error Codes

Error	Error Description	Details and Guidance
error_network	Inner http call failed	
error_data	parse data failed	
error_data	data not exist	
error_param	parameter invalid	
error_param	The information you queried is not found.	
error_param	Wrong parameters, detail: {msg}.	
Error	Error Description	Details and Guidance

error_shop	shopid is invalid
error_param	request not from gateway
error_param_shop_id_not_found	Shop_id is not found.
error_param	brand image is required
error_invalid_category	Invalid category ID {{error_info}}
unsupport_region_for_register_brand	The market this shop belongs to do not support brand registration.
error_busi_duplicated	Brand already exists. If you want to add available category for this brand, you can change the category.
error_busi_pending_qc	The brand you registered is in the inspection process. Please contact Shopee Customer Service for more information.
error_busi_blacklist	This brand name can't be used in several selected categories. You can contact Shopee CS for brand appeal offline if need.
error_busi_blacklist_need_license	Risky brand name, please provide related license and brand registration website to register this specific brand.

Common Error Codes

Error Example

JSON

Copy

```
{
  "error": "product.error_param",
  "message": "invalid field OriginalBrandName: value must Not Null",
  "request_id": "ebaa7a85d3fa6829daaea57ebb8ef6a0"
}
```

API Permissions

APP types that can call this API.

ERP System Seller In House System Product Management Swam ERP

API Tools

API Test Tools

API Access Log

Update Log

Date	Update Details
------	----------------



2022-09-29	add the licenses and brand_registration_website request parameters
2021-09-06	New API

User Guide

- Developer Guide
- API reference
- Push Mechanism
- Shopee Open Platform Data Protection Policy

Shopee Markets

- Service Market
- Seller Education Hub (Singapore)
- Seller Education Hub (Malaysia)
- Seller Education Hub (Thailand)
- Seller Education Hub (Vietnam)
- Seller Education Hub (Indonesia)
- Seller Education Hub (Philippines)
- Seller Education Hub (Brazil)
- Seller Education Hub (Japan)
- Seller Education Hub (Korea)
- Seller Education Hub (Hongkong)
- 虾皮卖家学习中心

Support

- Announcement
- FAQ
- Raise Ticket