



Request Example

Payload

Copy

```
{
  "item_id": 1000,
  "model_id": 3456
}
```

Response

Response Parameters

Collapse

Name	Type	Sample	Description
error	string		Indicate error type if hit error. Empty if no error happened.
message	string		Indicate error details if hit error. Empty if no error happened.
warning	string		Warning message.
request_id	string		The identifier for an API request for error tracking.

Response Example

Collapse

JSON

Copy

```
{
  "error": "",
  "message": "",
  "warning": "",
  "request_id": "aaaaaaa",
}
```

Error Codes

Collapse

Error	Error Description	Details and Guidance
error_network	Inner http call failed	
error_data	parse data failed	
error_data	data not exist	
error_param	parameter invalid	

Error	Error Description	Details and Guidance
-------	-------------------	----------------------





error_param	Wrong parameters, detail: {msg}.
error_server	Something wrong. Please try later.
error_shop	shopid is invalid
error_param	request not from gateway
error_auth_model_is_pff	Item/Model Fulfillment by Shopee can not be update.
error_item_not_belong_shop	Item not belong to shop.
error_item_not_found	Item_id is not found.
error_param_shop_id_not_found	Shop_id is not found.
error_param	Model_id and item_id not match.
error_inner	Our system is taking some time to respond, please try later.
error_inner	System error, please try again later or contact the OpenAPI support team.
error_item_not_found	Product not found
error_inner	Update item failed {{.error_info}}
error_inner	Update item failed {{.error_info}}
error_inner	System error, please try again later or contact the OpenAPI support team.
error_inner	System error, please try again later or contact the OpenAPI support team.
error_busi_cannot_edit_vsku	Can not use OpenAPI to edit/create VSKU, please connect with your manager
error_auth	Your shop can not use model level dts
error_system_busy	Our system is taking some time to respond, please try later.
error_cannt_be_no_variation_in_promotion	Item cannot be without model when item is under promotion.
error_model_remove_model_in_promotion	Model cannot be deleted when item/model is under promotion or groupbuy.





error_model_invalid_model_id

Invalid model_id.

Common Error Codes

Error Example

Collapse

JSON

Copy

```
{
  "error": "product.error_param",
  "message": "invalid field ItemId: value must Not Null",
  "request_id": "87e005b7c11523ae18a20e8ecd1fabc7"
}
```

API Permissions

Collapse

APP types that can call this API.

ERP System

Seller In House System

Product Management

API Tools

Collapse

API Test Tools

API Access Log

Update Log

More

User Guide

- Developer Guide
- API reference
- Push Mechanism
- Shopee Open Platform Data Protection Policy

Shopee Markets

- Service Market
- Seller Education Hub (Singapore)
- Seller Education Hub (Malaysia)
- Seller Education Hub (Thailand)
- Seller Education Hub (Vietnam)
- Seller Education Hub (Indonesia)
- Seller Education Hub (Philippines)
- Seller Education Hub (Brazil)
- Seller Education Hub (Japan)
- Seller Education Hub (Korea)
- Seller Education Hub (Hongkong)
- 虾皮卖家学习中心

Support

- Announcement
- FAQ
- Raise Ticket