

v2.product.get_recommend_attribute

GET /api/v2/product/get_recommend_attribute

 API Description

[^ Collapse](#)

Get recommend attributes.

Request

Request Address

[^ Collapse](#)

Environment	Location	HTTP Address
Live	Global	https://partner.shopeemobile.com/api/v2/product/get_recommend_attribute
	Chinese Mainland	https://openplatform.shopee.cn/api/v2/product/get_recommend_attribute
	Brazil	https://openplatform.shopee.com.br/api/v2/product/get_recommend_attribute
Sandbox	Global	https://openplatform.sandbox.test-stable.shopee.sg/api/v2/product/get_recommend_attribute
	Chinese Mainland	https://openplatform.sandbox.test-stable.shopee.cn/api/v2/product/get_recommend_attribute

Product > v2.product.get_recommend_attribute

Name	Type	Sample	Description
partner_id	int	1	Partner ID is assigned upon registration is successful. Required for all requests.
timestamp	timestamp	1610000000	This is to indicate the timestamp of the request. Required for all requests. Expires in 5 minutes.
access_token	string	c09222e3fc40ffb25fc947f738b1abf1	The token for API access, using to identify your permission to the api. Valid for multiple use and expires in 4 hours.
shop_id	int	600000	Shopee's unique identifier for a shop. Required param for most APIs.
sign	string	e318d3e932719916a9f9ebb57e2011961bd47abfa54a36e040d050d8931596e2	Signature generated by partner_id, api path, timestamp, access_token, shop_id and partner_key via HMAC-SHA256 hashing algorithm. More details: https://open.shopee.com/documents?module=87&type=2&id=58&version=2

Request Parameters

[^ Collapse](#)

Name	Type	Required	Sample	Description
------	------	----------	--------	-------------

V2.0 Tables of Contents

- update_item
- delete_item
- init_tier_variation
- update_tier_variation
- get_model_list
- add_model
- update_model
- delete_model
- unlist_item
- update_price
- update_stock
- boost_item
- get_boosted_list
- get_item_promotion
- update_sip_item_price
- search_item



cover_image_id	int	False		Cover image id of item
category_id	int	True	14695	ID of category

Request Example

^ Collapse

Java

PHP

cURL

Python

Copy

```
Unirest.setTimeouts(0, 0);
HttpResponse<String> response =
Unirest.get("https://partner.shopeemobile.com/api/v2/product/get_recommend_attribute?item_name=Iphone
11&shop_id=shop_id&cover_image_id=cover_image_id&partner_id=partner_id&category_id=14695&access_token
=access_token&timestamp=timestamp&sign=sign")
.asString();
```

Response

Response Parameters

^ Collapse

Name	Type	Sample	Description
error	string		Indicate error type if hit error. Empty if no error happened.
message	string		Indicate error details if hit error. Empty if no error happened.
warning	string		Indicate waring details if hit waring. Empty if no waring happened.
request_id	string	98eae35efff24dd0974c21a847127184	The identifier for an API request for error tracking
[-] response	object		
[-] attribute_list	object[]		Attribute info list.
attribute_id	int		ID of attribute.
[-] attribute_value_list	object[]		Value list of this attribute.
value_id	int		ID of attribute value.

Response Example

^ Collapse

JSON

Copy

```
{
  "error": "",
  "message": "",
  "warning": "",
  "request_id": "52d4f1700c6fd2ce4648a367c68b9b52",
  "response": {
    "attribute_list": [
      {
        "attribute_id": 100003,
        "original_attribute_name": "項鍊長度",
        "display_attribute_name": "項鍊長度",
        ...
      }
    ]
  }
}
```





Business Error Codes

Error	Error Description	Details and Guidance
error_network	Inner http call failed	
error_data	parse data failed	
error_data	data not exist	
error_param	parameter invalid	
error_param	The information you queried is not found.	
error_param	Wrong parameters, detail: {msg}.	
error_server	Something wrong. Please try later.	
error_shop	shopid is invalid	
error_param	request not from gateway	

Common Error Codes

Error Example

Collapse

JSONCopy

```
{
  "error": "product.error_param",
  "message": "invalid field ItemName: value must Not Null",
  "request_id": "2cc3fbddd383d1e3720ff025c70acc77"
}
```

API Permissions

Collapse

APP types that can call this API.

ERP System Seller In House System Product Management Swam ERP

API Tools

Collapse

API Test Tools

API Access Log

Update Log

Collapse

Date	Update Details
2022-01-26	Update parameter/example/response
Date	Update Details





User Guide

- Developer Guide
- API reference
- Push Mechanism
- Shopee Open Platform Data Protection Policy

Shopee Markets

- Service Market
- Seller Education Hub (Singapore)
- Seller Education Hub (Malaysia)
- Seller Education Hub (Thailand)
- Seller Education Hub (Vietnam)
- Seller Education Hub (Indonesia)
- Seller Education Hub (Philippines)
- Seller Education Hub (Brazil)
- Seller Education Hub (Japan)
- Seller Education Hub (Korea)
- Seller Education Hub (Hongkong)
- 虾皮卖家学习中心

Support

- Announcement
- FAQ
- Raise Ticket