

v2.product.update_stock

POST /api/v2/product/update_stock

💡 API Description

^ Collapse

Use this API to update one item_id for each call, but still can support updating multiple model_ids stock of the same item_id (If you need batch modification, please call multiple times)This API will update only "seller_stock".Whenever there is a promotion ongoing or upcoming, the total stock must be larger than or equal to real-time "reserved_stock" promotion stock (Please check v2.get_item_promotion API for more details). Items that are deleted will not be allowed to modify stock.

Request

Product > v2.product.update_stock

Environment	Location	HTTP Address
Live	Global	https://partner.shopeemobile.com/api/v2/product/update_stock
	Chinese Mainland	https://openplatform.shopee.cn/api/v2/product/update_stock
	Brazil	https://openplatform.shopee.com.br/api/v2/product/update_stock
Sandbox	Global	https://openplatform.sandbox.test-stable.shopee.sg/api/v2/product/update_stock
	Chinese Mainland	https://openplatform.sandbox.test-stable.shopee.cn/api/v2/product/update_stock

Common Request Parameters

^ Collapse

Name	Type	Sample	Description
partner_id	int	1	Partner ID is assigned upon registration is successful. Required for all requests.
timestamp	timestamp	1610000000	This is to indicate the timestamp of the request. Required for all requests. Expires in 5 minutes.
access_token	string	c09222e3fc40ffb25fc947f738b1abf1	The token for API access, using to identify your permission to the api. Valid for multiple use and expires in 4 hours.
shop_id	int	600000	Shopee's unique identifier for a shop. Required param for most APIs.
sign	string	e318d3e932719916a9f9ebb57e2011961bd47abfa54a36e040d050d8931596e2	Signature generated by partner_id, api path, timestamp, access_token, shop_id and partner_key via HMAC-SHA256 hashing algorithm. More details: https://open.shopee.com/documents?module=87&type=2&id=58&version=2

Request Parameters

^ Collapse

Name	Type	Required	Sample	Description
------	------	----------	--------	-------------

V2.0 Tables of Contents

- video
- ▾ Product
- get_category
- get_attribute_tree
- get_brand_list
- get_item_limit
- get_item_list
- get_item_base_info
- get_item_extra_info
- add_item
- update_item
- delete_item
- init_tier_variation
- update_tier_variation
- get_model_list
- add_model
- update_model
- delete_model
- unlist_item
- update_price
- update_stock
- boost_item
- get_boosted_list
- get_item_promotion

get_comment

reply_comment

category_recommend

register_brand

get_recommend_attribute

get_size_chart_list

get_size_chart_detail

Documentation

Support Center

Announcement

Console

AI Assistant

stock_list

model_id

seller_stock

location_id

stock

object[]

True

Length should be between 1 to 50.

int64

False

0 for no model item.

object[]

True

new stock info (Please notice that stock(including Seller Stock and Shopee Stock) should be larger than or equal to real-time reserved stock)

string

False

location id, you can get the location id from v2.shop.get_warehouse_detail api, if seller don't have any warehouse, you don't need to upload this field.

int64

True

stock

Request Example

Collapse

Payload

Java

PHP

cURL

Python

Copy

```
{  "item_id": 1000,  "stock_list": [    {      "model_id": 0,      "seller_stock": [        {          "location_id": "-",          "stock": 0        }      ]    }  ]}
```

Response

Collapse

Response Parameters

Name	Type	Sample	Description
error	string		Indicate error type if hit error. Empty if no error happened.
message	string		Indicate error details if hit error. Empty if no error happened.
warning	string		Warning message.
request_id	string		The identifier for an API request for error tracking.
response	object		
failure_list	object[]		Fail model list.
model_id	int64		ID of model.
failed_reason	string		Reason for failure.

Name	Type	Sample	Description
------	------	--------	-------------



model_id	int64	ID of model.
location_id	string	location id; This field and the stock field are returned in pairs
stock	int64	stock;This field is returned if seller stock is used in the request, and normal stock fields are not returned.

Response Example

^ Collapse

JSON  Copy

```
{
  "error": "-",
  "message": "-",
  "warning": "-",
  "request_id": "-",
  "response": {
    "failure_list": [
      {
        "model_id": 0,
        "failed_reason": "-"
      }
    ],
    "success_list": [
```

Error Codes

^ Collapse

Business Error Codes

Error	Error Description	Details and Guidance
error_network	Inner http call failed	
error_data	parse data failed	
error_data	data not exist	
error_param	parameter invalid	
error_param	The information you queried is not found.	
error_param	Wrong parameters, detail: {msg}.	
error_server	Something wrong. Please try later.	
error_shop	shopid is invalid	
error_param	request not from gateway	
error_item_not_belong_shop	Item not belong to shop.	
error_wms_shop_block_update_stock	Warehouse shop can't update stock.	
error_auth	cnsr shop not upgraded, can not edit item.	
Error	Error Description	Details and Guidance





error_param_shop_id_not_found	Shop_id is not found.
error_param	Parameter is not match the constraints, {{.error_info}}.
error_param	Repeat model_id.
error_param	Wrong model_id.
error_busi_update_stock_failed	Update stock failed, please check failure_list for detailed reason
error_server	The current item belong to the full FBS shop, so normal stock must be equal to 0
error_inner	Our system is taking some time to respond, please try later.
error_inner	System error, please try again later or contact the OpenAPI support team.
error_item_not_found	Product not found
error_inner	Update item failed {{.error_info}}
error_inner	Update item failed {{.error_info}}
error_inner	System error, please try again later or contact the OpenAPI support team.
error_inner	System error, please try again later or contact the OpenAPI support team.
error_auth	The current item belong to the full FBS or B2C shop, so normal stock must be equal to 0
error_busi_cannot_edit_vsku	Can not use OpenAPI to edit/create VSKU, please connect with your manager
error_auth	The location_id input is not matched the shop's location_id(more/wrong). Please double check.
error_auth	Lack of location_id, please double check.
error_auth	Please wait for the holiday mode set then to edit item. Please try later.
error_auth	Total stock must be more than reserved stock.





error_auth	Your shop can not use model level dts
error_auth	You do not have right to use seller location_id, please only fill seller_stock filed.
error.param	Can not update item with stock less than reserved stock
error_inner	Invalid stock location ID
error_param	Can not update item with different stock structure. Can only update seller stock with location id when existing seller stock have location id. Can only update seller stock without location id when existing seller stock without location id.
error_param	Can not update item with stock less than reserve stock
error_busi	The merchant/shop has multi warehouse, please input location id
error_auth	Stock should be larger than reserved stock.
error_param	Invalid parameter for product.
error_system_busy	Our system is taking some time to respond, please try later.
error_seller_under_penalty	The shop is under penalty.
error_nil_shopid_or_itemid	Query information failed.
error_item_uneditable	Can't edit this item. item status can not support editing.
error_perm_non_admin	Don't have permission.
error_param	Can not update item with different stock structure. Can only update seller stock with location id when existing seller stock have location id. Can only update seller stock without location id when existing seller stock without location id.
error_cannt_edit_stock_in_promotion	Normal_stock cannot be edited when item is under promotion.
error_cannt_edit_stock_in_promotion	Normal_stock cannot be edited when item is under promotion.
error_server	Interal error, please contact openapi team.





error_promotion_cantnot_update_stock	Cannot change stock when item is under promotion.
error_in_item_promotion_nomodel_to_models	Can't to edit item stock directly while item has models.
error_model_update_stock_model_in_promotion	Model stock cannot be edited when item/model is promotion.
error_edit_item_stock_for_item_has_model	Can't to edit item stock directly while item has models.

Common Error Codes

Error Example

Collapse

JSON

Copy

```
{
  "error": "product.error_param",
  "message": "invalid field ItemId: value must Not Null",
  "request_id": "11484dd6d9e203edd5d332551249de57"
}
```

API Permissions

Collapse

APP types that can call this API.

ERP System Seller In House System Product Management Swam ERP

API Tools

Collapse

API Test Tools

API Access Log

Update Log

Collapse

Date	Update Details
2022-10-31	offline the normal_stock fields
2022-06-13	add reminder "Please use the seller_stock field instead, we will deprecate this field in the future."

User Guide

- Developer Guide
- API reference
- Push Mechanism
- Shopee Open Platform Data Protection Policy

Shopee Markets

- Service Market
- Seller Education Hub (Singapore)
- Seller Education Hub (Malaysia)
- Seller Education Hub (Thailand)

Support

- Announcement
- FAQ
- Raise Ticket





- Seller Education Hub (Philippines)
- Seller Education Hub (Brazil)
- Seller Education Hub (Japan)
- Seller Education Hub (Korea)
- Seller Education Hub (Hongkong)
- 虾皮卖家学习中心