

V2.0 Tables of Contents

AMS

Video

Product

get_category

get_attribute_tree

get_brand_list

get_item_limit

get_item_list

get_item_base_info

get_item_extra_info

add_item

update_item

delete_item

init_tier_variation

update_tier_variation

get_model_list

add_model

update_model

delete_model

unlist_item

update_price

update_stock

boost_item

get_boosted_list

get_item_promotion

update_sip_item_price

search_item

get_comment

reply_comment

category_recommend

register_brand

get_recommend_attribute

get_weight_recommendation

Product > v2.product.add_item

v2.product.add_item

POST /api/v2/product/add_item

API Description

Add a new item.

Collapse

Request

Request Address

Collapse

Environment	Location	HTTP Address
Live	Global	https://partner.shopeemobile.com/api/v2/product/add_item
	Chinese Mainland	https://openplatform.shopee.cn/api/v2/product/add_item
	Brazil	https://openplatform.shopee.com.br/api/v2/product/add_item
Sandbox	Global	https://openplatform.sandbox.test-stable.shopee.sg/api/v2/product/add_item
	Chinese Mainland	https://openplatform.sandbox.test-stable.shopee.cn/api/v2/product/add_item

Common Request Parameters

Collapse

Name	Type	Sample	Description
partner_id	int	1	Partner ID is assigned upon registration is successful. Required for all requests.
timestamp	timestamp	1610000000	This is to indicate the timestamp of the request. Required for all requests. Expires in 5 minutes.
access_token	string	c09222e3fc40ffb25fc947f738b1abf1	The token for API access, using to identify your permission to the api. Valid for multiple use and expires in 4 hours.
shop_id	int	600000	Shopee's unique identifier for a shop. Required param for most APIs.
sign	string	e318d3e932719916a9f9ebb57e2011961bd47abfa54a36e040d050d8931596e2	Signature generated by partner_id, api path, timestamp, access_token, shop_id and partner_key via HMAC-SHA256 hashing algorithm. More details: https://open.shopee.com/documents?module=87&type=2&id=58&version=2

Request Parameters

Collapse

Name	Type	Required	Sample	Description
original_price	float	True	123.3	Item price
Name	Type	Required	Sample	Description



weight	float	True	1.1	The weight of this item, the unit is KG.
item_name	string	True	Item Name Example	Item name
item_status	string	False	UNLIST	Item status, could be UNLIST or NORMAL
dimension	object	False		The dimension of this item.
package_height	int32	True	11	The height of package for this item, the unit is CM.
package_length	int32	True	11	The length of package for this item, the unit is CM.
package_width	int32	True	11	The width of package for this item, the unit is CM.
logistic_info	object[]	True		Logistic channel setting
size_id	int32	False	0	Size ID, If specify logistic fee_type is SIZE_SELECTION size_id is required.
shipping_fee	float	False	23.12	Shipping fee, Only needed when logistics fee_type = CUSTOM_PRICE.
enabled	boolean	True	true	Whether channel is enabled for this item
logistic_id	int32	True	80101	ID of the channel
is_free	boolean	False	false	Whether cover shipping fee for buyer
attribute_list	object[]	False		This field is optional(expect Indonesia) depending on the specific attribute under different categories. Should call shopee.item.GetAttributes to get attribute first. Must contain all all mandatory attribute.
attribute_id	int32	True	4990	ID of attribute
attribute_value_list	object[]	False		
value_id	int32	True	32142	Value ID. In the following cases, the value id needs to be uploaded as 0, and original_value_name is mandatory, needs to be filled in customized value. (1) AttributeInputType is TEXT_FILED; (2) AttributeInputType is COMBO_BOX or MULTIPLE_SELECT_COMBO_BOX, and the seller want to fill in a customized value.
original_value_name	string	False	Brand	Value name. original_value_name from product.get_attributes api. If value id=0, this field is required. If AttributeType is DATE_TYPE or TIMESTAMP_TYPE, you can upload timestamp(string type) as the original_value_name.
Name	Type	Required	Sample	Description





category_id	int32	True	14695	ID of category
image	object	True		Item images
image_id_list	string[]	True		ID of image
image_ratio	string	False		Ratio of image, OptionalAllowed ratios : "1:1" (default) "3:4" only applicable to whitelisted seller.
pre_order	object	False		Pre order setting
is_pre_order	boolean	True	false	Whether item is pre order
days_to_ship	int32	False	3	The guaranteed days to ship orders. Please get the days_to_ship range from get_dts_limit api
item_sku	string	False		SKU tag of item
condition	string	False	NEW	Condition of item, could be USED or NEW
wholesale	object[]	False		Wholesale setting
min_count	int32	True	1	Minimum count of this tier
max_count	int32	True	100	Maximum count of this tier
unit_price	float	True	28.3	Unit price of this tier
video_upload_id	string[]	False	["sg_f4bde9bc-ff3c-485e-a6dd-3161dab4b942_000000"]	Video upload ID returned from video uploading API. Only accept one video_upload_id.
brand	object	False		
brand_id	int32	True	0	Id of brand.
original_brand_name	string	True	nike	Original name of brand(No Brand if not brand).
item_dangerous	int32	False	0	This field is only applicable for local sellers in Indonesia and Malaysia. Use this field to identify whether a product is a dangerous product. 0 for non-dangerous product and 1 for dangerous product. For more information, please visit the market's respective Seller Education Hub.
tax_info	object	False		Tax information
ncm	string	False		Mercosur Common Nomenclature, it is a convention between Mercosur member countries to easily recognize goods, services and productive factors negotiated among themselves. (BR region)
Name	Type	Required	Sample	Description





	same_state_cfop	string	False	Tax Code of Operations and Installments for orders that seller and buyer are in the same state. It identifies a specific operation by category at the time of issuing the invoice.(BR region)	
	diff_state_cfop	string	False	Tax Code of Operations and Installments for orders that seller and buyer are in different states. It identifies a specific operation by category at the time of issuing the invoice.(BR region)	
	csosn	string	False	Code of Operation Status – Simples Nacional, code for company operations to identify the origin of the goods and the taxation regime of the operations.(BR region)	
	origin	string	False	Product source, domestic or foreign (BR region). [0 - National, except for those indicated in codes 3, 4, 5, and 8] [1 - Foreign: Direct import, except for that indicated in code 6] [2 - Foreign: Acquired in the domestic market, except for that indicated in code 7] [3 - National: Goods or products with Import Content greater than 40% and less than or equal to 70%] [4 - National: Produced in compliance with the basic production processes outlined in the legislations cited in the Agreements] [5 - National: Goods or products with Import Content less than or equal to 40%] [6 - Foreign: Direct import, without a national equivalent, listed by CAMEX and natural gas] [7 - Foreign: Acquired in the domestic market, without a national equivalent, listed by CAMEX and natural gas] [8 - National: Goods or products with Import Content greater than 70%]	
	cest	string	False	Tax Replacement Specifying Code (CEST), to separate within the same NCM products that do or do not have ICMS tax substitution. (BR region) CEST must have 7 digits, OR, if your item doesn't have a CEST enter the value "00".	
	measure_unit	string	False	(BR region) The value must be provided in uppercase and must match one of the supported units below: AMPOLA, BALDE, BANDEJ, BARRA, BISNAG, BLOCO, BOBINA, BOMB, CAPS, CART, CENTO, CJ, CM, CM2, CX, CX2, CX3, CX5, CX10, CX15, CX20, CX25, CX50, CX100, DISP, DUZIA, EMBAL, FARDO, FOLHA, FRASCO, GALAO, GF, GRAMAS, JOGO, KG, KIT, LATA, LITRO, M, M2, M3, MILHEI, ML, MWH, PACOTE, PALETE, PARES, PC, POTE, K, RESMA, ROLO, SACO, SACOLA, TAMBOR, TANQUE, TON, TUBO, UN, VASIL, VIDRO.	
	tax_type	int32	False	tax_type only for TW whitelist shop. Shopee will referred Tax type when substitute sellers for issuing e-receipts to buyers. All variations	
Name		Type	Required	Sample	Description





2: tax-free				
	pis	string	False	Only for BR shop. PIS - Programa de Integração Social (Social Integration Program). It is a government tax to collect resources for the payment of unemployment insurance and other employee related rights. PIS % - the tax applied to this product
	cofins	string	False	Only for BR shop. COFINS – Contribuição para Financiamento da Seguridade Social (Contribution for Social Security Funding). It is a government tax to collect resources for public health system and social security. COFINS % - the tax applied to this product
	icms_cst	string	False	Only for BR shop. ICMS - Imposto sobre Circulação de Mercadorias e Serviços (Circulation of Goods and Services Tax). CST - Código da Situação Tributária (Tax Situation Code) is represented by a combination of 3 numbers with the purpose of demonstrating the origin of a product and determining the form of taxation that will apply to it. Therefore, each digit in the CST Table has a specific meaning: the first digit indicates the origin of the operation, the second digit represents the ICMS taxation on the operation and the third digit provides additional information about the form of taxation.
	pis_cofins_cst	string	False	Only for BR shop. The CST PIS/Cofins is a code on the Electronic Invoice (NF-e) that identifies the tax situation of PIS (Programa de Integração Social) and Cofins (Contribuição para o Financiamento da Seguridade Social) in sales of goods.
	federal_state_taxes	string	False	Only for BR shop. Enter the total percentage of the combination of federal, state, and municipal taxes, using up to two decimals.
	operation_type	string	False	Only for BR shop. 1: Retailer 2: Manufacturer
	ex_tipi	string	False	Only for BR shop. The EXTIPI field in the NF-e (Nota Fiscal Eletrônica) is used to indicate if there's an exception to the IPI (Imposto sobre Produtos Industrializados) tax rate for a specific product.
	fci_num	string	False	Only for BR shop. The FCI Control Number is a unique identifier assigned to each import FCI (Import Content Form). It's mandatory on the corresponding NF-e (electronic invoice) to ensure compliance with Brazilian import tax regulations.
	recopi_num	string	False	Only for BR shop. RECOPI NACIONAL is a Brazilian government system that facilitates the registration and
Name		Type	Required	Sample
		Description		





additional_info	string	False		Only for BR shop. Include relevant information to display on Invoice.
group_item_info	object	False		Only for BR shop. Required if the item is a group item.
group_qtd	string	False		Example: The package contains 6 soda cans. Whether you are selling a pack of 6 cans (fardo) or a single can (unit), enter 6.
group_unit	string	False		Example: The package contains 6 soda cans. Whether you are selling a pack of 6 cans (fardo) or a single can (unit), enter UNI for the individual can.
group_unit_value	string	False		Example: The package contains 6 soda cans. Whether you are selling a pack of 6 cans (fardo) or a single can (unity), enter the value of the individual can.
original_group_price	string	False		Example: The item is a package that contains 6 soda cans. Enter the price of the whole package.
group_gtin_sccc	string	False		Example: The item is a package that contains 6 soda cans. Please inform the GTIN SCCC code for the package.
group_grai_gtin_sccc	string	False		Example: The item is box, that contain 6 packages. Each package contains 6 soda cans. Please inform the GRAI GTIN SCCC code for the Box.
export_cfop	string	False	7101	[BR region] 7101 - for sales of self-produced goods 7102 - resale of third-party goods
complaint_policy	object	False		Complaint Policy for item. Only required for local PL sellers, ignored otherwise.
warranty_time	string	False		Value should be in one of ONE_YEAR TWO_YEARS OVER_TWO_YEARS.
exclude_entrepreneur_warranty	boolean	False		Whether to exclude warranty complaints for entrepreneurs.If True means "I exclude warranty complaints for entrepreneur"
complaint_address_id	int64	False		Address for complaint. Fetch available addresses using v2.logistics.get_address_list, and use address_id returned from it.
additional_information	string	False		Additional information for warranty claim. Should be less than 1000 characters.
description_info	object	False		New description field. Only whitelist sellers can use it. If you use the field, please upload the description_type=extended otherwise api will return error. If you don't use this field, you don't need to upload the description_type or upload description_type=normal
Name	Type	Required	Sample	Description





field_list		object[]	False	Field of extended description.
	field_type	string	False	Type of extended description field : values: See Data Definition- description_field_type (text , image).
	text	string	False	If field_type is text, text information will be set by this field.
	image_info	object	False	If field_type is image, image url will be set by this field.
		image_id	string	False
	description_type	string	False	Values: See Data Definition- description_type (normal , extended). If you want to use extended_description, this field must be inputed
	seller_stock	object[]	False	seller stock (Please notice that stock(including Seller Stock and Shopee Stock) should be larger than or equal to real-time reserved stock)
	location_id	string	False	location id
	stock	int32	True	stock
	gtin_code	string	False	- GTIN is an identifier for trade items, developed by the international organization GS1. - They have 8 to 14 digits. The most common are UPC, EAN, JAN and ISBN. - GTIN will help boost positioning in online marketing channels like Google and Facebook. - That incorporation with GTIN will also aid in Search and Recommendation in Shopee itself allowing buyers to have higher likelihood of finding one's listing. Note: If you want to set "Item without GTIN", please pass the gtin_code as "00". The validation rule is based on the value return in gtin_validation_rule" field in v2.product.get_item_limit API - Mandatory: This field is required and must contain a correctly formatted GTIN number. - Flexible: This field is required and must contain either a correctly formatted GTIN number or "00" to declare that the item/model has no valid GTIN. - Optional: This field is optional and can contain a correctly formatted GTIN number, "00" or be omitted entirely.
	ds_cat_rcmd_id	string	False	category recommendation service id
	promotion_images	object	False	Promotion Image Currently only allow one promoton image You could set promotion image only if the product images' ratio is 3:4

Name	Type	Required	Sample	Description
------	------	----------	--------	-------------





compatibility_info	object	False		
vehicle_info_list	object[]	True		
brand_id	int64	True	1234	ID of the brand.
model_id	int64	True	2345	ID of the model.
year_id	int64	False	3456	ID of the year.
version_id	int64	False	4567	ID of the version.
scheduled_publish_time	timestamp	False	1733590920	Scheduled publish time of this item: 1) Can only set scheduled_publish_time for item with UNLIST status 2) Can only set the time from current time +1hour to current time +90days, and the time is only allowed to be accurate to the minute
authorised_brand_id	int64	False		ID of authorised reseller brand.
size_chart_info	object	False		
size_chart	string	False		ID of size chart image. If you want to remove the image size chart of the item, please pass the "size_chart" empty. You only need to fill out either the image or template. If both are filled, only the template will be kept. Notes: Both CB shops and local shops are supported to set "size_chart".
size_chart_id	int64	False		ID of template size chart. If you want to remove the template size chart of the item, please pass the "size_chart_id" as 0. You only need to fill out either the image or template. If both are filled, only the template will be kept. Notes: Only local shops are supported to set "size_chart_id", for CB shops please use "size_chart".
certification_info	object	False		For PH product certification input Required for some category and attribute option
certification_list	object[]	False		Array of certification records for the product, each containing type, certificate number, permit ID, and proof documents.
certification_no	string	True		Certification No.
permit_id	int64	True		Permit ID, get from v2.product.get_product_certification_rule

Name

Type

Required

Sample

Description





certification_proofs	object[]	True	An array of proof documents for the certification; each element represents one proof file.<path></path>
file_name	string	True	The name of the uploaded certification proof file.
image_id	int32	True	The unique image ID of the certification proof, returned by the image upload API.
ratio	float	True	image weight/ image height Will be optional in the future; can input 0.75 by default
purchase_limit_info	object	False	purchase limit info
min_purchase_limit	int32	False	minimum purchase count for each order
max_purchase_limit	object	False	
purchase_limit	int32	False	maximum purchase limit for each order.
medicine_id	int64	False	[Only for ID local sellers] as a unique identifier for each standardized medicine, the medicine id can only be obtained offline

Request Example

Collapse

PayloadJavaPHPcURLPythonCopy

```
{
  "original_price": 123.3,
  "description": "item description test",
  "weight": 1.1,
  "item_name": "Item Name Example",
  "item_status": "UNLIST",
  "dimension": {
    "package_height": 11,
    "package_length": 11,
    "package_width": 11
  },
  "logistic_info": [
    {
```

Response

Response Parameters

Collapse

Name	Type	Sample	Description
message	string		Indicate error details if hit error. Empty if no error happened.
warning	string		Indicate waring details if hit waring. Empty if no waring happened.
request_id	string	98eae35efff24dd0974c21a847127184	The identifier for an API request for error tracking

Name	Type	Sample	Description
------	------	--------	-------------





- dimension	object	The dimension of this item.	
package_width	int32	11	The width of package for this item, the unit is CM.
package_length	int32	11	The length of package for this item, the unit is CM.
package_height	int32	11	The height of package for this item, the unit is CM.
condition	string	NEW	Item condition, could be NEW or USED
- video_info	object[]	Item video	
video_url	string	https://cvf.shopee.sg/file/c67b847c954fd710e0d35ef1e22378d1	Video playback url
thumbnail_url	string	https://cf.shopee.sg/file/6fc53c203151635da72151cfbad03cdf	Video preview image url
duration	int32	15	Video duration
- wholesale	object[]	Wholesale setting	
min_count	int32	1	Minimum count of this tier
max_count	int32	100	Maximum count of this tier
unit_price	float	13.3	Unit price of this tier
- brand	object		
brand_id	int32	0	Id of brand.
original_brand_name	string	nike	Original name of brand.
item_dangerous	int32	0	This field is only applicable for local sellers in Indonesia and Malaysia. Use this field to identify whether a product is a dangerous product. 0 for non-dangerous product and 1 for dangerous product. For more information, please visit the market's respective Seller Education Hub.
- description_info	object	New description field. Only whitelist sellers can use it. If item with extended_description this field will return, otherwise do not return.	
- extended_description	object	If description_type is extended , description information should be set by this field.	
- field_list	object[]	Field of extended description.	
field_type	string	Type of extended description field : values: See Data Definition- description_field_type (text , image).	
Name	Type	Sample	Description





image_info	object	If field_type is image, image url will be set by this field.
image_id	string	Image id.
description_type	string	Values: See Data Definition- description_type (normal , extended).
complaint_policy	object	Complaint Policy for item. Only returned for local PL sellers.
warranty_time	stringONE_YEAR	Time for a warranty claim. Could be ONE_YEAR, TWO_YEARS, OVER_TWO_YEARS.
exclude_entrepreneur_warranty	booleanfalse	If True means "I exclude warranty complaints for entrepreneur"
complaint_address_id	int64	The identity of complaint address.
additional_information	string	Additional information for complaint policy.
seller_stock	object[]	seller stock
location_id	string	location id
stock	int32	stock
error	string	Indicate error type if hit error. Empty if no error happened.

Response Example

^ Collapse

JSON

Copy

```
{
  "message": "-",
  "warning": "-",
  "request_id": "98eae35efff24dd0974c21a847127184",
  "response": {
    "description": "description",
    "weight": 1,
    "pre_order": {
      "days_to_ship": 1,
      "is_pre_order": true
    },
    "item_name": "Hello Product",
    "images": {
```

Error Codes

^ Collapse

Business Error Codes

Error	Error Description	Details and Guidance
product.error_busi	The GTIN code is mandatory, please check and upload again.	
Error	Error Description	Details and Guidance





	https://seller.shopee.tw/edu/article/19732 if you have any questions.
product.error_busi	Medicine ID is mandatory for products in Prescription/OTC category.
product.error_busi	Please input the correct medicine ID.
product.error_busi	For OTC medicine, maximum purchase limit per order is mandatory and cannot exceed 3 days of use.
product.error_busi	Upload failed, please upload a more standard size chart image.
product.error_busi	Please input the tax information because the shop is invoice issued by Shopee
error_network	Inner http call failed
error_data	parse data failed
error_data	data not exist
error_param	parameter invalid
error_param	The information you queried is not found.
error_param	Wrong parameters, detail: {msg}.
error_server	Something wrong. Please try later.
error_shop	shopid is invalid
error_param	request not from gateway
error_auth_shop_not_found	Shop is not found.
error_auth	cnsr shop not upgraded, can not edit item.
error_param_shop_id_not_found	Shop_id is not found.
error_param	[Gateway] illegal request.
error_param	Invalid logistic info, {{.error_info}}
error_param	Invalid category.
error_param	Invalid attribute. {{.error_info}}
error_param	Invalid wholesale setting.





error_param	Invalid Weight.
error_param	Image not exist.
error_invalid_days_to_ship	Invalid days_to_ship.
error_value_name_required	Value_name is required.
error_value_id_must_equal_zero	Value_id must equal 0.
error_invalid_category_attribute	Category and attribute not match.
error_busi	logistic must be free
error_invalid_brand	Invalid brand
error_invalid_brand	Brand ID value should be "0".
error_invalid_brand	Brand name required
error_invalid_brand	Brand ID required
error_incalid_brand	Brand ID or brand name required
error_invalid_attribute	Mandatory attribute information required
error_invalid_brand	Brand information required
error_param	dimension is required
error_param	invalid additional information
error_param	all BR tax field should be empty or be filled at same time
error_get_shop_fail	Get shop failed. please try later.
error_busi_add_item_failed	Add item failed. please try later {{error_info}}.
error_busi_invalid_shop_status	Shop status invalid.
error_busi_invalid_account_status	Account status is invalid.
error_invalid_category	Invalid category ID {{error_info}}
error_busi_attribute_error	Attribute NCC value is invalid
error_busi_attribute_error	Attribute NCC is mandatory
error_busi_attribute_error	Attribute BSMI value is invalid

Error

Error Description

Details and Guidance





error_attribute_tda_error	Attribute TDA value is invalid
error_inner	Our system is taking some time to respond, please try later.
error_inner	System error, please try again later or contact the OpenAPI support team.
error_unknown	{{.error_info}}
error_item_not_found	Product not found
error_check_luc_fail	{{.error_info}}
error_check_luc_fail	{{.error_info}}
error_check_luc_fail	{{.error_info}}
error_check_luc_fail	{{.error_info}}
error_check_luc_fail	{{.error_info}}
error_check_luc_fail	{{.error_info}}
error_check_luc_fail	{{.error_info}}
error_check_luc_fail	{{.error_info}}
error_check_luc_fail	{{.error_info}}
error_check_luc_fail	{{.error_info}}
error_check_luc_fail	{{.error_info}}
error_repeated_mtsku	A similar product has already been uploaded
error_invalid_price	Invalid price, please use the correct format
error_category_is_block	Category is restricted
error_less_required_attribute	Mandatory attribute information required
error_less_required_brand	Brand information required
error_inner	Update item failed {{.error_info}}
error_inner	Update item failed {{.error_info}}
error_param	Attribute format is invalid. NCC field only allows Eng Alphanumeric input





error_unlist_item_fail	Please upload your products to UNLIST status. Products will be published automatically by Shopee at the official launch date.
error_invalid_logistic_info	invalid logistic info , {{.error_info}}
error_invalid_price_for_logistic	Shipping channel cannot be enabled as product price exceeds limit.
error_inner	System error, please try again later or contact the OpenAPI support team.
error_inner	System error, please try again later or contact the OpenAPI support team.
error_auth	The current item belong to the full FBS or B2C shop, so normal stock must be equal to 0
error_param_validate	This is not a valid GTIN. Please, inform a valid number.
error_param_validate	This is not a valid GTIN. Please, inform a valid number.
error_desc_image_no_pass	{{.error_info}}
error_desc_image_no_pass	{{.error_info}}
error_desc_image_no_pass	{{.error_info}}
error_desc_image_no_pass	{{.error_info}}
error_busi_cannot_edit_vsku	Can not use OpenAPI to edit/create VSKU, please connect with your manager
error_auth	The location_id input is not matched the shop's location_id(more/wrong). Please double check.
error_auth	Lack of location_id, please double check.
error_auth	Please wait for the holiday mode set then to edit item. Please try later.
error_auth	Total stock must be more than reserved stock.
error_param	{{.error_info}}

Error

Error Description

Details and Guidance





error_auth	Your shop can not use model level dts
error_param	{{.error_info}}
error_auth	You do not have right to use seller location_id, please only fill seller_stock filed.
error_desc_image_no_pass	{{.error_info}}
error_desc_image_no_pass	{{.error_info}}
error_desc_image_no_pass	{{.error_info}}
error_desc_image_no_pass	{{.error_info}}
error_param	{{.error_info}}
error.param	Can not update item with stock less than reserved stock
error_inner	Invalid stock location ID
error_param	Can not update item with different stock structure. Can only update seller stock with location id when existing seller stock have location id. Can only update seller stock without location id when existing seller stock without location id.
error_param	Can not update item with stock less than reserve stock
error_busi	The merchant/shop has multi warehouse, please input location id
error_auth	Stock should be larger than reserved stock.
error_incalid_brand	{{.error_info}}
error_duplicated_brand	Brand already exists
error_marshal	Interal error, please contact openapi team
error_param	Invalid parameter for product.
error_system_busy	Our system is taking some time to respond, please try later.
error_image_unavailable	Image is invalid: single image url length is less than 32.





error_name_length_limit	Exceeded item_name length limitation.
error_nil_shopid_or_itemid	Query information failed.
error_desc_hash_tag_over_limit	Count of hash tags is more than 18
error_item_name_empty	Item name could not be empty.
error_holiday_on_add_item	Shop is under vocation mode.
error_nil_name_new_item	Item_name cannot be empty.
error_item_name_is_too_short	Item_name length is less than min limit.
error_title_exceeds_max_length	The length of item_name is bigger than max limit.
error_title_character_forbidden	Item_name contains forbidden characters.
error_desc_length_min_limit	Description length is less than the min limit.
error_image_num_min	{{error_info}}
error_forbidden_category	The category is forbidden.
error_brand_forbidden	The brand is forbidden.
error_param_dts_exceeds_max_limit	Days_to_ship exceeds max limit
error_price_exceed_min_limit	Original_price is less than min price limit.
error_price_exceed_max_limit	Original_price is bigger than max price limit.
error_wholesale_price_less_than_ratio_limit	Wholesale price is less than ratio limit.
error_param_category_not_support_pre_order	Category does not support pre-order.
error_param	Can not update item with different stock structure. Can only update seller stock with location id when existing seller stock have location id. Can only update seller stock without location id when existing seller stock without location id.
error_invalid_attribute_value	Invalid attribute value.
error_wrong_attrsnapshot	Invalid attribute.





error_category_path_count_limit	Internal error, please contact openapi team.
error_server	Internal error, please contact openapi team.
error_invalid_category	Invalid category.
error_incalid_category	Category IDs for L1 and L2 do not match.
error_category_dts	The current day_to_ship is bigger than category's max days_to_ship.
error_invalid_category	Category is blocked for CB seller.
error_whole_sale_min_count_incorrect	Internal error, please contact openapi team.
error_whole_sale_price_setting_incorrect	Wholesale price can't more than original price.
error_video_info_not_found	Video_info not found.

Common Error Codes

Error Example

More

API Permissions

Collapse

APP types that can call this API.

ERP System Seller In House System Product Management Swam ERP

API Tools

Collapse

API Test Tools

API Access Log

Update Log

Collapse

Date	Update Details
2026-06-24	2026-06-17
2026-03-13	Introduce "medicine_id" as the request parameter
2025-09-19	The request field certification_type has been removed. If this field is still passed in the request, it will be ignored by the system.
2025-04-28	Add permit_id
2025-04-23	Add PH certification_info





User Guide

- Developer Guide
- API reference
- Push Mechanism
- Shopee Open Platform Data Protection Policy

Shopee Markets

- Service Market
- Seller Education Hub (Singapore)
- Seller Education Hub (Malaysia)
- Seller Education Hub (Thailand)
- Seller Education Hub (Vietnam)
- Seller Education Hub (Indonesia)
- Seller Education Hub (Philippines)
- Seller Education Hub (Brazil)
- Seller Education Hub (Japan)
- Seller Education Hub (Korea)
- Seller Education Hub (Hongkong)
- 虾皮卖家学习中心

Support

- Announcement
- FAQ
- Raise Ticket