

V2.0 Tables of Contents

AMS

Video

Product

get_category

get_attribute_tree

get_brand_list

get_item_limit

get_item_list

get_item_base_info

get_item_extra_info

add_item

update_item

delete_item

init_tier_variation

update_tier_variation

get_model_list

add_model

update_model

delete_model

unlist_item

update_price

update_stock

boost_item

get_boosted_list

get_item_promotion

update_sip_item_price

search_item

get_comment

reply_comment

category_recommend

register_brand

get_recommend_attribute

get_weight_recommendation

Product > v2.product.update_item

v2.product.update_item

POST /api/v2/product/update_item

API Description

Update item.

^ Collapse

Request

Request Address

^ Collapse

Environment	Location	HTTP Address
Live	Global	https://partner.shopeemobile.com/api/v2/product/update_item
	Chinese Mainland	https://openplatform.shopee.cn/api/v2/product/update_item
	Brazil	https://openplatform.shopee.com.br/api/v2/product/update_item
Sandbox	Global	https://openplatform.sandbox.test-stable.shopee.sg/api/v2/product/update_item
	Chinese Mainland	https://openplatform.sandbox.test-stable.shopee.cn/api/v2/product/update_item

Common Request Parameters

^ Collapse

Name	Type	Sample	Description
partner_id	int	1	Partner ID is assigned upon registration is successful. Required for all requests.
timestamp	timestamp	1610000000	This is to indicate the timestamp of the request. Required for all requests. Expires in 5 minutes.
access_token	string	c09222e3fc40ffb25fc947f738b1abf1	The token for API access, using to identify your permission to the api. Valid for multiple use and expires in 4 hours.
shop_id	int	600000	Shopee's unique identifier for a shop. Required param for most APIs.
sign	string	e318d3e932719916a9f9ebb57e2011961bd47abfa54a36e040d050d8931596e2	Signature generated by partner_id, api path, timestamp, access_token, shop_id and partner_key via HMAC-SHA256 hashing algorithm. More details: https://open.shopee.com/documents?module=87&type=2&id=58&version=2

Request Parameters

^ Collapse

Name	Type	Required	Sample	Description
------	------	----------	--------	-------------



weight	float	False	0.9	The weight of this item, the unit is KG. Updating the weight of this item will overwrite the weight of all models under this item.
pre_order	object	False		Pre Order setting.
days_to_ship	int32	True	7	Days to ship.
is_pre_order	boolean	True	false	Whether the item is pre order.
item_name	string	False	Hello Pgkk50jdNgEnlWvX	Item name.
attribute_list	object[]	False		Item attributes.
attribute_id	int32	True	5357	ID of attribute.
attribute_value_list	object[]	False		
value_id	int32	True	38173	ID of attribute value. In the following cases, the value id needs to be uploaded as 0, and original_value_name is mandatory, needs to be filled in customized value. (1) AttributeInputType is TEXT_FILED; (2) AttributeInputType is COMBO_BOX or MULTIPLE_SELECT_COMBO_BOX, and the seller want to fill in a customized value.
original_value_name	string	False	Red	Value name. original_value_name from produc.get_attributes api. If value id=0, this field is required. If AttributeType is DATE_TYPE or TIMESTAMP_TYPE, you can upload timestamp(string type) as the original_value_name.
value_unit	string	False	kg	Unit of attribute value (quantitative attribute only).
image	object	False		Images of item.
image_id_list	object[]	True		Image ID.
image_ratio	string	False	3:4	Ratio of image, OptionalAllowed ratios : "1:1" (default) "3:4"
item_sku	string	False	abc	SKU tag for item.
item_status	string	False	UNLIST	Item status, could be UNLIST or NORMAL.
wholesale	object[]	False		Wholesale setting. If you want to delete it, please pass it with blank.
min_count	int32	True	0	Minimum count of this tier.
Name	Type	Required	Sample	Description





max_count	int32	True	10	Maximum count of this tier.
item_id	int64	True	28001430	ID of item.
category_id	int32	False	34106	ID of category.
dimension	object	False		The dimension of this item. Updating the dimension of this item will overwrite the dimension of all models under this item.
package_height	int32	True	13	The height of package for this item, the unit is CM.
package_length	int32	True	12	The length of package for this item, the unit is CM.
package_width	int32	True	14	The width of package for this item, the unit is CM.
condition	string	False	USED	Condition of item, could be NEW or USED.
video_upload_id	string[]	False	["sg_f4bde9bc-ff3c-485e-a6dd-3161dab4b942_000000"]	Video upload ID returned from video uploading API. If you want to delete it, please pass it with blank.
brand	object	False		
brand_id	int32	False	0	Id of brand.
original_brand_name	string	False	nike	Original name of brand.
item_dangerous	int32	False	0	This field is only applicable for local sellers in Indonesia and Malaysia. Use this field to identify whether a product is a dangerous product. 0 for non-dangerous product and 1 for dangerous product. For more information, please visit the market's respective Seller Education Hub.
tax_info	object	False		Tax information
ncm	string	False		Mercosur Common Nomenclature, it is a convention between Mercosur member countries to easily recognize goods, services and productive factors negotiated among themselves. (BR region) NCM must have 8 digits, OR, if your item doesn't have a NCM enter the value "00"
same_state_cfop	string	False		Tax Code of Operations and Installments for orders that seller and buyer are in the same state. It identifies a specific operation by category at the time of issuing the invoice.
diff_state_cfop	string	False		Tax Code of Operations and Installments for orders that seller and buyer are in different states. It identifies a specific operation by category at the time of issuing the invoice.
Name	Type	Required	Sample	Description





	the operations.			
origin	string	False		Product source, domestic or foreign
cest	string	False		Tax Replacement Specifying Code (CEST), to separate within the same NCM products that do or do not have ICMS tax substitution. (BR region) CEST must have 7 digits, OR, if your item doesn't have a CEST enter the value "00".
measure_unit	string	False		(BR region) The value must be provided in uppercase and must match one of the supported units below: AMPOLA, BALDE, BANDEJ, BARRA, BISNAG, BLOCO, BOBINA, BOMB, CAPS, CART, CENTO, CJ, CM, CM2, CX, CX2, CX3, CX5, CX10, CX15, CX20, CX25, CX50, CX100, DISP, DUZIA, EMBAL, FARDO, FOLHA, FRASCO, GALAO, GF, GRAMAS, JOGO, KG, KIT, LATA, LITRO, M, M2, M3, MILHEI, ML, MWH, PACOTE, PALETE, PARES, PC, POTE, K, RESMA, ROLO, SACO, SACOLA, TAMBOR, TANQUE, TON, TUBO, UN, VASIL, VIDRO.
invoice_option	string	False		Value shoold be one of NO_INVOICES VAT_MARGIN_SCHEME_INVOICES VAT_INVOICES NON_VAT_INVOICES and if value is NON_VAT_INVOICE vat_rate should be null (PL region)
vat_rate	string	False		Value should be one of 0% 5% 8% 23% NO_VAT_RATE (PL region)
hs_code	string	False		HS Code. (Only for IN region)
tax_code	string	False		Tax Code. (Only for IN region)
tax_type	int32	False		tax_type only for TW whitelist shop. Shopee will referred Tax type when substitute sellers for issuing e-receipts to buyers. All variations share the same tax type. The meaning of value: 0: no tax type 1: tax-able 2: tax-free
pis	string	False		Only for BR shop. PIS - Programa de Integração Social (Social Integration Program). It is a government tax to collect resources for the payment of unemployment insurance and other employee related rights. PIS % - the tax applied to this product
cofins	string	False		Only for BR shop. COFINS – Contribuição para Financiamento da Seguridade Social (Contribution for Social Security Funding). It is a government tax to collect resources for public health system and social security. COFINS % - the tax applied to this product
Name	Type	Required	Sample	Description





				and Services Tax). CST - Código da Situação Tributária (Tax Situation Code) is represented by a combination of 3 numbers with the purpose of demonstrating the origin of a product and determining the form of taxation that will apply to it. Therefore, each digit in the CST Table has a specific meaning: the first digit indicates the origin of the operation, the second digit represents the ICMS taxation on the operation and the third digit provides additional information about the form of taxation.
pis_cofins_cst	string	False		Only for BR shop. The CST PIS/Cofins is a code on the Electronic Invoice (NF-e) that identifies the tax situation of PIS (Programa de Integração Social) and Cofins (Contribuição para o Financiamento da Seguridade Social) in sales of goods.
federal_state_taxes	string	False		Only for BR shop. Enter the total percentage of the combination of federal, state, and municipal taxes, using up to two decimals.
operation_type	string	False		Only for BR shop. 1: Retailer 2: Manufacturer
ex_tipi	string	False		Only for BR shop. The EXTIPI field in the NF-e (Nota Fiscal Eletrônica) is used to indicate if there's an exception to the IPI (Imposto sobre Produtos Industrializados) tax rate for a specific product.
fci_num	string	False		Only for BR shop. The FCI Control Number is a unique identifier assigned to each import FCI (Import Content Form). It's mandatory on the corresponding NF-e (electronic invoice) to ensure compliance with Brazilian import tax regulations.
recopi_num	string	False		Only for BR shop. RECOPI NACIONAL is a Brazilian government system that facilitates the registration and management of tax-exempt operations involving paper destined for printing books, newspapers, and periodicals (known as "papel imune" in Portuguese).
additional_info	string	False		Only for BR shop. Include relevant information to display on Invoice.
group_item_info	object	False		Only for BR shop. Required if the item is a group item.
group_qtd	string	False		Example: The package contains 6 soda cans. Whether you are selling a pack of 6 cans (fardo) or a single can (unit), enter 6.
group_unit	string	False		Example: The package contains 6 soda cans. Whether you are selling a pack of 6 cans (fardo) or a single can (unit), enter UNI for the individual can.
Name	Type	Required	Sample	Description





				of the individual can.
	original_group_price	string	False	Example: The item is a package that contains 6 soda cans. Enter the price of the whole package.
	group_gtin_sccc	string	False	Example: The item is a package that contains 6 soda cans. Please inform the GTIN SCCC code for the package.
	group_grai_gtin_sccc	string	False	Example: The item is box, that contain 6 packages. Each package contains 6 soda cans. Please inform the GRAI GTIN SCCC code for the Box.
	export_cfop	string	False	7101 - for sales of self-produced goods 7102 - resale of third-party goods
	complaint_policy	object	False	Complaint Policy for item. Only required for local PL sellers, ignored otherwise.
	warranty_time	string	False	Value should be in one of ONE_YEAR TWO_YEARS OVER_TWO_YEARS.
	exclude_entrepreneur_warranty	boolean	False	If True means "I exclude warranty complaints for entrepreneur"
	complaint_address_id	int32	False	Address for complaint. Fetch available addresses using v2.logistics.get_address_list, and use address_id returned from it.
	additional_information	string	False	Additional information for warranty claim. Should be less than 1000 characters.
	description_info	object	False	New description field. Only whitelist sellers can use it. If you use the field, please upload the description_type=extended otherwise api will return error. If you don't use this field, you don't need to upload the description_type or upload description_type=normal
	extended_description	object	False	If description_type is extended , description information should be set by this field.
	field_list	object[]	False	Field of extended description.
	field_type	string	False	Type of extended description field : values: See Data Definition- description_field_type (text , image).
	text	string	False	If field_type is text, text information will be set by this field.
	image_info	object	False	If field_type is image, image url will be set by this field.
	image_id	string	False	Image id.
	description_type	string	False	Values: See Data Definition- description_type (normal , extended). If you want to use
	Name	Type	Required	Sample
				Description



	gtin_code	string	False		- GTIN is an identifier for trade items, developed by the international organization GS1. - They have 8 to 14 digits. The most common are UPC, EAN, JAN and ISBN. - GTIN will help boost positioning in online marketing channels like Google and Facebook. - That incorporation with GTIN will also aid in Search and Recommendation in Shopee itself allowing buyers to have higher likelihood of finding one's listing. Note: If you want to set "Item without GTIN", please pass the gtin_code as "00". The validation rule is based on the value return in gtin_validation_rule" field in v2.product.get_item_limit API - Mandatory: This field is required and must contain a correctly formatted GTIN number. - Flexible: This field is required and must contain either a correctly formatted GTIN number or "00" to declare that the item/model has no valid GTIN. - Optional: This field is optional and can contain a correctly formatted GTIN number, "00" or be omitted entirely.
	ds_cat_rcmd_id	string	False		category recommendation service id
	[-] promotion_images	object	False		Promotion Image Currently only allow one promoton image You could set promotion image only if the product images' ratio is 3:4
	image_id_list	string[]	False		Promotion Image
	[-] compatibility_info	object	False		
	[-] vehicle_info_list	object[]	True		
	brand_id	int64	True	1234	ID of the brand.
	model_id	int64	True	2345	ID of the model.
	year_id	int64	False	3456	ID of the year.
	version_id	int64	False	4567	ID of the version.
	scheduled_publish_time	timestamp	False	1733590920	Scheduled publish time of this item: 1) Can only set scheduled_publish_time for item with UNLIST status 2) Can only set the time from current time +1hour to current time +90days, and the time is only allowed to be accurate to the minute
	authorised_brand_id	int64	False		ID of authorised reseller brand.
	[-] size_chart_info	object	False		
	size_chart	string	False		ID of size chart image. If you want to remove the image size chart of the item, please pass the "size_chart" empty.
Name		Type	Required	Sample	Description





Notes: Both CB shops and local shops are supported to set "size_chart".				
size_chart_id	int64	False		ID of template size chart. If you want to remove the template size chart of the item, please pass the "size_chart_id" as 0. You only need to fill out either the image or template. If both are filled, only the template will be kept. Notes: Only local shops are supported to set "size_chart_id", for CB shops please use "size_chart".
certification_info	object	False		For PH product certification input Required for some category and attribute option
certification_list	object[]	False		Array of certification records for the product, each containing type, certificate number, permit ID, and proof documents.
certification_no	string	True		Certification number issued by the regulatory or certifying authority; uniquely identifies the certification. refer to https://seller.shopee.ph/edu/article/24236
permit_id	int64	True		Platform-defined permit ID used to link to a specific certification template or rule. get from v2.product.get_product_certification_rule
expiry_date	int32	False	1610000000	Expiry timestamp. Required for PH, but not needed for TW.
certification_proofs	object	False		An array of proof documents for the certification; each element represents one proof file. <path></path>
image_id	string	True		The unique image ID of the certification proof, returned by the image upload API.
file_name	string	True		The name of the uploaded certification proof file.
ratio	float	True		image weight/ image height Will be optional in the future; can input 0.75 by default
purchase_limit_info	object	False		purchase limit info
min_purchase_limit	int32	False		minimum purchase count for each order
max_purchase_limit	object	False		
purchase_limit	int32	False		maximum purchase limit for each order.
Name	Type	Required	Sample	Description





Request Example

Collapse

PayloadJavaPHPcURLPythonCopy

```
{  "description": "Hello product product WlQPdMV4SIVoG7QD1v0fEecNoCVEBNx6",  "weight": 0.9,  "pre_order": {    "days_to_ship": 7,    "is_pre_order": true  },  "item_name": "Hello Pgkk50jdNgEnlWvX",  "attribute_list": [    {      "attribute_id": 5357,      "attribute_value_list": [    ]    }  ]}
```

Response

Collapse

Response Parameters

Name	Type	Sample	Description
message	string		Indicate error details if hit error. Empty if no error happened.
warning	string		Indicate waring details if hit waring. Empty if no waring happened.
request_id	string	326527603d034fd1b2dd6a74d70ade54	The identifier for an API request for error tracking.
response	object		
description	string	Hello product product 6xnhl3ug5D2rFpH3QoJSNNOrfUSP8rw5	Item description.
weight	float	0.9	The weight of this item, the unit is KG.
pre_order	object		
days_to_ship	int32	2	The time it takes to ship the item.
is_pre_order	boolean	false	Whether item is pre order.
item_name	string	Hello QdlHimD4nto0OGlQ	Item name.
item_status	string	UNLIST	Item status.
images	object		Item images.
image_id_list	string[]		ID list of item image.
image_url_list	string[]		URL list of item image

Name	Type	Sample	Description
------	------	--------	-------------



	estimated_shipping_fee	float	1.49	Estimated shipping fee.
	logistic_name	string	Ninja Van	Name of logistics channel.
	enabled	boolean	true	Whether this channel is enabled.
	logistic_id	int32	10007	ID of this channel.
	is_free	boolean	false	Whether cover shipping fee for buyer.
	item_id	int64	28001430	ID of item.
	category_id	int32	34106	ID of item category.
	dimension	object		The dimension of this item.
	package_width	int32	14	The width of package for this item, the unit is CM.
	package_length	int32	12	The length of package for this item, the unit is CM.
	package_height	int32	13	The height of package for this item, the unit is CM.
	condition	string	USED	Item condition, could be USED or NEW.
	brand	object		
	brand_id	int32	0	Id of brand.
	original_brand_name	string	nike	Original name of brand.
	item_dangerous	int32	0	This field is only applicable for local sellers in Indonesia and Malaysia. Use this field to identify whether a product is a dangerous product. 0 for non-dangerous product and 1 for dangerous product. For more information, please visit the market's respective Seller Education Hub.
	complaint_policy	object		Complaint policy
	warranty_time	string		Value should be in one of ONE_YEAR TWO_YEARS OVER_TWO_YEARS.
	exclude_entrepreneur_warranty	boolean		If True means "I exclude warranty complaints for entrepreneur"
	additional_information	string		Additional information for complaint policy
	description_info	object		New description field. Only whitelist sellers can use it. If you use the field, please upload the description_type=extended otherwise api will return error. If you don't use this field, you don't need to upload the description_type or upload description_type=normal
	Name	Type	Sample	Description





field_list	object[]	Field of extended description.
field_type	string	Type of extended description field : values: See Data Definition- description_field_type (text , image).
text	string	If field_type is text, text information will be set by this field.
image_info	object	If field_type is image, image url will be set by this field.
image_id	string	Image id.
description_type	string	Values: See Data Definition- description_type (normal , extended).
error	string	Indicate error type if hit error. Empty if no error happened.

Response Example

Collapse

JSONCopy

```
{
  "message": "-",
  "warning": "-",
  "request_id": "326527603d034fd1b2dd6a74d70ade54",
  "response": {
    "description": "Hello product product 6xnhf3ug5D2rFpH3QoJSNNOrfUSP8rw5",
    "weight": 0.9,
    "pre_order": {
      "days_to_ship": 2,
      "is_pre_order": true
    },
    "item_name": "Hello QdlHimD4nto0OGIQ",
    "item_status": "UNLIST",
  }
}
```

Error Codes

Collapse

Business Error Codes

Error	Error Description	Details and Guidance
product.error_busi	The GTIN code is mandatory, please check and upload again.	
product.error_busi	Please input the correct TS Mark (TD Mark) to upload your product, and refer to the SEH article - https://seller.shopee.tw/edu/article/19732 if you have any questions.	
product.error_busi	Medicine ID is mandatory for products in Prescription/OTC category.	
product.error_busi	Please input the correct medicine ID.	
Error	Error Description	Details and Guidance





	days of use.	
product.error_busi	Upload failed, please upload a more standard size chart image.	
error_network	Inner http call failed	
error_data	parse data failed	
error_data	data not exist	
error_param	parameter invalid	
error_param	The information you queried is not found.	
error_param	Wrong parameters, detail: {msg}.	
error_server	Something wrong. Please try later.	
error_shop	shopid is invalid	
error_param	request not from gateway	
error_auth_shop_not_found	Shop is not found.	
error_auth	cnsr shop not upgraded, can not edit item.	
error_item_not_found	Item_id is not found.	
error_param_shop_id_not_found	Shop_id is not found.	
error_param	Invalid logistic info, {{.error_info}}	
error_param	Invalid category.	
error_param	Invalid attribute. {{.error_info}}	
error_param	Invalid wholesale setting.	
error_param	Parameter is not match the constraints, {{.error_info}}.	
error_param	Invalid Weight.	
error_param	Image not exist.	
error_invalid_days_to_ship	Invalid days_to_ship.	
error_value_name_required	Value_name is required.	
error_value_id_must_equal_zero	Value_id must equal 0.	
error_invalid_category_attribute	Category and attribute not match.	
Error	Error Description	Details and Guidance



error_param	invalid wholesale setting
error_invalid_brand	Invalid brand
error_invalid_brand	Brand ID value should be "0".
error_invalid_brand	Brand name required
error_invalid_brand	Brand ID required
error_incalid_brand	Brand ID or brand name required
error_invalid_attribute	Mandatory attribute information required
error_invalid_brand	Brand information required
error_get_shop_fail	Get shop failed. please try later.
error_busi_invalid_shop_status	Shop status invalid.
error_busi_cannot_update_field	Update item failed , {{.error_info}}.
error_busi_item_status_invalid	Invalid item status.
error_busi_update_item_failed	Update item failed, please try later.
error_invalid_category	Invalid category ID {{.error_info}}
error_busi_attribute_error	Attribute NCC value is invalid
error_busi_attribute_error	Attribute NCC is mandatory
error_busi_attribute_error	Attribute BSMI value is invalid
error_busi_attribute_error	Attribute BSMI is mandatory
error_attribute_fda_error	Attribute FDA value is invalid
error_inner	Our system is taking some time to respond, please try later.
error_inner	System error, please try again later or contact the OpenAPI support team.
error_unknown	{{.error_info}}
error_item_not_found	Product not found
error_check_luc_fail	{{.error_info}}
error_check_luc_fail	{{.error_info}}



error_check_luc_fail	{{.error_info}}
error_check_luc_fail	{{.error_info}}
error_check_luc_fail	{{.error_info}}
error_check_luc_fail	{{.error_info}}
error_check_luc_fail	{{.error_info}}
error_check_luc_fail	{{.error_info}}
error_check_luc_fail	{{.error_info}}
error_check_luc_fail	{{.error_info}}
error_repeated_mtsku	A similar product has already been uploaded
error_invalid_price	Invalid price, please use the correct format
error_category_is_block	Category is restricted
error_less_required_attribute	Mandatory attribute information required
error_less_required_brand	Brand information required
error_inner	Update item failed {{.error_info}}
error_inner	Update item failed {{.error_info}}
error_param	Attribute format is invalid. NCC field only allows Eng Alphanumeric input
error_param	NCC filed only allows character length less than 50.
error_unlist_item_fail	Please upload your products to UNLIST status. Products will be published automatically by Shopee at the official launch date.
error_invalid_logistic_info	invalid logistic info , {{.error_info}}
error_invalid_price_for_logistic	Shipping channel cannot be enabled as product price exceeds limit.
error_inner	System error, please try again later or contact the OpenAPI support team.
error_inner	System error, please try again later or contact the OpenAPI support team.



error_param_validate	This is not a valid GTIN. Please, inform a valid number.
error_param_validate	This is not a valid GTIN. Please, inform a valid number.
error_desc_image_no_pass	{{.error_info}}
error_desc_image_no_pass	{{.error_info}}
error_desc_image_no_pass	{{.error_info}}
error_desc_image_no_pass	{{.error_info}}
error_busi_cannot_edit_vsku	Can not use OpenAPI to edit/create VSKU, please connect with your manager
error_param_validate	Wholesale cannot be used in this category and attributes.
error_auth	Your shop can not use model level dts
error_param	{{.error_info}}
error_desc_image_no_pass	{{.error_info}}
error_desc_image_no_pass	{{.error_info}}
error_desc_image_no_pass	{{.error_info}}
error_desc_image_no_pass	{{.error_info}}
error_param	{{.error_info}}
error_inner	Invalid stock location ID
error attribute	Your attribute info is invalid. Please fill in the category related attributes with correct attribute value.
error_busi	The merchant/shop has multi warehouse, please input location id
error_incalid_brand	{{.error_info}}
error_duplicated_brand	Brand already exists
error category	Your category is invalid or prohibited.



error_marshall	Interal error, please contact openapi team
error_param	Invalid parameter for product.
error_system_busy	Our system is taking some time to respond, please try later.
error_item_or_variation_not_found	Item or model doesn't exist.
error_nil_item_in_req	Interal error, please contact openapi team.
error_image_unavailable	Image is invalid: single image url length is less than 32.
error_name_length_limit	Exceeded item_name length limitation.
error_seller_under_penalty	The shop is under penalty.
error_nil_shopid_or_itemid	Query information failed.
error_estimated_days_limit	Days_to_ship limitation exceeded.
error_item_uneditable	Can't edit this item. item status can not support editing.
error_perm_non_admin	Don't have permission.
error_desc_hash_tag_over_limit	Count of hash tags is more than 18
error_item_name_empty	Item name could not be empty.
error_item_name_is_too_short	Item_name length is less than min limit.
error_title_exceeds_max_length	The length of item_name is bigger than max limit.
error_title_character_forbidden	Item_name contains forbidden characters.
error_desc_length_min_limit	Description length is less than the min limit.
error_image_num_min	{{error_info}}
error_forbidden_category	The category is forbidden.
error_brand_forbidden	The brand is forbidden.
error_param_dts_exceeds_max_limit	Days_to_ship exceeds max limit





error_cannt_edit_name_in_promotion	Item_name cannot be edited when item is under promotion..
error_cannt_edit_description_in_promotion	Description of item cannot be edited when item is under promotion..
error_cannt_edit_image_in_promotion	Image of item cannot be edited when item is under promotion..
error_cannt_edit_pre_order_in_promotion	Item cannot be changed to pre-order when item is under promotion..
error_cannt_edit_estimated_days_in_promotion	Days_to_ship cannot be edited when item is under promotion.
error_item_in_promotion	item is in promotion can not set category
error_invalid_attribute_value	Invalid attribute value.
error_wrong_attrsnapshot	Invalid attribute.
error_category_level	Interal error, please contact openapi team.
error_category_path_count_limit	Interal error, please contact openapi team.
error_server	Interal error, please contact openapi team.
error_invalid_category	Invalid category.
error_incalid_category	Category IDs for L1 and L2 do not match.
error_category_dts	The current day_to_ship is bigger than category's max days_to_ship.
error_invalid_category	Category is blocked for CB seller.
error_in_item_promotion_image_item_lock	Can't update images when item is under promotion.
error_in_item_promotion_name_item_lock	Can't update item_name when item is under promotion.
error_in_item_promotion_unlist_item_lock	Can't unlist item when item is under promotion.
error_in_item_promotion_description_lock	Can't update description when item is under promotion.
error_flash_sale_days_to_ship_item_lock	Days_to ship cannot be changed when item is under ongoing/upcoming flash sale.





error_whole_sale_min_count_in correct	Internal error, please contact openapi team.
error_whole_sale_price_setting_ incorrect	Wholesale price can't more than original price.
error_video_info_not_found	Video_info not found.

Common Error Codes

Error Example

More

API Permissions

Collapse

APP types that can call this API.

ERP System Seller In House System Product Management

API Tools

Collapse

API Test Tools

API Access Log

Update Log

Collapse

Date	Update Details
2026-06-24	deprecate logistics-related fields in the response
2026-06-24	2026-06-17
2026-03-13	Introduce "medicine_id" as the request parameter
2025-11-17	add new request field "has_promotion"
2025-09-19	The request field "certification_type" has been removed. If this field is still passed in the request, it will be ignored by the system.

User Guide

- Developer Guide
- API reference
- Push Mechanism
- Shopee Open Platform Data Protection Policy

Shopee Markets

- Service Market
- Seller Education Hub (Singapore)
- Seller Education Hub (Malaysia)
- Seller Education Hub (Thailand)
- Seller Education Hub (Vietnam)
- Seller Education Hub (Indonesia)
- Seller Education Hub (Philippines)
- Seller Education Hub (Brazil)
- Seller Education Hub (Japan)
- Seller Education Hub (Korea)

Support

- Announcement
- FAQ
- Raise Ticket



