



V2.0 Tables of Contents

▶ AMS

▶ Video

▼ Product

get_category

get_attribute_tree

get_brand_list

get_item_limit

get_item_list

get_item_base_info

get_item_extra_info

add_item

update_item

delete_item

init_tier_variation

update_tier_variation

get_model_list

add_model

update_model

delete_model

unlist_item

update_price

update_stock

boost_item

get_boosted_list

get_item_promotion

update_sip_item_price

search_item

get_comment

reply_comment

category_recommend

register_brand

get_recommend_attribute

get_weight_recommendation

get size chart list

Product > v2.product.update_price

v2.product.update_price

POST /api/v2/product/update_price

💡 API Description

Update price.

^ Collapse

Request

Request Address

^ Collapse

Environment	Location	HTTP Address
Live	Global	https://partner.shopeemobile.com/api/v2/product/update_price
	Chinese Mainland	https://openplatform.shopee.cn/api/v2/product/update_price
	Brazil	https://openplatform.shopee.com.br/api/v2/product/update_price
Sandbox	Global	https://openplatform.sandbox.test-stable.shopee.sg/api/v2/product/update_price
	Chinese Mainland	https://openplatform.sandbox.test-stable.shopee.cn/api/v2/product/update_price

Common Request Parameters

^ Collapse

Name	Type	Sample	Description
partner_id	int	1	Partner ID is assigned upon registration is successful. Required for all requests.
timestamp	timestamp	1610000000	This is to indicate the timestamp of the request. Required for all requests. Expires in 5 minutes.
access_token	string	c09222e3fc40ffb25fc947f738b1abf1	The token for API access, using to identify your permission to the api. Valid for multiple use and expires in 4 hours.
shop_id	int	600000	Shopee's unique identifier for a shop. Required param for most APIs.
sign	string	e318d3e932719916a9f9ebb57e2011961bd47abfa54a36e040d050d8931596e2	Signature generated by partner_id, api path, timestamp, access_token, shop_id and partner_key via HMAC-SHA256 hashing algorithm. More details: https://open.shopee.com/documents?module=87&type=2&id=58&version=2

Request Parameters

^ Collapse

Name	Type	Required	Sample	Description
item_id	int64	True	1000	ID of item.

Name	Type	Required	Sample	Description
------	------	----------	--------	-------------



model_id	int64	False	0 for no model item.
original_price	float	True	Original price for this model. For CO local VAT responsible seller: Please remember the price you set in here must be VAT inclusive. If you have any doubts on how to calculate VAT for your product please refer to the Seller Education Hub (https://seller.shopee.com.co/edu/article/13565) For SG/MY/BR/MX/PL/ES/AR seller: Sellers can set the price with two decimal place, other regions can only set the price as an integer.

Request Example

^ Collapse

Payload  Copy

```
{
  "item_id": 1000,
  "price_list": [{
    "model_id": 3456,
    "original_price": 11.11
  }]
}
```

Response

Response Parameters

^ Collapse

Name	Type	Sample	Description
error	string		Indicate error type if hit error. Empty if no error happened.
message	string		Indicate error details if hit error. Empty if no error happened.
warning	string		Warning message.
request_id	string		The identifier for an API request for error tracking.
 response	object		
 failure_list	object[]		Fail model list.
model_id	int64		ID of model.
failed_reason	string		Reason for failure.
 success_list	object[]		Success model list.
model_id	int64		ID of model.
original_price	float		Original price for model.

Response Example



```
{
  "error": "",
  "message": "",
  "warning": "",
  "request_id": "aaaaaaa",
  "response": {
    "failure_list": [{
      "model_id": 3456,
      "failed_reason": "fail"
    }],
    "success_list": [{
      "model_id": 0,
      "original_price": 11.11
    }]
  }
}
```

Error Codes

^ Collapse

Business Error Codes

Error	Error Description	Details and Guidance
error_network	Inner http call failed	
error_data	parse data failed	
error_data	data not exist	
error_param	parameter invalid	
error_param	The information you queried is not found.	
error_param	Wrong parameters, detail: {msg}.	
error_server	Something wrong. Please try later.	
error_shop	shopid is invalid	
error_param	request not from gateway	
error_item_not_belong_shop	Item not belong to shop.	
error_item_not_found	Item_id is not found.	
error_param_shop_id_not_found	Shop_id is not found.	
error_param	Repeat model_id.	
error_param	Wrong model_id.	
error_busi_price_lower_then_wholesale_price	Original_price should bigger then wholesale price	
error_update_price_fail	Update price failed, please try later.	
error_inner	Our system is taking some time to respond, please try later.	
error_inner	System error, please try again later or contact the OpenAPI	
Error	Error Description	Details and Guidance



error_invalid_price	Invalid price, please use the correct format	
error_inner	Update item failed {{.error_info}}	
error_inner	Update item failed {{.error_info}}	
error_invalid_price_for_logistic	Shipping channel cannot be enabled as product price exceeds limit.	
error_inner	System error, please try again later or contact the OpenAPI support team.	
error_inner	System error, please try again later or contact the OpenAPI support team.	
error_busi_cannot_edit_vsku	Can not use OpenAPI to edit/create VSKU, please connect with your manager	
error_auth	Your shop can not use model level dts	
error_related_product_in_promotion	Asku has upcoming or ongoing promotion, can't update global product price> pls update price in shop sku	
error_inner	Invalid stock location ID	
error_param	Invalid parameter for product.	
error_system_busy	Our system is taking some time to respond, please try later.	
error_seller_under_penalty	The shop is under penalty.	
error_nil_shopid_or_itemid	Query information failed.	
error_item_uneditable	Can't edit this item. item status can not support editing.	
error_perm_non_admin	Don't have permission.	
error_price_exceed_min_limit	Original_price is less than min price limit.	
error_price_exceed_max_limit	Original_price is bigger than max price limit.	
error_wholesale_price_less_than_ratio_limit	Wholesale price is less than ratio limit.	
error_cantnt_edit_price_in_promotion	Original_price cannot be edited when item is under promotion.	
Error	Error Description	Details and Guidance





error_server	Internal error, please contact openapi team.
error_price_out_of_range	Price is out of range.
error_in_item_promotion_item_price_lock	Can't update price when item is under promotion.
error_slash_price_not_lowest	In slash sale, price should not be lower or same as slash price.
error_slash_price_models_diff	In slash sale, the model price should be the same.
error_price_should_be_same_for_wholesales	All model price should be the same when the item has been set wholesales.
error_cannot_update_price_in_promotion	Price cannot be changed when model is under promotion.
error_edit_item_price_for_item_has_model	Can't edit item price directly while item has models.

Common Error Codes

Error Example

Collapse

JSON

Copy

```
{
  "error": "product.error_param",
  "message": "invalid field ItemId: value must Not Null",
  "request_id": "9bf3089da6d0edc88cd7a9f8b34a03a2"
}
```

API Permissions

Collapse

APP types that can call this API.

ERP System Seller In House System Product Management

API Tools

Collapse

API Test Tools

API Access Log

Update Log

More





- Shopee Open Platform Data Protection Policy
- Seller Education Hub (Thailand)
- Seller Education Hub (Vietnam)
- Seller Education Hub (Indonesia)
- Seller Education Hub (Philippines)
- Seller Education Hub (Brazil)
- Seller Education Hub (Japan)
- Seller Education Hub (Korea)
- Seller Education Hub (Hongkong)
- 虾皮卖家学习中心