

Product > v2.product.update_model

v2.product.update_model

POST /api/v2/product/update_model

API Description

Update seller sku/ pre order/ model status for model.

Request

Request Address

Environment	Location	HTTP Address
Live	Global	https://partner.shopeemobile.com/api/v2/product/update_model
	Chinese Mainland	https://openplatform.shopee.cn/api/v2/product/update_model
	Brazil	https://openplatform.shopee.com.br/api/v2/product/update_model
Sandbox	Global	https://openplatform.sandbox.test-stable.shopee.sg/api/v2/product/update_model
	Chinese Mainland	https://openplatform.sandbox.test-stable.shopee.cn/api/v2/product/update_model

Common Request Parameters

Name	Type	Sample	Description
partner_id	int	1	Partner ID is assigned upon registration is successful. Required for all requests.
timestamp	timestamp	1610000000	This is to indicate the timestamp of the request. Required for all requests. Expires in 5 minutes.
access_token	string	c09222e3fc40ffb25fc947f738b1abf1	The token for API access, using to identify your permission to the api. Valid for multiple use and expires in 4 hours.
shop_id	int	600000	Shopee's unique identifier for a shop. Required param for most APIs.
sign	string	e318d3e932719916a9f9ebb57e2011961bd47abfa54a36e040d050d8931596e2	Signature generated by partner_id, api path, timestamp, access_token, shop_id and partner_key via HMAC-SHA256 hashing algorithm. More details: https://open.shopee.com/documents?module=87&type=2&id=58&version=2

Request Parameters

Name	Type	Required	Sample	Description
item_id	int64	True	1000	ID of item

1/6



model_id	int64	True	1625698439	ID of model
model_sku	string	True	abc	Seller SKU for model, model_sku length information needs to be no more than 100 characters. CNSC and KRSC sellers are not allowed to update the MPSKU model sku.
pre_order	object	False		
is_pre_order	boolean	True	false	Pre-order
days_to_ship	int32	True	3	The days to ship. Only work for is_pre_order=true
gtin_code	string	False		- GTIN is an identifier for trade items, developed by the international organization GS1. - They have 8 to 14 digits. The most common are UPC, EAN, JAN and ISBN. - GTIN will help boost positioning in online marketing channels like Google and Facebook. - That incorporation with GTIN will also aid in Search and Recommendation in Shopee itself allowing buyers to have higher likelihood of finding one's listing. Note: If you want to set "Item without GTIN", please pass the gtin_code as "00". The validation rule is based on the value return in gtin_validation_rule" field in v2.product.get_item_limit API - Mandatory: This field is required and must contain a correctly formatted GTIN number. - Flexible: This field is required and must contain either a correctly formatted GTIN number or "00" to declare that the item/model has no valid GTIN. - Optional: This field is optional and can contain a correctly formatted GTIN number, "00" or be omitted entirely.
model_status	string	False		can be "NORMAL" or "UNAVAILABLE". Only CNSC and KRSC sellers can set the model_status. Normal models can be sold on the buyer's side, and UNAVAILABLE models cannot be sold on the buyer's side.
weight	float	False	1.1	The weight of this model, the unit is KG. If don't set the weight of this model, will use the weight of item by default. If set the dimension of this model, them must set the weight of this model.
dimension	object	False		The dimension of this model. If don't set the dimension of this model, will use the dimension of item by default.
package_height	int32	True	11	The height of package for this model, the unit is CM.
package_length	int32	True	11	The length of package for this model, the unit is CM.
Name	Type	Required	Sample	Description





Request Example

PayloadJavaPHPcURLPythonCopy

```
{
  "model": [
    {
      "model_sku": "abc",
      "pre_order": {
        "is_pre_order": false
      },
      "weight": 1.1
    }
  ]
}
```

Response

Response Parameters

Name	Type	Sample	Description
error	string		Indicate error type if hit error. Empty if no error happened.
message	string		Indicate error details if hit error. Empty if no error happened.
warning	string		Warning message.
request_id	string		The identifier for an API request for error tracking

Response Example

JSONCopy

```
{
  "error": "",
  "message": "",
  "warning": "",
  "request_id": "aaaaaaa",
}
```

Error Codes

Business Error Codes

Error	Error Description	Details and Guidance
product.error_busi	The GTIN code is mandatory, please check and upload again.	
error_network	Inner http call failed	
error_data	parse data failed	
Error	Error Description	Details and Guidance



error_param	parameter invalid
error_param	The information you queried is not found.
error_param	Wrong parameters, detail: {msg}.
error_server	Something wrong. Please try later.
error_shop	shopid is invalid
error_param	request not from gateway
error_item_not_found	Item_id is not found.
error_inner	Our system is taking some time to respond, please try later.
error_inner	System error, please try again later or contact the OpenAPI support team.
error_item_not_found	Product not found
error_inner	Update item failed {{.error_info}}
error_inner	Update item failed {{.error_info}}
error_inner	System error, please try again later or contact the OpenAPI support team.
error_inner	System error, please try again later or contact the OpenAPI support team.
error_param_validate	This is not a valid GTIN. Please, inform a valid number.
error_param_validate	This is not a valid GTIN. Please, inform a valid number.
error_busi_cannot_edit_vsku	Can not use OpenAPI to edit/create VSKU, please connect with your manager
error_auth	Your shop can not use model level dts
error_busi	The merchant/shop has multi warehouse, please input location id
error_param	Invalid parameter for product.
error_system_busy	Our system is taking some time to respond, please try later.





error_nil_shopid_or_itemid	Query information failed.
error_perm_non_admin	Don't have permission.
error_server	Internal error, please contact openapi team.
error_slash_price_models_to_no_model_lock	In slash sale, can not add model to a non-model item.
error_model_update_name_model_in_promotion	tier_variation name and option cannot be edited when item/model is under promotion.
error_model_invalid_model_id	Invalid model_id.

Common Error Codes

Error Example

Collapse

JSONCopy

```
{
  "error": "product.error_param",
  "message": "invalid field ItemId: value must Not Null",
  "request_id": "d907a5c84ce33078ab561912bf7a22f5"
}
```

API Permissions

Collapse

APP types that can call this API.

ERP System Seller In House System Product Management

API Tools

Collapse

API Test Tools

API Access Log

Update Log

Collapse

Date	Update Details
2025-01-08	Update GTIN validation rule
2024-05-29	add model level weight and dimension
2023-05-05	update the description of gtin_code
2023-01-03	add model_status field
2022-09-15	add gtin_code





User Guide

- Developer Guide
- API reference
- Push Mechanism
- Shopee Open Platform Data Protection Policy

Shopee Markets

- Service Market
- Seller Education Hub (Singapore)
- Seller Education Hub (Malaysia)
- Seller Education Hub (Thailand)
- Seller Education Hub (Vietnam)
- Seller Education Hub (Indonesia)
- Seller Education Hub (Philippines)
- Seller Education Hub (Brazil)
- Seller Education Hub (Japan)
- Seller Education Hub (Korea)
- Seller Education Hub (Hongkong)
- 虾皮卖家学习中心

Support

- Announcement
- FAQ
- Raise Ticket