Redireccions

1. Crea la carpeta1.

```
adria@AdriaPC:~$ mkdir carpeta1
adria@AdriaPC:~$ ls
 Baixades    'download?platform=linux'   Música        PracticaInodes   wget-log
 carpeta1     Escriptori                 permisos      Públic
 Documents    Imatges                    Plantilles    Vídeos
adria@AdriaPC:~$
```

2. Crea un fitxer que es digui octubre_2009 i que contingui el calendari del mes d'octubre de 2009.

```
adria@AdriaPC:~/carpeta1$ cal 10 2009 > octubre_2009
adria@AdriaPC:~/carpeta1$ ls
octubre_2009
adria@AdriaPC:~/carpeta1$ cat octubre_2009
    Octubre 2009
dg dl dt dc dj dv ds
             1  2  3
 4  5  6  7  8  9 10
11 12 13 14 15 16 17
18 19 20 21 22 23 24
25 26 27 28 29 30 31

adria@AdriaPC:~/carpeta1$
```

3. Canvia el nom del fitxer i posa-li, octubre_novembre_2009.

```
adria@AdriaPC:~/carpeta1$ mv octubre_2009 octubre_novembre_2009
adria@AdriaPC:~/carpeta1$ ls
octubre_novembre_2009
adria@AdriaPC:~/carpeta1$
```

4. Afegeix el calendari de novembre 2009 al fitxer i comprova el resultat.

```
adria@AdriaPC:~/carpeta1$ cal 11 2009 >> octubre_novembre_2009
adria@AdriaPC:~/carpeta1$ cat octubre_novembre_2009
    Octubre 2009
dg dl dt dc dj dv ds
             1  2  3
 4  5  6  7  8  9 10
11 12 13 14 15 16 17
18 19 20 21 22 23 24
25 26 27 28 29 30 31

   Novembre 2009
dg dl dt dc dj dv ds
 1  2  3  4  5  6  7
 8  9 10 11 12 13 14
15 16 17 18 19 20 21
22 23 24 25 26 27 28
29 30

adria@AdriaPC:~/carpeta1$
```

5. Executa la següent comanda cat f1 i redirigeix la sortida d'error a un fitxer anomenat error.txt.

```
adria@AdriaPC:~/carpeta1$ cat f1 2>error.txt
adria@AdriaPC:~/carpeta1$ ls
error.txt  octubre_novembre_2009
adria@AdriaPC:~/carpeta1$
```

6. Copia el contingut de tots els fitxers que acabin en .log del directori /var/log al fitxer error.txt. Comprova que s'han copiat.

```
root@AdriaPC:/home/adria/carpeta1# cat /var/log/*.log >> error.txt
```

```
Fitxer  Edita  Visualitza  Cerca  Terminal  Ajuda
  GNU nano 8.4                                 error.txt
cat: f1: El fitxer o directori no existeix
update-alternatives 2025-12-12 18:11:10: run with --install /usr/bin/awk awk /usr/bin/mawk 5 --slave /u>
update-alternatives 2025-12-12 18:11:10: link group awk updated to point to /usr/bin/mawk
update-alternatives 2025-12-12 18:11:58: run with --install /usr/bin/which which /usr/bin/which.debianu>
update-alternatives 2025-12-12 18:11:58: link group which updated to point to /usr/bin/which.debianutils
update-alternatives 2025-12-12 18:11:58: run with --install /usr/bin/awk awk /usr/bin/mawk 5 --slave /u>
update-alternatives 2025-12-12 18:11:59: run with --install /usr/share/man/man7/builtins.7.gz builtins.>
update-alternatives 2025-12-12 18:11:59: link group builtins.7.gz updated to point to /usr/share/man/ma>
update-alternatives 2025-12-12 18:12:04: run with --install /usr/sbin/rmt rmt /usr/sbin/rmt-tar 50 --sl>
update-alternatives 2025-12-12 18:12:04: link group rmt updated to point to /usr/sbin/rmt-tar
update-alternatives 2025-12-12 18:12:07: run with --install /usr/bin/pager pager /bin/more 50 --slave />
update-alternatives 2025-12-12 18:12:07: link group pager updated to point to /bin/more
update-alternatives 2025-12-12 18:12:48: run with --install /usr/bin/mt mt /usr/bin/mt-gnu 10 --slave />
update-alternatives 2025-12-12 18:12:48: link group mt updated to point to /usr/bin/mt-gnu
update-alternatives 2025-12-12 18:12:49: run with --quiet --install /usr/bin/pager pager /usr/bin/less >
update-alternatives 2025-12-12 18:12:49: link group pager updated to point to /usr/bin/less
update-alternatives 2025-12-12 18:12:51: run with --install /usr/bin/editor editor /bin/nano 40 --slave>
update-alternatives 2025-12-12 18:12:51: link group editor updated to point to /bin/nano
update-alternatives 2025-12-12 18:12:51: run with --install /usr/bin/pico pico /bin/nano 10 --slave /us>
update-alternatives 2025-12-12 18:12:51: link group pico updated to point to /bin/nano
update-alternatives 2025-12-12 18:12:55: run with --install /usr/bin/editor editor /usr/bin/vim.tiny 15>
update-alternatives 2025-12-12 18:12:55: run with --install /usr/bin/ex ex /usr/bin/vim.tiny 15 --slave>
update-alternatives 2025-12-12 18:12:55: link group ex updated to point to /usr/bin/vim.tiny
update-alternatives 2025-12-12 18:12:55: run with --install /usr/bin/rview rview /usr/bin/vim.tiny 15
update-alternatives 2025-12-12 18:12:55: link group rview updated to point to /usr/bin/vim.tiny
update-alternatives 2025-12-12 18:12:55: run with --install /usr/bin/vi vi /usr/bin/vim.tiny 15 --slave>
update-alternatives 2025-12-12 18:12:55: link group vi updated to point to /usr/bin/vim.tiny
update-alternatives 2025-12-12 18:12:55: run with --install /usr/bin/view view /usr/bin/vim.tiny 15 --s>
update-alternatives 2025-12-12 18:12:55: link group view updated to point to /usr/bin/vim.tiny
update-alternatives 2025-12-12 19:39:58: run with --install /usr/bin/lzip lzip /usr/bin/lzip.plzip 6000>
update-alternatives 2025-12-12 19:39:58: link group lzip updated to point to /usr/bin/lzip.plzip
update-alternatives 2025-12-12 19:39:58: run with --install /usr/bin/lzip-compressor lzip-compressor /u>
update-alternatives 2025-12-12 19:39:58: link group lzip-compressor updated to point to /usr/bin/lzip.p>
update-alternatives 2025-12-12 19:39:58: run with --install /usr/bin/lzip-decompressor lzip-decompresso>
update-alternatives 2025-12-12 19:39:58: link group lzip-decompressor updated to point to /usr/bin/lzip>
update-alternatives 2025-12-12 19:40:00: run with --install /bin/nc nc /bin/nc.traditional 10 --slave />
update-alternatives 2025-12-12 19:40:00: link group nc updated to point to /bin/nc.traditional
update-alternatives 2025-12-12 19:40:00: run with --install /usr/bin/traceroute traceroute /usr/bin/tra>
update-alternatives 2025-12-12 19:40:00: link group traceroute updated to point to /usr/bin/traceroute.>
update-alternatives 2025-12-12 19:40:00: run with --install /usr/bin/traceroute6 traceroute6 /usr/bin/t>
update-alternatives 2025-12-12 19:40:00: link group traceroute6 updated to point to /usr/bin/traceroute>
update-alternatives 2025-12-12 19:40:00: run with --install /usr/bin/lft lft /usr/bin/lft.db 100 --slav>
update-alternatives 2025-12-12 19:40:00: link group lft updated to point to /usr/bin/lft.db
update-alternatives 2025-12-12 19:40:00: run with --install /usr/bin/traceproto traceproto /usr/bin/tra>
update-alternatives 2025-12-12 19:40:00: link group traceproto updated to point to /usr/bin/traceproto.>
update-alternatives 2025-12-12 19:40:00: run with --install /usr/sbin/tcptraceroute tcptraceroute /usr/>
update-alternatives 2025-12-12 19:40:00: link group tcptraceroute updated to point to /usr/sbin/tcptrac>
update-alternatives 2025-12-12 19:40:03: run with --install /lib/firmware/regulatory.db regulatory.db />
                                [ 30392 línies llegides ]
^G Ajuda      ^O Desa       ^F On és      ^K Talla      ^T Executa    ^C Ubicació   M-U Desfés
^X Surt       ^R Llegeix    ^\ Reemplaça  ^U Enganxa    ^J Justifica  ^/ Vés a línia M-E Refés
```

7. Copia el nom de tots els fitxers que acabin en .log del directori /var/log al fitxer llista_error.txt. Comprova el resultat.

```
root@AdriaPC:/home/adria/carpeta1# cd /var/log
root@AdriaPC:/var/log# echo *.log > /home/adria/carpeta1/llista_error.txt
root@AdriaPC:/var/log# cd /home/adria/carpeta1/
root@AdriaPC:/home/adria/carpeta1# cat llista_error.txt
alternatives.log boot.log dpkg.log fontconfig.log vboxadd-install.log vboxadd-setup.log Xorg.0.log
root@AdriaPC:/home/adria/carpeta1#
```

8. Crea un fitxer que es digui usuarisigrups que contingui tot el contingut dels fitxers /etc/passwd i /etc/group.

```
root@AdriaPC:/home/adria/carpeta1# cat /etc/passwd /etc/group > usuarisigrups
root@AdriaPC:/home/adria/carpeta1# ls
error.txt  llista_error.txt  octubre_novembre_2009  usuarisigrups
root@AdriaPC:/home/adria/carpeta1# cat usuarisigrups
root:x:0:0:root:/root:/bin/bash
daemon:x:1:1:daemon:/usr/sbin:/usr/sbin/nologin
bin:x:2:2:bin:/bin:/usr/sbin/nologin
sys:x:3:3:sys:/dev:/usr/sbin/nologin
sync:x:4:65534:sync:/bin:/bin/sync
games:x:5:60:games:/usr/games:/usr/sbin/nologin
man:x:6:12:man:/var/cache/man:/usr/sbin/nologin
lp:x:7:7:lp:/var/spool/lpd:/usr/sbin/nologin
mail:x:8:8:mail:/var/mail:/usr/sbin/nologin
news:x:9:9:news:/var/spool/news:/usr/sbin/nologin
uucp:x:10:10:uucp:/var/spool/uucp:/usr/sbin/nologin
proxy:x:13:13:proxy:/bin:/usr/sbin/nologin
www-data:x:33:33:www-data:/var/www:/usr/sbin/nologin
backup:x:34:34:backup:/var/backups:/usr/sbin/nologin
list:x:38:38:Mailing List Manager:/var/list:/usr/sbin/nologin
irc:x:39:39:ircd:/run/ircd:/usr/sbin/nologin
_apt:x:42:65534::/nonexistent:/usr/sbin/nologin
nobody:x:65534:65534:nobody:/nonexistent:/usr/sbin/nologin
systemd-network:x:998:998:systemd Network Management:/:/usr/sbin/nologin
dhcpcd:x:100:65534:DHCP Client Daemon:/usr/lib/dhcpcd:/bin/false
tss:x:101:103:TPM software stack:/var/lib/tpm:/bin/false
systemd-timesync:x:991:991:systemd Time Synchronization:/:/usr/sbin/nologin
messagebus:x:990:990:System Message Bus:/nonexistent:/usr/sbin/nologin
dnsmasq:x:999:65534:dnsmasq:/var/lib/misc:/usr/sbin/nologin
avahi:x:102:107:Avahi mDNS daemon:/run/avahi-daemon:/usr/sbin/nologin
speech-dispatcher:x:103:29:Speech Dispatcher:/run/speech-dispatcher:/bin/false
usbmux:x:104:46:usbmux daemon:/var/lib/usbmux:/usr/sbin/nologin
cups-pk-helper:x:105:108:user for cups-pk-helper service:/nonexistent:/usr/sbin/nologin
pulse:x:106:109:PulseAudio daemon:/run/pulse:/usr/sbin/nologin
fwupd-refresh:x:989:989:Firmware update daemon:/var/lib/fwupd:/usr/sbin/nologin
lightdm:x:107:112:Light Display Manager:/var/lib/lightdm:/bin/false
saned:x:108:113::/var/lib/saned:/usr/sbin/nologin
polkitd:x:988:988:User for polkitd:/:/usr/sbin/nologin
rtkit:x:109:114:RealtimeKit:/proc:/usr/sbin/nologin
colord:x:110:115:colord colour management daemon:/var/lib/colord:/usr/sbin/nologin
```

9. Crea un fitxer que es digui usus_vip que contingui els 5 últims usuaris del fitxer /etc/passwd.

```
root@AdriaPC:/home/adria/carpeta1# tail -5 /etc/passwd > usus_vip
root@AdriaPC:/home/adria/carpeta1# cat usus_vip
rtkit:x:109:114:RealtimeKit:/proc:/usr/sbin/nologin
colord:x:110:115:colord colour management daemon:/var/lib/colord:/usr/sbin/nologin
adria:x:1000:1000:Adria,,,:/home/adria:/bin/bash
_flatpak:x:111:116:Flatpak system-wide installation helper:/nonexistent:/usr/sbin/nologin
vboxadd:x:997:1::/var/run/vboxadd:/bin/false
root@AdriaPC:/home/adria/carpeta1#
```

10. Utilitzant la comanda tr, canvia el caràcter a per una x de tot el fitxer usus_vip. Utilitza la redirecció d'entrada.

```
root@AdriaPC:/home/adria/carpeta1# tr 'a' 'x' < usus_vip
rtkit:x:109:114:RexltimeKit:/proc:/usr/sbin/nologin
colord:x:110:115:colord colour mxnxgement dxemon:/vxr/lib/colord:/usr/sbin/nologin
xdrix:x:1000:1000:Adrix,,,:/home/xdrix:/bin/bxsh
_flxtpxk:x:111:116:Flxtpxk system-wide instxllxtion helper:/nonexistent:/usr/sbin/nologin
vboxxdd:x:997:1::/vxr/run/vboxxdd:/bin/fxlse
root@AdriaPC:/home/adria/carpeta1#
```

11. Fes la mateixa comanda, però deixant el resultat en un fitxer anomenat usus_encriptat.

```
root@AdriaPC:/home/adria/carpeta1# tr 'a' 'x' < usus_vip > usus_encriptat
root@AdriaPC:/home/adria/carpeta1# ls
error.txt  llista_error.txt  octubre_novembre_2009  usuarisigrups  usus_encriptat  usus_vip
root@AdriaPC:/home/adria/carpeta1# cat usus_
usus_encriptat  usus_vip
root@AdriaPC:/home/adria/carpeta1# cat usus_encriptat
rtkit:x:109:114:RexltimeKit:/proc:/usr/sbin/nologin
colord:x:110:115:colord colour mxnxgement dxemon:/vxr/lib/colord:/usr/sbin/nologin
xdrix:x:1000:1000:Adrix,,,:/home/xdrix:/bin/bxsh
_flxtpxk:x:111:116:Flxtpxk system-wide instxllxtion helper:/nonexistent:/usr/sbin/nologin
vboxxdd:x:997:1::/vxr/run/vboxxdd:/bin/fxlse
root@AdriaPC:/home/adria/carpeta1#
```