
Pairwise McNemar tests on the test split: 714 of 861 pairs significant after Holm (alpha = 0.05)
Gemma-2 9B
Qwen-2.5 7B
Qwen-2 7B
Gemma-3 12B
DeepSeek-R1 8B
Llama-3.1 8B
Phi-3 14B
Qwen-2.5 14B
Llama-3.2 3B
GPT-OSS 20B
BERTimbau-base + SVC-RBF
BERTimbau-base + kNN
BERTimbau-base + LinearSVC
BERTimbau-base + LogReg
BERTimbau-base + RandomForest
BERTimbau-base + GradBoost
BERTimbau-base + DecisionTree
BERTimbau-base + GaussianNB
BERTimbau-large + SVC-RBF
BERTimbau-large + kNN
BERTimbau-large + LinearSVC
BERTimbau-large + LogReg
BERTimbau-large + RandomForest
BERTimbau-large + GradBoost
BERTimbau-large + DecisionTree
BERTimbau-large + GaussianNB
Albertina-100M + SVC-RBF
Albertina-100M + kNN
Albertina-100M + LinearSVC
Albertina-100M + LogReg
Albertina-100M + RandomForest
Albertina-100M + GradBoost
Albertina-100M + DecisionTree
Albertina-100M + GaussianNB
Albertina-900M + SVC-RBF
Albertina-900M + kNN
Albertina-900M + LinearSVC
Albertina-900M + LogReg
Albertina-900M + RandomForest
Albertina-900M + GradBoost
Albertina-900M + DecisionTree
Albertina-900M + GaussianNB
× not significant (Holm)
Net advantage of the row model: (row right & column wrong - row wrong & column right) / n
0.4
0.2
0.0
−0.2
−0.4