

Let's Get Out! — Frozen Canonical Document

v1.0

Progression status

This document consolidates the current frozen backbone of the **Let's Get Out!** module.

Completed and incorporated: 1. Frozen master document 2. Screen-by-screen frontend architecture 3. Database schema draft 4. Backend routes/modules implementation plan

Planned next after this canonical freeze: 5. Page-by-page exact frontend layouts/components

1. Product identity

Let's Get Out! is a **virtual guiding platform** centered primarily on **route-based guided visits** consumed through a **map-first, audio-first experience**.

Its long-term ambition is to become a global platform for guided tourism content: - in **Curated operating mode**, it behaves like a premium, professionally controlled library - in **Open Marketplace operating mode**, it behaves like a broader creator platform

The product is not a generic tourism app. It is a **guided experience platform**.

Its core value is:

discover → load → follow a guided visit

2. One system, not two

There is only **one platform architecture**.

There are not: - one Phase 1 system - one Phase 2 system

Instead, there is:

One core system + operating mode controls + visibility rules + permission rules + workflow gates

Operating Mode 1 — Curated

Used for launch.

Characteristics: - centrally controlled guide onboarding - centrally controlled visitor/client access - premium curated content - B2B library packaging - restricted publishing workflow - controlled content visibility

Operating Mode 2 — Open Marketplace

Used later by lifting restrictions.

Characteristics: - public visitor signup - self-serve guide signup - public catalog expansion - direct or lightly moderated publishing - mixed monetization - broader guide discovery

Transition from Curated to Open Marketplace must be achieved by: - changing governance - enabling features - relaxing restrictions

It must **not** require: - schema redesign - core data migration - rebuilding discovery logic - rebuilding creator flows

3. Product promise

Visitor-side promise

- access to a broad range of guided visits
- a simple and immersive way to discover places
- reliable, route-based guided experiences
- strong guide identity and content personality
- the ability to use visits on site, at home, or later

Guide-side promise

- a structured publishing environment
 - visibility through discovery and following
 - a persistent public profile
 - long-term opportunity to build reputation and audience
-

4. Primary product center of gravity

The dominant product experience is:

map-first discovery of route-based visits

The dominant consumption mode is:

audio-first, on-site guidance

The product also supports: - at-home consultation - post-visit exploration - local discovery by nearby residents

But those are secondary to the core on-site guided use case.

5. Primary users

Primary launch user

Individual visitor

Secondary launch user

Guide / content creator

Additional roles

- super admin
 - content admin
 - client admin
 - later: self-serve public guide and broader consumer base
-

6. Canonical content object

The canonical content object is a **route-based visit**.

A visit is composed of: - metadata - route - steps - narration - step media - guide identity - access / visibility rules

A visit is not primarily: - a generic article - a pure video object - a social post - a live-booking product

7. Visit structure

Global metadata

- title
- short description
- long description
- hero media
- main language
- themes
- main route profile
- estimated duration

- total distance
- start area
- end area
- step count
- guide reference
- rating summary

Route data

- ordered checkpoints
- generated route geometry
- routing provider reference
- route generation timestamp

Steps

Each step includes: - step index - title - optional description - GPS coordinates - trigger radius - duration - location label - audio narration - optional images - optional text - optional video link - transport-related metadata - emergency-service metadata - accessibility markers

Presentation and preview split

Guide-level presentation

- guide profile presentation video

Visit-level presentation

- visit presentation video

Step-level preview

- free teaser segment(s), typically first step(s)
- preview flags and access mode per step

8. Visit duration rules

Total visit duration

Maximum: **10 hours**

Total playable audio/video content

Maximum: **3 hours**

9. Mobility and route logic

The platform supports multi-modal visits, but each visit must have **one main route computation profile** in early versions.

Main route profiles

- walking
- cycling
- driving

Other transport indicators such as: - metro - tram - bus - train - boat

must be treated as **metadata or contextual guidance**, not as primary auto-routing profiles in v1.

10. Route generation

Creator flow must support **automatic route generation** between ordered checkpoints.

Recommended architecture: - Leaflet map UI - backend route-generation endpoint - routing provider abstraction

Route must be: - generated automatically - visible to creator - reviewable before publish - stored with visit version

11. Discovery model

Discovery is built around a single unified engine.

Main discovery surfaces

- Map view
- List view

Search behavior

Search is: - global - persistent - shared between Map and List

The map and list are not separate search systems. They are two views of the same dataset.

Search inputs supported

- locations
- themes

- guide names
- visit names
- mixed search intent

Default discovery behavior

When no search query exists: - map shows top results based on visibility, popularity, and/or rating rules

Location behavior

The app defaults to **Near Me** mode when appropriate. Re-centering should happen only when the user explicitly selects a location result, not merely while typing.

12. Discover screen

The Discover screen is the primary entry point.

Default mode

Map view

Core components

- search bar
- map
- list toggle
- filter control
- current-location logic
- dynamic visit markers
- preview card

Marker interaction

Tapping a marker opens a **compact preview card**, not a full page.

13. Preview card

The preview card is a critical conversion component.

It displays: - hero image - visit title - guide photo - guide name - guide rating - visit rating - duration - distance - main themes - transport icons - emergency-proximity icons - Play CTA - Like CTA - open-details action

Play remains the dominant action.

14. Visit detail page

The full visit page answers one question:

Do I want to do this visit now?

It includes: - hero media - guide block - duration / distance / steps / transport - themes - description - mini route map - step overview - reviews preview - Like action - Watchlist action (app only) - Play action

Guide block must be highly visible.

15. Guide identity and public profile

Guide identity is a **first-class product layer**, not background metadata.

Guide profile includes: - photo - display name - rating - followers - bio - themes - languages - regions covered - published visits - follow button

Dominant function of the guide profile: - help users discover more visits by the same guide

16. Following guides

Visitors must be able to follow guides.

Following enables: - notification of new visits - stronger guide visibility in saved areas - recommendation boosts for followed guides - repeat discovery loops

Guide identity must be surfaced in: - preview cards - list cards - visit pages - completion prompts - saved/followed sections

17. Visitor navigation model

Standalone visitor app top-level navigation:

Discover | Saved | Activity | Profile

Discover

Map-first exploration

Saved

Retention layer

Activity

Continuity layer

Profile

Settings and control

A separate top-level Guides tab is deliberately not used in the first architecture.

18. Saved, liked, and watchlist logic

These remain distinct.

Like

Lightweight preference signal.

Effects: - stored in liked visits - influences ranking/recommendations - no download - no token - no offline implication

Watchlist

Heavier offline-intent action.

Effects: - stored in watchlist - triggers download - creates local secured package - creates/uses token logic - available only in app, not web version

Activity

Automatic behavior log: - in progress - recent - completed

19. Download and token system

The app supports offline usage via downloadable visit packages.

App behavior

- Watchlist action triggers package preparation/download
- package includes essential visit assets

- package is stored locally with token-gated usage

Web behavior

- no watchlist download
- no offline use
- streaming only
- restricted/free-access experience only

Token logic

Offline access is governed by: - entitlement/access rights at server level - local offline token at device/package level

Curated mode token model

- validity tied to controlled access window
- refresh by online checks according to policy

Open mode token model

- rolling validity windows possible
- refreshed on use according to policy

Auto-delete rule

A downloaded visit unused for too long may be automatically deleted according to inactivity policy.

20. Playback philosophy

Playback is: - map-background - bottom-player-based - GPS-aware - audio-first - flexible rather than rigid

Core layout

- map remains visible during playback
- route line visible
- current GPS visible
- current step visible
- player anchored at bottom

Player states

- compact
- expanded

Controls

- play/pause
- previous
- next
- step progress
- expand/collapse

Step media behavior

Only media relevant to the current step should be emphasized.

21. Start and progression logic

Start logic

When the user presses Play: - if near start point, playback starts - if not near start point, app asks for confirmation

Typical options: - start anyway - guide me to the start - cancel

Progression logic

Default: - autoplay enabled

Optional: - manual mode

Step progression

- GPS entering next-step radius triggers progression
 - later-step detection can offer forward skipping
 - skipping works only forward
 - no automatic backward rewind logic
-

22. Map behavior during playback

Map remains the visual background.

It shows: - current user location - current route segment - visited steps - current step - future steps - current-step media icons

Map orientation is switchable: - north-up - direction-up

23. Audio and media behavior

Audio narration is the primary medium.

Rules: - autoplay enabled by default - manual playback possible - media must not unexpectedly interrupt narration - video-with-sound should prompt before audio conflict

Media overlays may include: - images - text - video links - quizzes - future playful or branching mechanics

24. Group listening

Early support

- one device shared by multiple listeners

Later support

- synchronized multi-device playback sessions

Group listening is desirable but should not block launch.

25. Completion and ratings

At visit completion, the user should be invited to: - rate the visit - follow the guide - explore more by the same guide - discover nearby visits

Rating model

Simple star rating.

26. Notifications

Notification policy must be **balanced**, not aggressive.

Valid notification families

- guide updates
- contextual recommendations
- system alerts
- activity nudges
- later: contextual local offers

Users must be able to manage categories in settings.

Notifications must feel useful and relevant, not spam-like.

27. Monetization boundaries

Promotions and offers may exist, but the guided experience is sacred.

Allowed monetization surfaces

- before visit start
- after visit completion
- passive map markers
- visit page offer sections
- carefully controlled notifications

Forbidden / rejected

- ads interrupting narration
 - forced popups mid-step
 - fake content disguised as guide narration
 - intrusive playback disruption
-

28. Creator experience

Creator flow must be **experience-building**, not just form-filling.

Creator stages

1. core definition
2. route building
3. step content
4. experience review
5. publish / submit for review

Core principles

- route and step structure must stay visually clear
- creators must be able to preview the experience
- step map sync is mandatory
- route generation must be integrated
- creator workflow must be good enough to produce high-quality content repeatedly

Publishing difference by operating mode

Curated

- submit for review

Open Marketplace

- publish directly or under lighter moderation

Same system, different governance.

29. Versioning

Published visits must be versioned.

Correct model: - Visit = persistent public object - VisitVersion = publishable content snapshot

Why: - editing must not break current users - offline packages must stay stable - review workflow requires draft/published separation

30. Libraries and access

Libraries are the business backbone of Curated mode.

A library is a collection of visits grouped by: - geography - theme - client-specific packaging - curated collection logic

Curated mode

Libraries are sold/assigned through controlled access grants.

Open Marketplace mode

Libraries may still exist, but public and entitlement-based access also becomes available.

The visit model must support: - public visibility - library-only visibility - unlisted visibility

Libraries must not be hardcoded as the only way content exists.

31. Access model

The system must support multiple access types under one architecture.

Examples: - client/library access grant - per-user entitlement - public/free access - later: pay-per-view or bundle access

Access model must remain centralized and resolvable through one coherent policy layer.

32. Governance and operating modes

The platform uses one core system with variable governance.

Stable core

- users
- guide profiles
- visits
- versions
- steps
- media
- libraries
- entitlements
- follows
- likes
- watchlist
- playback
- notifications

Variable governance

- who may sign up
 - who may become a guide
 - who may publish directly
 - what is publicly discoverable
 - what requires library access
 - what monetization modes are enabled
 - what moderation is required
-

33. Admin and control layer

The admin layer must control: - guide activation/suspension - visit review and moderation - library creation and assignment - client creation - access grant creation and revocation - content activation/deactivation - visibility control - contract-awareness in curated mode - analytics

34. Data-model principles

Core entities include: - users - guide profiles - visits - visit versions - visit steps - step media - libraries - library items - clients - access grants - user entitlements - likes - watchlist items - follows - offline packages - offline tokens - playback sessions - reviews - notifications - partner offers - moderation records - issue reports - guide contracts

Principles: - use one unified visit model - version published content - separate offline token logic from server entitlements - keep guide identity first-class - avoid burying everything permanently inside JSON fields - keep routing provider behind your own abstraction

35. System architecture

Frontend surfaces

- visitor app
- visitor web app
- creator/guide console
- admin/control console

Backend architecture

One **modular monolith** first, not microservices.

Storage

- relational DB for metadata
- object storage for media and packages

Search/discovery

One unified discovery engine, not separate logic for map/list.

Offline

Package-based, token-gated, layered access control.

Routing

Backend abstraction over routing provider(s).

Analytics

Event capture on critical user and creator actions.

36. Execution order

Wave 1 — Core product

- identity and roles
- guide profiles
- visits / versions / steps
- creator wizard basics
- route generation
- discovery engine
- visit page + player
- playback/activity tracking

Wave 2 — Retention

- likes
- follows
- notifications
- activity tab
- initial watchlist/download structure

Wave 3 — Curated business layer

- libraries
- clients
- access grants
- controlled visibility
- moderation workflow
- contract-aware guide control

Wave 4 — Offline hardening

- full token logic
- expiry rules
- encrypted local-package refinement
- storage management UI

Wave 5 — Open Marketplace expansion

- public signup
 - self-serve guide onboarding
 - lighter/direct publish
 - public catalog expansion
 - pay-per-view
 - guide discovery surfaces
 - recommendation upgrades
-

37. Explicitly not core for launch

Not part of the initial core spine: - live online guiding operations - IRL booking marketplace - advanced gamification - full VR-first product logic - multi-device sync listening as launch-critical - aggressive ad systems - overbuilt recommendation engines

38. Frozen strategic principles

Principle 1

There is **one system and one system only**.

Principle 2

Curated mode is a **restricted operating mode** of the same platform.

Principle 3

Open Marketplace mode must be achievable mainly by: - enabling features - relaxing restrictions - expanding visibility - changing governance

Principle 4

The product is primarily: - map-first - route-based - audio-first - guide-visible

Principle 5

The creator layer and the guide-following layer are not optional add-ons. They are part of the platform's long-term moat.

Principle 6

The guided experience must remain protected from sloppy monetization or intrusive interruption.

39. Screen-by-screen frontend architecture summary

Visitor frontend

- Discover Map
- Discover List
- Filters bottom sheet

- Search suggestions dropdown
- Visit preview card / preview sheet
- Full visit page
- Visit playback screen
- Playback popups / overlays
- Media overlays during playback
- Completion screen / completion sheet
- Guide profile page
- Saved hub: Liked / Watchlist / Guides
- Activity hub: In Progress / Recent / Completed
- Notifications center
- Profile / Settings
- Web-only reduced states

Creator frontend

- My Visits dashboard
- Create/Edit visit stage 1: Core definition
- stage 2: Route building
- stage 3: Step content
- stage 4: Experience review
- stage 5: Publish / submit
- Creator analytics
- Creator profile editing

Admin frontend

- Overview
- Guides
- Visits
- Moderation / Review queue
- Review detail
- Libraries
- Library detail
- Clients
- Access grants
- Analytics
- Governance/settings

Shared patterns

- cards
- bottom sheets
- modals
- map overlays
- chips
- pill selectors
- status badges
- top bars
- bottom navigation
- media lightboxes

- action drawers
-

40. Database schema draft summary

Identity / guide / reporting

- users
- user_preferences
- guide_profiles
- guide_profile_links (optional)
- issue_reports
- issue_report_messages (optional)

Visit content model

- visits
- visit_versions
- visit_steps
- visit_step_media
- visit_media_assets (optional)
- visit_step_links (optional)

Business access layer

- libraries
- library_items
- clients
- client_users (optional)
- access_grants
- access_grant_sessions (optional)
- user_entitlements

Engagement / offline / activity

- visit_likes
- guide_follows
- watchlist_items
- offline_packages
- offline_tokens
- playback_sessions
- download_jobs (optional)

Trust / retention / governance

- visit_reviews
- notifications
- partner_offers

- `content_reviews`
 - `guide_contracts`
 - `content_flags` (optional)
-

41. Backend module and route plan summary

Backend modules

- Auth / Identity
- Guide
- Visit
- Media
- Routing
- Discovery
- Library / Access
- Watchlist / Offline
- Playback / Activity
- Review / Rating
- Notification
- Offer / Promotion
- Reporting / Support
- Moderation / Admin

Route families

- `/api/auth`
- `/api/me`
- `/api/guides`
- `/api/visits`
- `/api/discovery`
- `/api/media`
- `/api/routing`
- `/api/watchlist`
- `/api/offline`
- `/api/playback`
- `/api/reviews`
- `/api/notifications`
- `/api/reports`
- `/api/admin/...`

Launch implementation waves

Wave A — content creation

- auth/login/logout/me
- guide profile read
- creator visit CRUD
- creator version CRUD

- step CRUD
- media upload
- routing generate

Wave B — visitor discovery/consumption

- discovery search
- visit preview
- visit detail
- likes
- follows
- playback start/heartbeat/complete
- activity endpoints
- reviews

Wave C — offline/watchlist

- watchlist CRUD
- package request
- token refresh
- package state reporting

Wave D — curated governance

- admin guides
- review queue
- libraries
- clients
- access grants
- contracts

Wave E — reports/notifications/offers

- reports
- notifications
- safe-zone offer surfacing

Central backend service rules

Must be centralized: - access resolution service - visibility resolution service - playback eligibility service - preview eligibility service

42. Immediate next step

Next planned work, already agreed:

Option 3 — Page-by-page exact frontend layouts/components

This should drill into: - page structure - frames/subframes - cards - controls - popups - dynamic interactions - exact layout logic per page

That is the next active design phase after this canonical freeze.

43. Page-by-page frontend architecture — Visitor side (exact layout layer)

This section translates the frozen visitor IA into page-level layout logic.

43.1 Visitor shell

Persistent shell structure

- **Top zone:** contextual header/search zone
- **Main zone:** page content or map canvas
- **Bottom navigation:** Discover | Saved | Activity | Profile

Persistent visual logic

- map-first pages use overlays and bottom sheets rather than full page replacement whenever possible
 - action hierarchy must remain visually simple
 - guide identity remains visible in visit-related surfaces
-

43.2 Discover — Map page

Purpose

Primary landing page and primary acquisition surface.

Main frames

A. Top search frame

Contains: - global search bar - location mode indicator/chip - filter button - optional notifications shortcut

B. Map canvas frame

Contains: - user GPS marker - visit markers - optional clustering later - optional safe-zone passive offer markers later

C. Floating utility frame

Contains: - recenter button - maybe orientation/search-this-area actions later

D. Bottom control frame

Contains: - map/list toggle - active filter chips when applicable

E. Preview card frame

Hidden by default. Appears when a marker is tapped.

Marker interaction

Tap marker -> open preview card.

Discover map states

- no query / near me on
- no query / fixed location
- search active
- filters active
- preview card open
- no results
- no GPS permission

Popups / overlays

- location permission prompt
 - search suggestions dropdown
 - filters bottom sheet
 - optional "search this area" prompt after pan
-

43.3 Discover — List page

Purpose

Alternative visualization of the exact same dataset as map.

Main frames

A. Shared top search frame

Same query and filter state as Discover Map.

B. List controls frame

Contains: - result count - maybe subtle sort label - active filter chips

C. Results list frame

Vertical stack of visit cards.

Visit card exact structure

Each card contains: - left/top thumbnail - title - guide row: photo + name + rating - visit facts row: rating + duration + distance - theme chips - transport icons - actions: Like, open preview, optionally Watchlist shortcut in app

Card interaction

Tap card -> opens preview sheet/card.

States

- populated
 - loading
 - no results
 - filtered results
-

43.4 Search suggestions dropdown

Trigger

Typing in global search bar.

Internal sections

- locations
- guides
- visits/themes

Exact behavior

- selecting a location changes location context and recenters map
 - selecting a guide or visit/theme filters dataset without unwanted recentering
 - no blocking yes/no popup
-

43.5 Filters bottom sheet

Trigger

Filter icon in Discover.

Internal subframes

A. Header

- title
- close action
- reset action

B. Filter groups

- themes
- duration range
- distance range
- rating threshold
- transport mode

C. Footer actions

- apply / close if needed

Behavior

- persists across map and list
 - active filters surface as chips on parent page
-

43.6 Visit preview card / sheet

Purpose

Fast decision surface.

Main frames

A. Hero frame

- hero image

B. Identity frame

- visit title
- guide photo
- guide name
- guide rating

C. Quick facts frame

- visit rating
- duration
- distance
- transport icons
- emergency proximity icons

D. Themes frame

- main theme chips

E. Action frame

- Play (dominant)

- Like
- Open details
- Add to Watchlist in app

Interaction rules

- tap outside -> close
 - swipe up -> full visit page
 - Play -> playback entry logic
-

43.7 Full visit page

Purpose

Decision page before immediate play or save.

Main frames

A. Hero frame

- hero image/video
- subtle overlay if needed

B. Guide block

- photo
- name
- rating
- follow button
- trust signals

C. Core facts frame

- duration
- distance
- step count
- main transport mode
- start/end area

D. Themes frame

- chips

E. Description frame

- short description
- expandable long description

F. Route preview frame

- mini map showing route, start, end

G. Steps overview frame

- ordered steps list
- optional icons/thumbnails

H. Reviews preview frame

- average stars
- count
- optional excerpt later

I. Primary actions frame

- Play
- Like
- Add to Watchlist
- Share

Popups

- Play when not near start
 - app install encouragement on web for app-only features
-

43.8 Visit playback page

Purpose

Main guided consumption surface.

Main frames

A. Full map background frame

Contains: - route line - current segment highlight - visited/current/future markers - user GPS marker - current-step media icons

B. Compact player frame

Contains: - play/pause - previous - next - step title - progress indicator - expand control

C. Expanded player frame

Contains: - step title - step number / progress - description - audio progress bar - previous/play-pause/next - replay step - media actions - autoplay/manual control access - collapse/back to map

Playback states

- ready
- playing
- paused

- manual mode
- weak GPS
- skip-ahead prompt
- completed

Popups / warnings

- not at start
 - later step detected
 - weak GPS
 - safety warning for driving/cycling
 - token expired
 - video/audio conflict
-

43.9 Media overlays during playback

Types

- image lightbox
- text bottom sheet/panel
- video modal
- quiz overlay card

Rule

Media stays secondary to the guided flow and must not aggressively interrupt narration.

43.10 Completion sheet

Trigger

Visit completion.

Frames

- completion summary
- rating action
- follow guide action if not already followed
- more by this guide
- nearby visits

Role

Key retention and conversion surface.

43.11 Guide profile page

Main frames

A. Header frame

- large profile photo
- public name
- rating
- followers
- follow button

B. Bio frame

- short/expanded bio

C. Specialization frame

- themes
- languages
- regions/cities covered

D. Visits list frame

Primary content area. Displays published visits by this guide.

Optional later frames

- collections
 - highlighted destinations
-

43.12 Saved hub

Top-level internal tabs

- Liked
- Watchlist
- Guides

43.12.1 Liked tab

Frames: - liked visits list - quick actions: unlike, preview, play/details

43.12.2 Watchlist tab

Frames: - downloaded/download state list - storage summary - actions: play, redownload, remove - status badges: queued/downloading/ready/expired/corrupted

43.12.3 Guides tab

Frames: - followed guide cards - new content indicator if relevant - quick access to profile

43.13 Activity hub

Top-level internal tabs

- In Progress
- Recent
- Completed

43.13.1 In Progress

Frames: - current visit card - last step reached - progress percent - resume CTA

43.13.2 Recent

Frames: - recently opened/played visit list

43.13.3 Completed

Frames: - completed visit list - rating status - revisit shortcut - more-by-guide shortcut

43.14 Notifications center

Frames

- header
- notifications list
- item actions: open, mark read, dismiss

Notification item types

- guide new visit
 - recommendation
 - resume visit
 - token/package warning
 - client access update
 - contextual offer later
-

43.15 Profile / Settings page

Main frames

A. Account frame

- account identity
- email/login info
- logout

B. Playback preferences frame

- autoplay default
- map orientation default
- safety-related toggles later

C. Notification settings frame

- guide updates
- recommendations
- system alerts
- nearby suggestions

D. Language / behavior frame

- app language
- possible accessibility settings later

E. Storage shortcut frame

- link to watchlist storage management

44. Page-by-page frontend architecture — Creator side (exact layout layer)

44.1 Creator shell

Top-level navigation

My Visits | Create | Analytics | Profile

In curated mode, some actions are gated, but the shell remains one system.

44.2 My Visits dashboard

Frames

- page header
- create new visit CTA
- status filter row: Draft / Under Review / Published / Inactive
- visits list/grid

Visit management card contents

- title
 - status badge
 - last edited
 - route summary
 - quick edit
 - analytics snippet
-

44.3 Create/Edit visit — Stage 1: Core definition

Frames

- stage header/progress
- title field
- short description
- themes/tags
- language
- main route profile
- duration mode
- navigation footer

Rule

Fast start. No overload.

44.4 Create/Edit visit — Stage 2: Route building

Frames

- stage header/progress
- map frame (dominant)
- step sequence / timeline side or lower panel
- route controls frame
- navigation footer

Main actions

- add step by map
- add step by GPS

- add step by search
- reorder steps
- generate route
- regenerate route
- change route profile

Mandatory behavior

Selecting a step highlights it on both map and sequence list.

44.5 Create/Edit visit — Stage 3: Step content

Frames

- stage header/progress
- step selector rail/list
- current step editor frame
- media upload controls
- preview-this-step action
- navigation footer

Step editor contents

- title
 - audio upload/record
 - description
 - images
 - video link/upload
 - trigger radius
 - location label
 - accessibility metadata
 - transport metadata
 - emergency metadata
 - preview flags for teaser logic
-

44.6 Create/Edit visit — Stage 4: Experience review

Frames

- stage header/progress
- route overview map
- step sequence summary
- estimated duration/distance
- missing content warnings
- simulation preview controls
- navigation footer

Core function

Simulated playback mode to review pacing and content flow.

44.7 Create/Edit visit — Stage 5: Publish / Submit

Frames

- final summary
- status / validation summary
- publish action area

Curated mode CTA

- Submit for review

Open mode CTA

- Publish
-

44.8 Creator analytics page

Frames

- summary KPI row
 - plays
 - completion rate
 - average rating
 - followers gained
 - top visits list
-

44.9 Creator profile editing page

Frames

- public photo
 - public name
 - bio
 - languages
 - themes
 - covered regions/cities
 - profile presentation video
 - save/publish profile changes
-

45. Page-by-page frontend architecture — Admin side (exact layout layer)

45.1 Admin shell

Top-level navigation

Overview		Guides		Visits		Libraries		Clients		Access		Moderation	
Analytics		Settings											

45.2 Admin overview

Frames

- key metrics row
 - pending review count
 - active guides count
 - active libraries count
 - active grants count
 - alerts/recent actions
 - usage trend panels
-

45.3 Admin guides page

Frames

- filters/search
 - guides list/table/cards
 - create guide CTA
 - per-guide actions: open, activate, suspend, edit
-

45.4 Admin visits page

Frames

- filters/search
 - visits table/list
 - status badges
 - linked guide
 - library membership summary
 - actions: inspect, deactivate, reopen
-

45.5 Moderation / Review queue page

Frames

- filters by status/date/guide
 - queue list
 - review status badges
 - open review detail action
-

45.6 Review detail page

Frames

- visit summary
 - route preview
 - step overview
 - media review area
 - guide info
 - review notes box
 - decision actions: approve / reject / request changes
-

45.7 Libraries page

Frames

- library list
 - create library CTA
 - status/type badges
 - visit count
 - actions: edit, activate, deactivate, open detail
-

45.8 Library detail page

Frames

- metadata header
 - included visits list
 - ordering controls
 - linked clients/grants summary
-

45.9 Clients page

Frames

- client list

- create client CTA
 - type/status fields
 - active grant counts
 - actions: edit, deactivate, open detail
-

45.10 Access grants page

Frames

- grant list
 - filters
 - create grant CTA
 - fields shown: client, library, validity, concurrency, status
 - actions: activate, deactivate, revoke, extend
-

45.11 Admin analytics page

Frames

- top visits
 - top guides
 - usage by client
 - completion trends
 - growth trends
-

45.12 Governance / settings page

Frames

- public signup toggle
- public guide signup toggle
- direct publish toggle
- public catalog visibility rules
- monetization enablement rules
- notification policy caps

This is where one-system / two-operating-modes governance becomes concrete in UI.

46. Cross-screen navigation flows (exact)

46.1 Visitor acquisition flow

Discover Map/List -> Preview Card -> Visit Detail -> Play -> Playback -> Completion

46.2 Visitor creator-retention flow

Visit Detail / Completion -> Guide Profile -> Follow -> Notification -> New Visit
-> Discover / Visit Detail

46.3 Visitor offline flow

Visit Detail -> Add to Watchlist -> Download -> Watchlist -> Offline Playback ->
Activity

46.4 Creator production flow

My Visits -> Create/Edit -> Core Definition -> Route Building -> Step Content ->
Experience Review -> Submit/Publish

46.5 Admin moderation flow

Review Queue -> Review Detail -> Approve / Reject / Request Changes -> Status
updated -> Library / visibility control

47. Exact-layout frontend principles

Principle 1

Visitor frontend must remain visually simple despite complex logic underneath.

Principle 2

Guide identity must remain visible across discovery, visit detail, and retention surfaces.

Principle 3

Map is a primary interaction layer, not decorative background.

Principle 4

Playback flow must stay interruption-light.

Principle 5

Creator flow must feel like building an experience, not filling a spreadsheet.

Principle 6

Admin flow must support control without creating a separate product architecture.

48. Immediate next step after this section

After this exact page-by-page architecture, the next natural design layer is: - page-level component specs - per-page interaction states - popups and drawers in exact detail - and/or implementation-aligned HTML/CSS/JS page planning

This should start with the visitor side, beginning from the highest-priority page: **Discover — Map**.

49. Visitor exact page spec — Page 1: Discover — Map

49.1 Role of this page

This is the main acquisition page of the module. Its job is fast, intuitive discovery of guided visits.

49.2 Main functional goals

A visitor landing on this page must be able to: 1. understand where they are searching 2. search by keyword, place, guide, or theme 3. see visits on a map 4. switch to list view without losing context 5. tap a visit marker 6. understand the visit in a few seconds 7. open details or start playback

49.3 Exact page layout

Global structure: - A. Top Search / Context Frame - B. Map Canvas - C. Floating Utility Controls - D. Preview Card Overlay - E. Bottom Discover Control Frame

49.4 Frame A: Top Search / Context Frame

Contains: - global search bar - filter button - optional notification shortcut later - location mode chip - active filter chips if any

Search bar behavior

- prominent field with search icon, text input, and clear button when text exists
- placeholder should teach usage, e.g.

Filter button

- always visible
- opens filters bottom sheet

Location mode chip states

-  Near me
-  Paris, France

-  Searching this area

Active filter chips

Shown when filters are active and removable directly.

49.5 Search suggestions dropdown

Trigger: typing in the global search bar. Sections: - locations - guides - visits/themes

Behavior: - selecting a location updates location context and recenters map - selecting a guide or theme filters dataset without unwanted recentering - no blocking yes/no popup

49.6 Frame B: Map Canvas

Contains: - user GPS marker - visit markers - optional clustering later - optional passive offer markers later

Important: - do not show all routes by default - routes belong to selected visit context, not base map clutter

49.7 Frame C: Floating Utility Controls

Initial controls: - recenter on me - later optional search-this-area prompt after pan

Placement: - right side over map, clear of preview-card collision area

49.8 Frame D: Preview Card Overlay

Default: hidden. Appears when a marker is tapped.

Card structure: - hero image - title - guide photo, name, rating - visit rating - duration - distance - transport icons - emergency proximity icons - theme chips - actions: Play, Like, Open details, Add to Watchlist in app

Action hierarchy: - Primary: Play - Secondary: Open details - Tertiary: Like / Watchlist

Interactions: - tap outside closes - swipe up opens full visit page - Play starts playback entry logic

49.9 Frame E: Bottom Discover Control Frame

Contains: -   view toggle - optional subtle result summary

49.10 Supported interaction states

- initial loading
- near me / no query
- fixed location selected

- query active
- filters active
- marker selected
- no results
- no GPS permission

49.11 Empty and error states

No results

Compact message with actions to change filters or area.

No location permission

Non-blocking prompt to enable location while keeping browsing usable.

Weak network on web

Light message suggesting app for offline/full experience.

49.12 Navigation rules

From Discover Map, user can go to: - Discover List - Preview Card - Visit Detail - Playback - Saved - Activity - Profile - Filters - Search suggestions

Back-navigation must preserve: - map position - query - filters - ideally selected marker context

49.13 Performance rules

- do not render too many markers
- do not load full visit details for every marker
- lazy-load preview details on marker selection
- debounce search input
- persist state in memory/router state

49.14 What must not be on this page

- long editorial content
- social feed behavior
- guide biography blocks
- ads inside core map flow
- too many floating buttons
- unrelated auto-open popups

49.15 Frozen exact spec summary

Page locked at exact-layout level with: - Top Search / Context Frame - Map Canvas - Floating Utility Controls - Preview Card Overlay - Bottom Discover Control Frame

50. Visitor exact page spec — Page 2: Discover — List

50.1 Role of this page

This is the alternative visualization of the exact same discovery dataset as Discover — Map. Its job is comparison, scanning, and structured browsing without changing search logic.

50.2 Main functional goals

A visitor on this page must be able to: 1. keep the same search and filter context as the map 2. compare several visits quickly 3. recognize guide identity immediately 4. open a visit preview or detail without losing list context 5. return to the map without resetting anything

50.3 Exact page layout

Global structure: - A. Shared Top Search / Context Frame - B. List Controls Frame - C. Results List Frame - D. Lightweight Preview Sheet behavior - E. Bottom Discover Control Frame

50.4 Frame A: Shared Top Search / Context Frame

This frame must remain functionally identical to Discover — Map. It contains: - global search bar - filter button - location mode chip - active filter chips

Rule: - query and filter state must persist perfectly from Map to List and back

50.5 Frame B: List Controls Frame

Contains: - result count - optional subtle sort label - active filter chips if not already fully shown above

This frame must remain lightweight. No heavy sort UI or clutter in v1.

50.6 Frame C: Results List Frame

Vertical list of visit cards. This is the main body of the page.

List behavior

- cards stacked vertically
- smooth scroll
- preserve scroll position when returning from detail if possible
- lazy-load cards as needed

50.7 Exact visit card structure

Each card contains:

Section 1 — Thumbnail area

- hero image / thumbnail
- optional subtle overlay for quick rating badge later

Section 2 — Main identity area

- visit title
- guide row: guide photo + guide name + guide rating

Guide identity must be strongly visible, but title remains the primary text anchor.

Section 3 — Quick facts row

- visit rating
- duration
- distance

Section 4 — Themes row

- visible theme chips (1 to 3)
- overflow compressed if needed

Section 5 — Transport row

- transport mode icons

Section 6 — Action row

- Like
- Open preview / open details
- Add to Watchlist in app if appropriate

Play should not dominate directly on the card as strongly as on the preview card; the card should lead into preview/decision rather than become overloaded.

50.8 Card interaction behavior

Recommended default: - tap card opens a compact preview sheet/card, consistent with map marker behavior - long press behavior not needed in v1

Alternative quick actions: - Like directly - Watchlist directly in app

Rule: - the list should not feel like a separate product from the map

50.9 Frame D: Preview sheet behavior from list

When a card is tapped: - open the same preview logic as marker selection on map - do not jump immediately to full detail by default

Why: - keeps fast comparison behavior - preserves browsing flow - forces strong preview-card design consistency across map and list

50.10 Frame E: Bottom Discover Control Frame

Contains: - Map | List toggle

Behavior: - switching back to map restores exact previous query/filter/location state

50.11 Supported page states

- initial loading
- populated results
- filtered results
- query active
- no results
- preview sheet open

50.12 Empty and error states

No results

Show compact inline panel: - no visits found - change filters - search another area

Weak connectivity on web

Small non-blocking message if needed.

50.13 Navigation rules

From Discover List, user can go to: - Discover Map - Preview sheet/card - Full Visit Page - Playback - Saved - Activity - Profile - Filters - Search suggestions

Back-navigation should preserve: - list scroll position - query - filters - result context

50.14 Performance rules

- lazy-load card images
- do not render unnecessary heavy metadata per card
- do not fetch full step payloads for list rows
- preserve list state in router/state store

50.15 What must not be on this page

- giant editorial banners
- guide biography blocks inside cards
- autoplay media
- intrusive ads between cards in core v1 experience
- different search logic from map view

50.16 Frozen exact spec summary

Page locked at exact-layout level with: - Shared Top Search / Context Frame - List Controls Frame - Results List Frame - Preview sheet behavior - Bottom Discover Control Frame

51. Visitor exact page spec — Page 3: Visit Preview Card / Preview Sheet

51.1 Role of the preview

This is a decision surface, not a mini detail page. It must answer quickly whether the visit is worth doing right now.

51.2 Appearance contexts

Used from: - map marker tap - list card tap - later: possibly saved/activity/guide contexts

51.3 Component behavior type

Recommended behavior: - bottom-anchored card - context-preserving - expandable

51.4 Exact layout structure

Sections: - A. Hero - B. Title + Guide Identity - C. Quick Facts - D. Themes - E. Actions

51.5 Section A: Hero

- main image or video thumbnail
- attractive but not too tall
- no text-overlay clutter in v1

51.6 Section B: Title + Guide Identity

Layout: - visit title - guide photo - guide name - guide rating

Rules: - title gets strongest text weight - guide identity remains clearly visible

51.7 Section C: Quick Facts

Contains: - visit rating - duration - distance - main transport icon - emergency proximity indicator if available

51.8 Section D: Themes

- 1 to 3 theme chips visible
- overflow compressed

51.9 Section E: Actions

Actions: - Play (dominant) - Details - Like - Watchlist in app

Action hierarchy: - Primary: Play - Secondary: Details - Tertiary: Like / Watchlist

51.10 Interaction behavior

- open by tap
- close by tap outside or swipe down
- expand by swipe up
- switch selected marker/card updates preview quickly

51.11 States

- default open
- loading
- partial data
- liked
- watchlisted

51.12 What must not be in preview

- long descriptions
- full step list
- heavy media galleries
- reviews section
- ads
- large guide biography

51.13 Frozen exact spec summary

Preview locked with: - Hero - Title + Guide - Quick Facts - Themes - Actions - fast open/close/expand behavior

52. Visitor exact page spec — Page 4: Full Visit Page

52.1 Role of the page

This page confirms the decision and triggers action. Its job is to make the user confident enough to play now.

52.2 Core user goals

On this page, the user wants to: 1. understand what the visit is about 2. trust the guide 3. estimate effort 4. visualize the route 5. check basic structure 6. decide quickly to start or save

52.3 Exact page layout

Sections: - A. Hero - B. Guide Block - C. Core Facts - D. Themes - E. Description - F. Route Preview Map - G. Steps Overview - H. Reviews Preview - I. Primary Actions

52.4 Section A: Hero

- hero image/video thumbnail
- visually attractive but not too tall

52.5 Section B: Guide Block

Contains: - photo - name - rating - follow button - optional short trust signal/tagline

Rules: - highly visible - tappable to guide profile

52.6 Section C: Core Facts

Contains: - rating - duration - distance - transport mode - start area - end area

52.7 Section D: Themes

- thematic chips

52.8 Section E: Description

- short description always visible
- expandable long description

52.9 Section F: Route Preview Map

Contains: - mini map - route line - start marker - end marker - optional simplified step points

52.10 Section G: Steps Overview

- ordered list of step titles
- optional tiny icons/subtitles
- no heavy detail here

52.11 Section H: Reviews Preview

- average stars
- count
- optional short excerpt later

52.12 Section I: Primary Actions

Actions: - Play (dominant) - Like - Watchlist - Share

Sticky Play button strongly recommended.

52.13 Play interaction logic

- near start -> start immediately
- not near start -> popup with Start anyway / Guide me there / Cancel

52.14 Web vs app behavior

- app: full experience, Watchlist enabled
- web: no Watchlist, limited playback, optional install encouragement

52.15 What must not be here

- blog-style long editorial pages
- intrusive ads
- unrelated guide content overload
- tab fragmentation

52.16 Frozen exact spec summary

Page locked with: - Hero - Guide Block - Core Facts - Themes - Description - Route Map - Steps Overview
- Reviews Preview - Primary Actions

53. Visitor exact page spec — Page 5: Playback Page

53.1 Role of this page

This is where the product actually delivers value. The user should feel guided, not like they are managing an app.

53.2 Core principles

- Map is the environment
- Audio is the driver
- Interaction must be minimal
- System must adapt to reality
- No friction

53.3 Exact page layout

Frames: - A. Map Background - B. Context Overlays - C. Player (Compact / Expanded)

53.4 Frame A: Map Background

Contains: - route line - step markers - user GPS marker - current segment highlight

Rules: - visited/current/future steps clearly differentiated - no clutter from all media at once

53.5 Frame B: Context Overlays

Types: - step media icons - skip suggestion popup - GPS warning - safety warning - token warning

53.6 Frame C: Player

Two states: - Compact - Expanded

Compact player

Contains: - previous - play/pause - next - step title - progress bar - expand control

Expanded player

Contains: - step title - step index / progress - description - audio progress bar - previous/play-pause/next - replay step - media actions - autoplay/manual controls

53.7 Playback logic

- start logic respects proximity-to-start confirmation

- autoplay on by default
- manual mode available

53.8 Step triggering system

- trigger when user enters step radius
- re-entry should not auto-replay by default
- later-step detection prompts for forward skip

53.9 Audio behavior

- autoplay ON -> next audio starts automatically
- autoplay OFF -> user triggers next
- video/audio conflicts prompt cleanly

53.10 Media handling

- images -> lightbox
- text -> bottom sheet
- video -> modal/full screen
- quiz later -> overlay card

Rule: media supports the experience without aggressively interrupting the flow.

53.11 GPS behavior

- smooth updates
- weak GPS warning non-blocking
- playback must not hard-fail on imperfect GPS

53.12 Completion sheet

Contains: - completion message - rating - follow guide - more from this guide - nearby tours

53.13 What must not happen

- unnecessary audio interruption
- frequent forced popups
- overloaded controls
- constant user management burden

53.14 Frozen exact spec summary

Page locked with: - Map Background - Context Overlays - Player compact/expanded - GPS progression - autoplay/manual logic - skip-ahead prompt - completion sheet

54. Visitor exact page spec — Remaining pages: Saved, Activity, Guide Profile, Notifications, Profile

54.1 Page 6: Saved Hub

Role: intent and loyalty layer.

Top tabs

- Liked
- Watchlist
- Guides

Liked tab

- list of liked visit cards
- actions: open preview, unlike

Watchlist tab

- storage summary
- watchlist items with status badges: queued/downloading/ready/expired/corrupted
- actions: Play, Remove, Re-download

Guides tab

- followed guide cards
- optional new-content indicator
- actions: open profile, unfollow

54.2 Page 7: Activity Hub

Role: continuity layer.

Top tabs

- In Progress
- Recent
- Completed

In Progress

- large resume-oriented cards
- progress bar
- step position
- Resume CTA

Recent

- lightweight recent visit list

Completed

- completed visit list
- rating status
- revisit / more-by-guide shortcuts

54.3 Page 8: Guide Profile (deep version)

Sections: - Header: photo, name, rating, followers, Follow - Bio - Specialization: themes, languages, regions - Visits List (main content)

54.4 Page 9: Notifications Center

- list of notifications
- types: guide new visit, recommendation, resume reminder, token warning, system message, later offers
- actions: open target, dismiss

54.5 Page 10: Profile / Settings

Sections: - Account - Playback Settings - Notification Settings - Language / Behavior - Storage Shortcut

54.6 Frozen summary

All remaining visitor retention/control pages locked at exact-layout level.

55. Creator exact page spec — Core shell and dashboard

55.1 Creator shell

Top navigation: My Visits | Create | Analytics | Profile

Rules: - persistent navigation - low nesting - same system in curated and open modes, with action gating only

55.2 Creator Page 1: My Visits Dashboard

Sections: - Header - + Create New Visit CTA - Status filters: Draft / Under Review / Published / Inactive - Visit management card list

Visit management card

Contains: - title - status badge - last edited - quick route info - optional tiny stats - actions: Edit, Preview, Analytics

Purpose: fast operational access without overload.

56. Creator exact page spec — Create/Edit flow

56.1 Global structure

Stages: 1. Core Definition 2. Route Building 3. Step Content 4. Experience Review 5. Publish / Submit

Global frame logic: - A. Stage Header / Progress - B. Main Content Area - C. Navigation Footer

56.2 Creator Page 2 / Stage 1: Core Definition

Fields: - Title - Short description - Themes - Language - Main route profile - Estimated duration

Rule: minimal friction, fast movement to route building.

56.3 Creator Page 3 / Stage 2: Route Building

Frames: - dominant map - step timeline panel - route controls - footer navigation

Actions: - add step by map - add step by GPS - add step by search - reorder steps - generate route - regenerate route - change route profile

Mandatory behavior: selecting a step highlights it on map and in timeline.

56.4 Creator Page 4 / Stage 3: Step Content

Frames: - step selector - step editor - media controls - footer navigation

Step editor contents: - title - audio upload/record - description - location label - images - video link/upload - trigger radius - accessibility metadata - transport metadata - emergency metadata - preview flags for teaser logic

56.5 Creator Page 5 / Stage 4: Experience Review

Frames: - route overview map - step summary - validation panel - simulation controls - footer navigation

Core function: simulate what the user will experience.

56.6 Creator Page 6 / Stage 5: Publish / Submit

Frames: - summary - validation/status panel - action buttons

Curated mode CTA: - Submit for review

Open mode CTA: - Publish

Rule: clear action, clear resulting state.

57. Creator exact page spec — Analytics and Profile

57.1 Creator Page 7: Analytics

Frames: - KPI row - simple charts or trends - top visits list

Core metrics: - plays - completion rate - average rating - followers gained

57.2 Creator Page 8: Profile Editing

Frames: - public photo - public name - bio - languages - themes - covered regions/cities - profile presentation video - save/publish profile changes

Rule: must align closely with visitor-side guide profile.

58. Admin / Control exact page spec

58.1 Admin shell

Top navigation: Overview | Guides | Visits | Libraries | Clients | Access |
Moderation | Analytics | Settings

58.2 Admin Page 1: Overview

Frames: - key metrics row - pending review count - active guides count - active libraries count - active grants count - alerts/recent actions - usage trends

58.3 Admin Page 2: Guides

Frames: - search/filters - guide list - create guide CTA - actions: open, activate, suspend, edit

58.4 Admin Page 3: Visits

Frames: - search/filters - visits list/table - status badges - guide link - library membership summary - actions: inspect, deactivate, reopen

58.5 Admin Page 4: Moderation / Review Queue

Frames: - queue filters - submitted versions list - status badges - open review detail action

58.6 Admin Page 5: Review Detail

Frames: - visit summary - route preview - step overview - media review area - guide info - review notes box - decision actions: approve / reject / request changes

58.7 Admin Page 6: Libraries

Frames: - library list - create library CTA - type/status badges - visit count - actions: edit, activate, deactivate, open detail

58.8 Admin Page 7: Library Detail

Frames: - metadata header - included visits list - ordering controls - linked clients/grants summary

58.9 Admin Page 8: Clients

Frames: - client list - create client CTA - type/status - grant counts - actions: edit, deactivate, open detail

58.10 Admin Page 9: Access Grants

Frames: - grant list - filters - create grant CTA - client/library/validity/concurrency/status columns - actions: activate, deactivate, revoke, extend

58.11 Admin Page 10: Analytics

Frames: - top visits - top guides - usage by client - completion trends - growth trends

58.12 Admin Page 11: Governance / Settings

Frames: - public signup toggle - public guide signup toggle - direct publish toggle - public catalog visibility rules - monetization mode enablement - notification caps

Purpose: make one-system / two-operating-modes governance concrete in UI.

59. Exact-layout frontend principles (frozen)

Principle 1

Visitor frontend must remain visually simple despite complex logic underneath.

Principle 2

Guide identity must remain visible across discovery, visit detail, playback completion, and retention surfaces.

Principle 3

Map is a primary interaction layer, not decorative background.

Principle 4

Playback flow must stay interruption-light.

Principle 5

Creator flow must feel like building an experience, not filling a spreadsheet.

Principle 6

Admin flow must support control without creating a separate product architecture.

60. Immediate next step after this exact-layout phase

After this exact-layout phase, the next most useful design layer is: - page-level component specifications - exact popups/drawers/modals catalog - per-page state matrix - implementation-aligned HTML/CSS/JS planning

Recommended next working focus: **Visitor page component breakdown starting from Discover — Map**

or, if implementation is the priority: **translate the frozen pages into actual page script/HTML planning order.**

61. Component-level spec — Visitor Page:

Discover — Map

61.1 Goal

Turn the Discover — Map page into a buildable UI with explicit components, state, interactions, and API dependencies.

61.2 Component tree

DiscoverPage - TopBar - SearchInput - FilterButton - LocationChipRow - ActiveFiltersRow - MapContainer - MapCanvas - UserMarker - VisitMarkersLayer - ClusterLayer (later) - MapOverlayControls - RecenterButton - PreviewCard (conditional) - BottomBar - ViewToggle - SearchSuggestions (overlay) - FilterDrawer (bottom sheet)

61.3 TopBar

SearchInput

Props: - value - onChange - onClear - onFocus - suggestionsOpen

Internal elements: - left search icon - input field - clear button when text exists

Behavior: - debounced input - triggers suggestions - does not hard-block UI

FilterButton

Props: - activeFiltersCount - onClick

Behavior: - opens filter drawer - shows badge/count if filters active

LocationChipRow

Props: - mode (near_me | fixed | search_area) - label - onClick

Behavior: - reflects current search area context

ActiveFiltersRow

Props: - filters - onRemoveFilter

Behavior: - removable chips - instant dataset update on removal

61.4 MapContainer

MapCanvas

Responsibilities: - render Leaflet map - expose pan/zoom/viewport changes

Events: - `onViewportChange(bounds)` - `onMapClick()`

UserMarker

Props: - lat - lng - accuracy

Behavior: - smooth updates - optional accuracy ring later

VisitMarkersLayer

Props: - visits - selectedVisitId - onMarkerClick

Each visit marker exposes: - id - lat - lng - rating - theme/category hint if useful

Behavior: - click sets selected visit id - no full-page navigation directly from marker

MapOverlayControls

Contains: - `RecenterButton`

61.5 PreviewCard

Props: - visit - isOpen - onClose - onPlay - onOpenDetails - onLike - onWatchlist

Internal structure: - Hero - Title + Guide - QuickFacts - Themes - Actions

Behavior: - open on marker click - close on outside tap / dismiss - switch marker updates data without re-mount flicker

61.6 BottomBar

ViewToggle

Props: - `currentView (map | list)` - onSwitch

Behavior: - switches page/view while preserving search and filter state

61.7 SearchSuggestions

Props: - query - results - onSelect

Sections: - Locations - Guides - Themes / Visits

Behavior: - location selection recenters map and updates location context - guide/theme selection filters results without unwanted recentering

61.8 FilterDrawer

Props: - filters - onApply - onReset - onClose

Sections: - themes - duration - distance - rating - transport mode

Behavior: - updates filters - triggers discovery refresh

61.9 Core page state

State object should contain: - query - filters - locationMode - selectedLocation - viewportBounds - visits - selectedVisitId - suggestionsOpen - isFilterOpen

Derived state: - selected visit resolved from visits + selectedVisitId

61.10 Data flow

- typing -> debounce -> fetch suggestions
- query/filters/location/bounds -> discovery API -> visits update
- marker click -> selectedVisitId -> preview opens
- filter change -> refetch discovery

61.11 API needs

Discovery

GET /api/discovery/search Payload/params include: - q - lat/lng - bounds - filters - pagination

Preview

GET /api/visits/:id/preview Fetched lazily on demand.

61.12 Performance rules

- lazy-load preview data
- debounce search
- limit markers
- avoid full map re-render on each state change
- never fetch full visit detail payload for map results

61.13 Failure/edge handling

- no GPS -> keep search usable
- no results -> compact empty-state overlay
- API failure -> retry state without crashing page

62. Component-level spec — Visitor Page: Discover — List

62.1 Goal

Turn Discover — List into a buildable companion view to the map, using the same dataset and state model.

62.2 Component tree

DiscoverListPage - TopBar - SearchInput - FilterButton - LocationChipRow -
ActiveFiltersRow - ListControlsBar - ResultCount - SortHint (lightweight) -
VisitResultsList - VisitListCard [] - PreviewCard or PreviewSheet (conditional) -
BottomBar - ViewToggle - SearchSuggestions (overlay) - FilterDrawer (bottom sheet)

62.3 Shared TopBar rule

The top area must reuse the exact same search/filter/location logic as Discover — Map. No divergent search behavior is allowed.

62.4 ListControlsBar

Props: - resultCount - optional sortLabel - active view context

Behavior: - remains lightweight - no heavy sort dashboard in v1

62.5 VisitResultsList

Props: - visits - onCardClick - onLike - onWatchlist

Behavior: - vertical scrolling list - lazy-load images/cards - preserve scroll position when returning from full visit page

62.6 VisitListCard

Props: - visit summary payload - onOpenPreview - onLike - onWatchlist

Internal sections: - Thumbnail - Title - Guide row - Quick facts row - Theme chips row - Transport icons row - Action row

Title section

- visit title as primary anchor

Guide row

- guide photo
- guide name
- guide rating

Guide identity must be strongly visible but secondary to the title.

Quick facts row

- visit rating
- duration
- distance

Action row

- Like
- Open preview/details
- Watchlist in app when relevant

Rule: Play is not as dominant directly on the list card as it is on the preview card.

62.7 Preview behavior from list

Tapping a card should open the same preview logic used by map marker selection. The list must not jump directly to full detail by default.

62.8 State model

Can reuse almost the same state shape as Discover — Map, with the addition of: - listScrollPosition

Core state: - query - filters - locationMode - selectedLocation - visits - selectedVisitId - suggestionsOpen - isFilterOpen - listScrollPosition

62.9 Data flow

- same discovery endpoint as map
- card click -> selectedVisitId -> preview opens
- switch to map -> preserve query, filters, and selected location context

62.10 API needs

Same as Discover — Map: - `GET /api/discovery/search` - lazy preview fetch through `GET /api/visits/:id/preview`

62.11 Performance rules

- lazy-load card images
- no full step payload in list results
- preserve scroll state on back navigation

- minimize re-render churn on like/watchlist actions

62.12 Failure/edge handling

- no results -> inline empty-state panel
 - weak connectivity -> light non-blocking message if needed
 - partial card data -> render card gracefully without breaking layout
-

63. Immediate next component-level pages

Next pages to specify at component level: 1. **Visit Preview Card / Preview Sheet** 2. **Full Visit Page** 3. **Playback Page**

These are the most critical implementation-facing visitor components after Discover Map/List.