

GUNJAN LAB LLP

A-10,11 Falshrutinagar, Station Road, Bharuch



PATEL AARATIBEN SACHIN (F)

Sample: 1251045570

"B" Rh Positive from: 11-10-2025
 11:41

W.S.
Pathologist



Patient Name : **Ms. PATEL AARATIBEN SACHIN**

Age/sex: 34 Years / Female

Lab No. : **251045570 11-Oct-2025**

Dr Name: SELF



MC-6068

Sample Registration Time: 11-Oct-2025 10:21

Sample Collection Time: 11-Oct-2025 10:21

Report Status:

Sample Collected At: Main Lab

COMPLETE BLOOD COUNT

Test Name	Result	Unit	Biological Reference Interval	
-----------	--------	------	-------------------------------	--

Haemoglobin	11.60	gm%	SLS Photometric, WB	12 - 15
Total W.B.C. Count	7300	cells/uL	Light Scattering, WB	4000 - 10000
Neutrophils	70	%	Light Scattering, WB	40 - 60
Lymphocytes	23	%	Light Scattering, WB	20 - 40
Monocytes	6	%	Light Scattering, WB	2 - 10
Eosinophils	1	%	Light Scattering, WB	0 - 6
Basophils	0	%	Light Scattering, WB	0 - 1
Neutro-Lympho Ratio	3.04	%	Calculated	0 - 3.13
Neutrophils (Count)	5060	cells/uL	Light Scattering, WB	2000 - 7000
Lymphocytes (Count)	1710	cells/uL	Light Scattering, WB	1000 - 3000
Monocytes (Count)	450	cells/uL	Light Scattering, WB	200 - 1000
Eosinophils (Count)	60	cells/uL	Light Scattering, WB	<500
Basophils (Count)	20	cells/uL	Light Scattering, WB	0 - 200
RBC Count	4.46	$10^6/uL$	Electrical Impedance, WB	3.8 - 4.8
P.C.V. (HCT)	36.50	%	Calculated	36 - 46
M.C.V.	81.80	fL	Electrical Impedance, WB	82 - 96
M.C.H.	26.00	pg	Calculated	27 - 32
M.C.H.C.	31.80	gm/dl	Calculated	32 - 35
R.D.W.-CV	13.90	%	Calculated	11 - 15
R.D.W.-SD	41.00	fL	Calculated	35 - 46
Platelet Count	275000	/cmm	Electrical Impedance, WB	150000 - 450000
MPV	9.00	fL	Light Scattering, WB	8 - 11.7

Remarks: Mild Anemia



DR. KINNARI T. PATEL

Reported on: 11-Oct-2025 11:51



DR. B. B. ZANZARUKIYA

DCP & MD (Path & Bact.)
GMC No: G-2349

Page 1 of 7

Collection
Centers

Test reports are subject to technical limitation & should be clinically co-related, Lab may be contacted whenever required

• Main Lab: A-10-11, Falshrutinagar, Near S. T. Depot, Station Road, Bharuch-392001. Mobile : 7490034273 • Time : 7.10 a.m. to 7.00 p.m.

- | | | | |
|---|----------------|---|----------------|
| • 28, Al-Aksa Complex, Doctor House, Opp. Patel Welfare Hospital, Jumbusar Road, Bharuch. | M. 94283 03557 | • 123, Shreeji Sahaj Business Hub, Opp. Narmada College, Bharuch. | M. 90544 61767 |
| • 1 & 2, Rang Multiplex, First Floor, Zadeswar Road, Bharuch. | M. 74900 34275 | • 54, Nyrika Plaza, Teen Rasta Circle, ONGC Road, Ankleshwar. | M. 98244 61192 |
| • 8, Ground floor, Shyam Villa, Opp. Decor House, Dahej Bypass Road, Bharuch. | M. 94290 72043 | • F-6, R-16, Square, Near Kapodara Patiya, GIDC, Ankleshwar. | M. 94085 84048 |
| • AB-8 "Chandrakant Enclave", Rajpardi Chowkdi, Rajpardi. | M. 74900 34261 | | |



GUNJAN LAB LLP

Reg. Off. : B-8, Falshrutinagar, Near S.T. Depot, Bharuch - 392001,
Phone : 74900 34273 / 74. Timming : 7.10 a.m. to 7.00 p.m. | Email : gunjanlab@gmail.com

Dr. B. B. Zanzarukiya

M.D. (Path & Bact.) D.C.P.
Consultant Pathologist

Dr. Tejas S. Patel

M.D. (Pathologist)

Dr. Kinnari T. Patel

M.D., D.P.B. (Pathologist)

Patient Name : **Ms. PATEL AARATIBEN SACHIN**

Age/sex: 34 Years / Female

Lab No. : **251045570 11-Oct-2025**

Dr Name: SELF



Sample Registration Time: 11-Oct-2025 10:21

Sample Collection Time: 11-Oct-2025 10:21

Report Status:

Sample Collected At: **Main Lab**

Test Name	Test Result	Biological Ref. Interval/Method
-----------	-------------	---------------------------------


Group

"B" Rh Positive

Gel Technology - Agglutination

Test Note:

- Blood Group has been done with New Sensitive Gel Technology using both forward and Reverse grouping.
- This method checks group both on Red cells and in Serum for "ABO" group. Also auto-agglutination has been checked for.



Reported on:

Kinnari
DR. KINNARI T. PATEL

MD (Path) GMC No: G-15507

11-Oct-2025 12:11

Page 2 of 7

Test reports are subject to technical limitation & should be clinically co-related, Lab may be contacted whenever required

Collection Centers

• Main Lab: A-10-11, Falshrutinagar, Near S. T. Depot, Station Road, Bharuch-392001. Mobile : 7490034273 • Time : 7.10 a.m. to 7.00 p.m.

- 28, Al-Aksa Complex, Doctor House, Opp. Patel Welfare Hospital, Jumbusar Road, Bharuch.
- 1 & 2, Rang Multiplex, First Floor, Zadeswar Road, Bharuch.
- 8, Ground floor, Shyam Villa, Opp. Decor House, Dahej Bypass Road, Bharuch.
- AB-8 "Chandrakant Enclave", Rajpardi Chowkdi, Rajpardi.

- 123, Shreeji Sahaj Business Hub, Opp. Narmada College, Bharuch. M. 90544 6176
- 54, Nyrika Plaza, Teen Rasta Circle, ONGC Road, Ankleshwar. M. 98244 6119
- F-6, R-16, Square, Near Kapodara Patiya, GIDC, Ankleshwar. M. 94085 8404



GUNJAN LAB LLP

Reg. Off. : B-8, Falshrutinagar, Near S.T. Depot, Bharuch - 392001,
Phone : 74900 34273 / 74. Timming : 7.10 a.m. to 7.00 p.m. | Email : gunjanlab@gmail.com

Dr. B. B. Zanzarukiya

M.D. (Path & Bact.) D.C.P.
Consultant Pathologist

Dr. Tejas S. Patel

M.D. (Pathologist)

Dr. Kinnari T. Patel

M.D., D.P.B. (Pathologist)

Patient Name : **Ms. PATEL AARATIBEN SACHIN**

Age/sex: 34 Years / Female

Lab No. : **251045570 11-Oct-2025**

Dr Name: SELF



MC-6068

Sample Registration Time: 11-Oct-2025 10:21

Sample Collection Time: 11-Oct-2025 10:21

Report Status:

Sample Collected At: *Main Lab*

Test Name	Test Result	Unit	Biological Ref. Interval/Method
Random Blood Sugar (Plasma Glucose)	126	mg/dL	70 - 150 Hexokinase, Flouride
Urine Sugar	Nil		Nil

Done on COBAS Integra 400+ Roche ,



Dr. TEJAS PATEL

M.D (Pathology)
GMC No: G-15088

Reported on 11-Oct-2025 11:44

BHAVNA PATEL

Page 3 of 7

Test reports are subject to technical limitation & should be clinically co-related, Lab may be contacted whenever required

Collection Centers

- Main Lab: A-10-11, Falshrutinagar, Near S. T. Depot, Station Road, Bharuch-392001. Mobile : 7490034273 • Time : 7.10 a.m. to 7.00 p.m.
- 28, Al-Aksa Complex, Doctor House, Opp. Patel Welfare Hospital, Jumbusar Road, Bharuch. M. 94283 03557 | 123, Shreeji Sahaj Business Hub, Opp. Narmada College, Bharuch. M. 90544 6176
- 1 & 2, Rang Multiplex, First Floor, Zadeshwar Road, Bharuch. M. 74900 34275 | 54, Nyrika Plaza, Teen Rasta Circle, ONGC Road, Ankleshwar. M. 98244 6110
- 8, Ground floor, Shyam Villa, Opp. Decor House, Dahej Bypass Road, Bharuch. M. 94290 72043 | F-6, R-16, Square, Near Kapodara Patiya, GIDC, Ankleshwar. M. 94085 840
- AB-8 "Chandrakant Enclave", Rajpardi Chowkdi, Rajpardi. M. 74900 34261 |



GUNJAN LAB LLP

Reg. Off. : B-8, Falshrutinagar, Near S.T. Depot, Bharuch - 392001,

Phone : 74900 34273 / 74. Timming : 7.10 a.m. to 7.00 p.m. | Email : gunjanlab@gmail.com

Dr. B. B. Zanzarukiya

M.D. (Path & Bact.) D.C.P.
Consultant Pathologist

Dr. Tejas S. Patel

M.D. (Pathologist)

Dr. Kinnari T. Patel

M.D., D.P.B. (Pathologist)

Patient Name : **Ms. PATEL AARATIBEN SACHIN**

Age/sex: 34 Years / Female

Lab No. : **251045570 11-Oct-2025**

Dr Name: SELF



Sample Registration Time: 11-Oct-2025 10:21

Sample Collection Time: 11-Oct-2025 10:21

Report Status:

Sample Collected At: **Main Lab**

Test Name	Test Result	Unit	Biological Ref. Interval/Method
Serum Creatinine	0.8	mg/dL	0.5 - 1.1 <i>Alkaline picrate-kinetic, Serum</i>
eGFR	82		<i>Calculated</i>

Note about Range of eGFR

In Adults, The normal eGFR number is more than >90.0 , GFR declines with age, even in people without kidney disease.

See chart below for average estimated eGFR based on age.

Age (years)	Average eGFR	Age (years)	Average eGFR
20-29	116	50-59	93
30-39	107	60-69	85
40-49	99	70+	75

Stage	Description	eGFR	Stage	Description	eGFR
1	Kidney damage (eg. Protein in the urine with normal GFR)	90 or above	2	Kidney damage with mild decrease GFR	60 to 89
3a	Mild to Moderate Decrease in GFR	45 to 59	3b	Moderate to severe Decrease in GFR	30 to 44
4	Severe reduction in GFR	15 to 29	5	Kidney Failure	< 15

eGFR is reported as per the MDRD equation.

The Normal value of GFR depends upon age, sex, and body size, and is approximately >90 mL/min/1.73 sq.meter.

eGFR does not provide accurate estimates of eGFR in setting where the GFR is changing rapidly (eg Acute kidney injury)

The equation is reported from 18 -70 years of age and is less accurate in children, older patients and in pregnant women.

Cystatin C combined with creatinine is more accurate for assessing GFR and is often used as a confirmatory test.

ALT (SGPT)

16

U/L

0 - 35

UV without P5P, Serum



BHAVNA PATEL

Reported on

11-Oct-2025 11:36

Dr. TEJAS PATEL

M.D (Pathology)
GMC No: G-15088

Page 4 of 7

Test reports are subject to technical limitation & should be clinically co-related, Lab may be contacted whenever required

Collection Centers

• Main Lab: A-10-11, Falshrutinagar, Near S. T. Depot, Station Road, Bharuch-392001. Mobile : 7490034273 • Time : 7.10 a.m. to 7.00 p.m.

- 28, Al-Aksa Complex, Doctor House, Opp. Patel Welfare Hospital, Jumbusar Road, Bharuch. M. 94283 03557 | • 123, Shreeji Sahaj Business Hub, Opp. Narmada College, Bharuch. M. 90544 61717
- 1 & 2, Rang Multiplex, First Floor, Zadeshwar Road, Bharuch. M. 74900 34275 | • 54, Nyrika Plaza, Teen Rasta Circle, ONGC Road, Ankleshwar. M. 98244 61117
- 8, Ground floor, Shyam Villa, Opp. Decor House, Dahej Bypass Road, Bharuch. M. 94290 72043 | • F-6, R-16, Square, Near Kapodara Patiya, GIDC, Ankleshwar. M. 94085 84040
- AB-8 "Chandrakant Enclave", Rajpardi Chowkdi, Rajpardi. M. 74900 34261 | • 123, Shreeji Sahaj Business Hub, Opp. Narmada College, Bharuch. M. 90544 61717



GUNJAN LAB LLP

Reg. Off. : B-8, Falshrutinagar, Near S.T. Depot, Bharuch - 392001,

Phone : 74900 34273 / 74. Timming : 7.10 a.m. to 7.00 p.m. | Email : gunjanlab@gmail.com

Dr. B. B. Zanzarukiya

M.D. (Path & Bact.) D.C.P.
Consultant Pathologist

Dr. Tejas S. Patel

M.D. (Pathologist)

Dr. Kinnari T. Patel

M.D., D.P.B. (Pathologist)

Patient Name : **Ms. PATEL AARATIBEN SACHIN**

Age/sex: 34 Years / Female



Lab No. : **251045570 11-Oct-2025**

Dr Name: SELF

Sample Registration Time: 11-Oct-2025 10:21

Sample Collection Time: 11-Oct-2025 10:21

Report Status:

Sample Collected At: **Main Lab**

Test Name	Test Result	Unit	Biological Ref. Interval/Method
Bleeding Time	03:00	minute:second	3.0 - 9.0 Duke's
Prothrombin Time			
Prothrombin Time: Test	11.30	Seconds	< 12.0 Clot detection/Light scattered, Citrate Plasma
MNPT (Mean Normal Prothrombin Time)	10.8	Seconds	8.0 - 11.0 Clot detection Light scattered, Citrate Plasma
Test/control	1.05		Calculated
I.S.I. Value	0.9		
I.N.R. Value	1.13	2 - 3	Calculated
Activated Partial Thromboplastin Time			
A.P.T.T. Test	30.90	Seconds	25 - 32 Clot detection/Light scattered, Citrate Plasma
A.P.T.T. Control	28.00	Seconds	Clot detection Light scattered, Citrate Plasma
Clotting Time	05:10	minute:second	3.0 - 6.0 Duke's



DR. B. B. ZANZARUKIYA

DCP & MD (Path & Bact.)
GMC No: G-2349

Reported on

11-Oct-2025 11:26

NIKHIL PATEL

Page 5 of 7

Test reports are subject to technical limitation & should be clinically co-related, Lab may be contacted whenever required

Collection Centers

- Main Lab: A-10-11, Falshrutinagar, Near S.T. Depot, Station Road, Bharuch-392001. Mobile : 7490034273 • Time : 7.10 a.m. to 7.00 p.m.
- 28, Al-Aksa Complex, Doctor House, Opp. Patel Welfare Hospital, Jumbusar Road, Bharuch.
- 1 & 2, Rang Multiplex, First Floor, Zadeshwar Road, Bharuch.
- 8, Ground floor, Shyam Villa, Opp. Decor House, Dahej Bypass Road, Bharuch.
- AB-8 "Chandrakant Enclave", Rajpardi Chowkdi, Rajpardi.
- 123, Shreeji Sahaj Business Hub, Opp. Narmada College, Bharuch. M. 90544 6
- 54, Nyrika Plaza, Teen Rasta Circle, ONGC Road, Ankleshwar. M. 98244 6
- F-6, R-16, Square, Near Kapodara Patiya, GIDC, Ankleshwar. M. 94085 8



GUNJAN LAB LLP

Reg. Off. : B-8, Falshrutinagar, Near S.T. Depot, Bharuch - 392001,

Phone : 74900 34273 / 74. Timming : 7.10 a.m. to 7.00 p.m. | Email : gunjanlab@gmail.com

Dr. B. B. Zanzarukiya

M.D. (Path & Bact.) D.C.P.
Consultant Pathologist

Dr. Tejas S. Patel

M.D. (Pathologist)

Dr. Kinnari T. Patel

M.D., D.P.B. (Pathologist)

Patient Name : **Ms. PATEL AARATIBEN SACHIN**

Age/sex: 34 Years / Female



Lab No. : **251045570 11-Oct-2025**

Dr Name: SELF

Sample Registration Time: 11-Oct-2025 10:21

Sample Collection Time: 11-Oct-2025 10:21

Report Status:

Sample Collected At: **Main Lab**

HIV 1/2 & P24 COMBO TEST

Test Name	Test Result	Unit	Biological Ref. Interval/Method
HIV	Non-Reactive [0.276]		Non-Reactive <small>ECL, Serum</small>

The test is done using HIV Ag/Ab combo kit

Technic Used: CMIA / ECLIA for Simultaneous qualitative detection of antibodies to human immunodeficiency virus type 1 and/or type 2 (HIV -1 /HIV - 2) and HIV p24 antigen in human serum or plasma.

Limitation of Test:

(1) It is recognized that it may not detect all infected individuals. A negative test result does not exclude the possibility of exposure to or infection with HIV - 1 and/or HIV - 2.

(2) Specimens that are initially reactive, then it should be retested in duplicate.

(3) A repeatedly reactive specimen should be investigated further in sensitive, supplemental HIV-specific tests. Individuals who are repeatedly reactive should be referred for medical evaluation.

(4) It has 99.90% Specificity and about 100% Sensitivity.

General Guide Line for Interpretation of HIV result :

- Final confirmation should be done by performing a Western Blot Test.
- In general the sensitivity and specificity of all HIV screening test kits range between 97% and 99.9%. So that occasional false positive and false negative results may occur.
- A negative test does not exclude the possibility of prior exposure, especially a recent one.
- Final diagnosis of HIV infection must be based on clinical correlation with the laboratory test results.

For further information, Lab may be contacted with in lab timing.

HbsAg

Non-Reactive [0.378]

Non-Reactive

Done on Abbott Architect or Cobas E411

Anti HCV

Non-Reactive [0.064]

Non-Reactive ECL, Serum

Done on Abbott Architect or Cobas E411




DR. B. B. ZANZARUKIYA

DCP & MD (Path & Bact.)
GMC No: G-2349

Reported on 11-Oct-2025 11:44

BHAVNA PATEL

Page 6 of 7

Test reports are subject to technical limitation & should be clinically co-related, Lab may be contacted whenever required

Collection Centers

- Main Lab: A-10-11, Falshrutinagar, Near S.T. Depot, Station Road, Bharuch-392001. Mobile : 7490034273 • Time : 7.10 a.m. to 7.00 p.m.
- 28, Al-Aksa Complex, Doctor House, Opp. Patel Welfare Hospital, Jumbusar Road, Bharuch.
- 1 & 2, Rang Multiplex, First Floor, Zadeswar Road, Bharuch.
- 8, Ground floor, Shyam Villa, Opp. Decor House, Dahej Bypass Road, Bharuch.
- AB-8 "Chandrakant Enclave", Rajpardi Chowkdi, Rajpardi.
- 123, Shreeji Sahaj Business Hub, Opp. Narmada College, Bharuch. M. 90544
- 54, Nyrika Plaza, Teen Rasta Circle, ONGC Road, Ankleshwar. M. 98244
- F-6, R-16, Square, Near Kapodara Patiya, GIIDC, Ankleshwar. M. 94085



GUNJAN LAB LLP

Reg. Off. : B-8, Falshrutinagar, Near S.T. Depot, Bharuch - 392001,
Phone : 74900 34273 / 74. Timming : 7.10 a.m. to 7.00 p.m. | Email : gunjanlab@gmail.com

Dr. B. B. Zanzarukiya

M.D. (Path & Bact.) D.C.P.
Consultant Pathologist

Dr. Tejas S. Patel

M.D. (Pathologist)

Dr. Kinnari T. Patel

M.D., D.P.B. (Pathologist)

Patient Name : **Ms. PATEL AARATIBEN SACHIN**
Age/sex: 34 Years / Female
Lab No. : **251045570 11-Oct-2025**
Dr Name: SELF



MC-6068

Sample Registration Time: 11-Oct-2025 10:21

Sample Collection Time: 11-Oct-2025 10:21


Report Status:
Sample Collected At: Main Lab

EXAMINATION OF URINE

Test Name	Result	Unit	Biological Reference Interval
-----------	--------	------	-------------------------------

Physical Examination

Quantity...(ml)..	30	ml	
Colour	Light Yellow	Visual	Light Yellow
Appearance	Clear	Visual	
Specific Gravity	1.006		1.005 - 1.030
Reaction(pH)	Acidic	pH indicator	Acidic



Chemical Examination

Albumin	Nil	Bromothymol blue	Nil
Urine Sugar	Nil	GOD/POD	Nil
Ketone Bodies	Nil	Sodium Nitroprusside	Nil
Bile Pigment	Negative	Diazo,	Negative
Urobilinogen	Negative	Diazo,	Negative
Leukocyte esterase	Absent		Absent
Blood	Absent		Absent

Microscopic Examination

Pus cells	1	/hpF	Light Scattering/Microscopy 0 - 5
Epithelial Cell	2	/hpF	Light Scattering/Microscopy 0 - 5
Red Blood Cells	1	/hpF	Light Scattering/Microscopy 0 - 5

Done on Fully Automated Sysmex UF4000 Chemical and Microscopic Analyser



SOJITRA RUSHIKA

Reported on: 11-Oct-2025 11:36

Tejas
Dr. TEJAS PATEL

M.D (Pathology)
GMC No: G-15088

Page 7 of 7

Test reports are subject to technical limitation & should be clinically co-related, Lab may be contacted whenever required

Collection Centers

- Main Lab: A-10-11, Falshrutinagar, Near S. T. Depot, Station Road, Bharuch-392001. Mobile : 7490034273 • Time : 7.10 a.m. to 7.00 p.m.
- 28, Al-Aksa Complex, Doctor House, Opp. Patel Welfare Hospital, Jumbusar Road, Bharuch. M. 94283 03557 M. 74900 34275 M. 94290 72043 M. 74900 34261
- 1 & 2, Rang Multiplex, First Floor, Zadeshwar Road, Bharuch.
- 8, Ground floor, Shyam Villa, Opp. Decor House, Dahej Bypass Road, Bharuch.
- AB-8 "Chandrakant Enclave", Rajpardi Chowkdi, Rajpardi.
- 123, Shreeji Sahaj Business Hub, Opp. Narmada College, Bharuch. M. 90544 M. 98244
- 54, Nyrika Plaza, Teen Rasta Circle, ONGC Road, Ankleshwar. M. 94085
- F-6, R-16, Square, Near Kapodara Patiya, GIDC, Ankleshwar. M. 94085