


# Week Report 3

---

## Practice 1



```
1/1  +  [Icons]  Tilix: adriktech25@cis106: ~
1: adriktech25@cis106: ~
adriktech25@cis106:~$ rmdir -r website/
rmdir: invalid option -- 'r'
Try 'rmdir --help' for more information.
adriktech25@cis106:~$ cd ..
adriktech25@cis106:/home$ rmdir -r website/
rmdir: invalid option -- 'r'
Try 'rmdir --help' for more information.
adriktech25@cis106:/home$ ls
adriktech25
adriktech25@cis106:/home$ cd adriktech25/
adriktech25@cis106:~$ rmdir --help
Usage: rmdir [OPTION]... DIRECTORY...
Remove the DIRECTORY(ies), if they are empty.

    --ignore-fail-on-non-empty  ignore each failure to remove a non-empty directory
-p, --parents                  remove DIRECTORY and its ancestors;
                              e.g., 'rmdir -p a/b' is similar to 'rmdir a/b a'

-v, --verbose                  output a diagnostic for every directory processed
--help                         display this help and exit
--version                      output version information and exit

GNU coreutils online help: <https://www.gnu.org/software/coreutils/>
Full documentation <https://www.gnu.org/software/coreutils/rmdir>
or available locally via: info '(coreutils) rmdir invocation'
adriktech25@cis106:~$ rm -r website/
adriktech25@cis106:~$ ls
cis106-  Documents  essentials.sh.error.log  Music      practicels      Public  snap      Videos
Desktop  Downloads  lab4files               Pictures   practicels.tar.xz  scripts  Templates
adriktech25@cis106:~$
```

## Practice 2

```
Tilix: adriktech25@cis106: /usr/share

1: adriktech25@cis106: /usr/share ~
adriktech25@cis106:~$ cd /usr/share/
adriktech25@cis106:/usr/share$ mkdir ~/website
adriktech25@cis106:/usr/share$ mkdir -p ~/website/assets/images/small
adriktech25@cis106:/usr/share$ touch ~/website/assets/images/small/logo.png
adriktech25@cis106:/usr/share$ rm ~/website/assets/images/small/logo.png
adriktech25@cis106:/usr/share$ rm -r ~/website/
adriktech25@cis106:/usr/share$
```

## Practice 3

```
Tilix: adriktech25@cis106: ~

1: adriktech25@cis106: ~ ~
350 rmdir -r website/
351 ls
352 cd adriktech25/
353 rmdir --help
354 rm -r website/
355 ls
356 clear
357 cd /usr/share/
358 mkdir ~/website
359 mkdir -p ~/website/assets/images/small
360 touch ~/website/assets/images/small/logo.png
361 rm ~/website/assets/images/small/logo.png
362 rm -r ~/website/
363 clear
364 ls
365 cd
366 ls
367 clear
368 mkdir -p website/assets
369 curl https://cis106.com/assets/samplesite.txt -o ~/website/index.html
370 mv Downloads/pexels-
371 mv Downloads/pexels-digital-phase-2150191459-31008029.jpg website/assets/
372 mv Downloads/pexels-71366650-31133725.jpg website/assets/
373 mv website/assets/pexels-digital-phase-2150191459-31008029.jpg website/assets/image.png
374 mv website/assets/pexels-71366650-31133725.jpg website/assets/image2.png
375 xdg-open website/index.html
376 history
adriktech25@cis106:~$
```

## Practice 4

```
1/1  +  [Icons]  Tilix: adriktech25@cis106: ~  [Search] [Menu] [Window] [Close]

1: adriktech25@cis106: ~
adriktech25@cis106:~$ mkdir website/docs
adriktech25@cis106:~$ cp Downloads/sample
cp: missing destination file operand after 'Downloads/sample'
Try 'cp --help' for more information.
adriktech25@cis106:~$ cd Downloads/
adriktech25@cis106:~/Downloads$ ls
lab4files.zip  sample1.doc  sample1.pdf  sample1.xls
adriktech25@cis106:~/Downloads$ cd
adriktech25@cis106:~$ cp -v Downloads/sample1.doc website/docs/
'Downloads/sample1.doc' -> 'website/docs/sample1.doc'
adriktech25@cis106:~$ cp -v Downloads/sample1.pdf website/docs/
'Downloads/sample1.pdf' -> 'website/docs/sample1.pdf'
adriktech25@cis106:~$ cp -v Downloads/sample1.xls website/docs/
'Downloads/sample1.xls' -> 'website/docs/sample1.xls'
adriktech25@cis106:~$ tree website/
website/
├── assets
│   ├── image2.png
│   └── image.png
├── docs
│   ├── sample1.doc
│   ├── sample1.pdf
│   └── sample1.xls
└── index.html

3 directories, 6 files
adriktech25@cis106:~$
```