Referencias

[1] Włodarczyk J. Simple Hironaka Resolution in Characteristic Zero. Journal of the American Mathematical Society. 2005;18(4):779–822. Available from: http://www.jstor.org/stable/20161259.

[2] Buchner MA. Simplicial Structure of the Real Analytic Cut Locus. Proceedings of the American Mathematical Society. 1977;64(1):118–121. Available from: http://www.jstor.org/stable/2040994.

[3] Auslander M. A Remark on a Paper of M. Hironaka. American Journal of Mathematics. 1962;84(1):8–10. Available from: http://www.jstor.org/stable/2372801.

[4] Reichstein Z, Youssin B. Equivariant Resolution of Points of Indeterminacy. Proceedings of the American Mathematical Society. 2002;130(8):2183–2187. Available from: http://www.jstor.org/stable/2699449.

[5] EREMENKO A, GABRIELOV A. TANGENCIES BETWEEN HOLOMORPHIC MAPS AND HOLOMORPHIC LAMINATIONS. Proceedings of the American Mathematical Society. 2010;138(7):2489–2492. Available from: http://www.jstor.org/stable/20721748.

[6] Hironaka H. Additive Groups Associated with Points of a Projective Space. Annals of Mathematics. 1970;92(2):327–334. Available from: http://www.jstor.org/stable/1970839.

[7] Hironaka H. On Zariski Dimensionality Type. American Journal of Mathematics. 1979;101(2):384–419. Available from: http://www.jstor.org/stable/2373985.

[8] Adamus J. Natural Bound in Kwieciński's Criterion for Flatness. Proceedings of the American Mathematical Society. 2002;130(11):3165–3170. Available from: http://www.jstor.org/stable/1194141.

[9] ROND G. ASYMPTOTIC BEHAVIOUR OF STANDARD BASES. Proceedings of the American Mathematical Society. 2010;138(6):1979–1982. Available from: http://www.jstor.org/stable/20721685.

[10] Fischer I. On the Specialization of Birationally Equivalent Curves. American Journal of Mathematics. 1963;85(2):151–155. Available from: http://www.jstor.org/stable/2373207.

[11] Volume Information. American Journal of Mathematics. 1988;110(6). Available from: http://www.jstor.org/stable/2374683.

[12] Jelonek Z. On the Projectivity of Threefolds. Proceedings of the American Mathematical Society. 2005;133(9):2539–2542. Available from: http://www.jstor.org/stable/4097613.

[13] Hironaka H. Resolution of Singularities of an Algebraic Variety Over a Field of Characteristic Zero: II. Annals of Mathematics. 1964;79(2):205–326. Available from: http://www.jstor.org/stable/1970547.

[14] Hironaka H. Smoothing of Algebraic Cycles of Small Dimensions. American Journal of Mathematics. 1968;90(1):1–54. Available from: http://www.jstor.org/stable/2373425.

[15] Hironaka H. Flattening Theorem in Complex-Analytic Geometry. American Journal of Mathematics. 1975;97(2):503–547. Available from: http://www.jstor.org/stable/2373721.

[16] Hironaka H. An Example of a Non-Kahlerian Complex-Analytic Deformation of Kahlerian Complex Structures. Annals of Mathematics. 1962;75(1):190–208. Available from: http://www.jstor.org/stable/1970426.

[17] Hironaka H. A Generalized Theorem of Krull-Seidenberg on Parameterized Algebras of Finite Type. American Journal of Mathematics. 1960;82(4):831–850. Available from: http://www.jstor.org/stable/2372943.

[18] Hironaka H. Resolution of Singularities of an Algebraic Variety Over a Field of Characteristic Zero: I. Annals of Mathematics. 1964;79(1):109–203. Available from: http://www.jstor.org/stable/1970486.

[19] Duchamp T, Kalka M. Stability Theorems for Holomorphic Foliations. Transactions of the American Mathematical Society. 1980;260(1):255–266. Available from: http://www.jstor.org/stable/1999885.

[20] Cukierman F, Pereira JV. Stability of Holomorphic Foliations with Split Tangent Sheaf. American Journal of Mathematics. 2008;130(2):413–439. Available from: http://www.jstor.org/stable/40068133.

[21] Marín D. Rigidity of Certain Holomorphic Foliations. Proceedings of the American Mathematical Society. 2006;134(12):3595–3603. Available from: http://www.jstor.org/stable/4098195.

[22] Duchamp T, Kalka M. Holomorphic Foliations and the Kobayashi Metric. Proceedings of the American Mathematical Society. 1977;67(1):117–122. Available from: http://www.jstor.org/stable/2041253.

[23] Cerveau D, Neto AL. Irreducible Components of the Space of Holomorphic Foliations of Degree Two in CP(n), n 3. Annals of Mathematics. 1996;143(3):577–612. Available from: http://www.jstor.org/stable/2118537.

[24] Volume Information. Transactions of the American Mathematical Society. 1980;260(2). Available from: http://www.jstor.org/stable/1998005.

[25] Scofield PD. Some Deformations of the Hopf Foliation are also Kähler. Proceedings of the American Mathematical Society. 1993;119(1):251–253. Available from: http://www.jstor.org/stable/2159849.

[26] Back Matter. Annals of Mathematics. 1996;143(3). Available from: http://www.jstor.org/stable/2118538.

[27] Cano J. Construction of Invariant Curves for Singular Holomorphic Vector Fields. Proceedings of the American Mathematical Society. 1997;125(9):2649–2650. Available from: http://www.jstor.org/stable/2162035.

[28] Neto AL, Martins JCC. Hermitian Metrics Inducing the Poincaré Metric, in the Leaves of a Singular Holomorphic Foliation by Curves. Transactions of the American Mathematical Society. 2004;356(7):2963–2988. Available from: http://www.jstor.org/stable/3844916.

[29] Soares MG. Projective Varieties Invariant by One-Dimensional Foliations. Annals of Mathematics. 2000;152(2):369–382. Available from: http://www.jstor.org/stable/2661388.

[30] Coutinho SC. Non-Holonomic Simple D-Modules over Complete Intersections. Proceedings of the American Mathematical Society. 2003;131(1):83–86. Available from: http://www.jstor.org/stable/1194227.

[31] Biswas I. Vector Bundles with Holomorphic Connection Over a Projective Manifold with Tangent Bundle of Nonnegative Degree. Proceedings of the American Mathematical Society. 1998;126(10):2827–2834. Available from: http://www.jstor.org/stable/119077.