

Appointment Booking Bot

User Manual

v14.1 | Desktop Application

1. Overview

The Appointment Booking Bot is a desktop application that automates port appointment booking on the Fasah platform. It uses a dedicated search token to monitor available slots and fires multiple booking tokens simultaneously when a slot is found.

2. First Launch

Open the app. You will see a title bar with four tabs: Drivers, Scheduling, Console, and Results. The search token bar is always visible at the top.

3. Search Token

The search token is used to poll for available appointment slots. It is separate from your booking tokens.

1. Paste your search token into the field at the top of the screen.
2. Select your port from the dropdown on the right.
3. Click Validate to confirm the token is active before starting.

If validation shows Invalid, the token has expired. Get a fresh one from the Fasah portal before continuing.

4. Setting Up Drivers

Go to the Drivers tab. One driver slot is open by default. Click the + button in the tab bar to add more (up to 4).

Fill in each driver's details:

1. Display Name - a label for your own reference, not sent to the server.
2. Declaration Number - the customs declaration number.
3. License Number - the driver license number.
4. Plate Number - the vehicle plate number.
5. Resident Country - select from the dropdown. Most-used countries appear at the top.
6. Plate Country - the country the plate is registered in.
7. Vehicle Serial Number - the vehicle sequence number.
8. Chassis Number - the full chassis (VIN) number.

Booking Tokens:

Each driver needs at least one booking token. These are used exclusively for making the booking request - not for searching. Add as many as you have. The bot races all of them at once when a slot is detected.

1. Paste a token into the booking token field.
2. Press Add (or Enter).
3. Repeat for each additional token.

More booking tokens = higher chance of securing a slot when one opens.

5. Hour Preferences

You can tell the bot which appointment hour you prefer.

1. Tier 1 - Your ideal hour (0-23). The bot will attempt this hour first.

2. Tier 2 Start / End - A backup window. The bot falls back to this range if Tier 1 fails.

If Tier 1 fails, the bot immediately tries any other available slot from the same response without waiting to re-poll.

6. Saving and Loading Presets

Presets let you save a driver's full profile so you can reload it in future sessions without retyping.

Save a preset:

1. Fill in the driver tab completely.
2. Click Save Preset in the top-right of the driver panel.
3. Enter a name (or leave blank to use the driver's display name) and click Save.

Load a preset:

1. Go to the Scheduling tab.
2. Find the preset in the Saved Presets list.
3. Choose which driver slot to load it into, then click Load.

Presets are stored in the local database and persist between app restarts.

7. Starting the Bot

1. Make sure the search token is validated.
2. Make sure at least one driver has a name and at least one booking token.
3. Go to the Console tab.
4. Click the START button.

The bot will begin polling for appointment slots immediately. You will see live log output in the console window.

Stopping the bot:

Click the STOP button at any time. The bot will finish its current attempt and shut down cleanly.

8. Reading the Console

Log lines are color-coded:

- White - general activity.
- Blue [STATUS] - current search status (attempt number, elapsed time).
- Green [BOOKED] - a slot was successfully booked.
- Red [FAILED] - a booking attempt was rejected.
- Yellow [LIMIT] - rate limit hit; bot will back off and retry.
- Red [ERROR] - unexpected error.

The log is also written to bot.log in the bot folder for later review.

9. Results

After the session, go to the Results tab to see a summary table showing which drivers got booked, at what time, and which failed and why.

10. Running Multiple Instances

The app supports multiple simultaneous instances. Each instance should be installed or extracted into its own separate folder to avoid log file conflicts. Each instance can run up to 4 drivers independently.

11. Tips

- Use unique tokens across instances. Sharing tokens between instances will cause rate limit conflicts.
- If the bot keeps hitting rate limits, consider reducing the number of booking tokens per driver.
- Expired tokens cause silent failures. Always validate the search token before starting.
- Keep the app open during a session. Closing the window stops the bot.