

Experiments -9, 10, 11, 12

9.) Design a PHP script to display "Welcome" message and current date & time.

```
<!DOCTYPE html>
<html>
<head>
<title>Welcome Page</title>
</head>
<body>

</body>
</html>
```

```
<?php
// Set timezone (important for correct time)
date_default_timezone_set("Asia/Kolkata");

// Display welcome message
echo "<h2>Welcome!</h2>";

// Display current date and time
echo "<p>Current Date and Time: " . date ("d-m-Y H: i: s"). "</p>";
?>
```

```
<?php
// Set timezone (important for correct time)
date_default_timezone_set("Asia/Kolkata");

// Display welcome message
echo "<h2>Welcome!</h2>";

// Display current date and time
echo "<p>Current Date and Time: " . date ("d-m-Y H: i: s"). "</p>";
?>
```

10) Write a PHP program to accept form input and display it using the POST method.

```
<!DOCTYPE html>
<html>
<head>
<title>Form using POST Method</title>
</head>
<body>

<h2>Student Form</h2>

<!-- Form -->
<form method="POST" action="index.php">
Name: <input type="text" name="name"><br><br>
Email: <input type="email" name="email"><br><br>

<input type="submit" value="Submit">
</form>

</body>
</html>
```

```
<?php
// Check if form is submitted
if ($_SERVER["REQUEST_METHOD"] == "POST") {

// Get form data
$name = $_POST['name'];
$email = $_POST['email'];

// Display data
echo "<h3>Submitted Data:</h3>";
echo "Name: " . $name . "<br>";
echo "Email: " . $email . "<br>";
}
?>
```

```

?php
// Check if form is submitted
if ($_SERVER["REQUEST_METHOD"] == "POST") {

// Get form data
$name = $_POST['name'];
$email = $_POST['email'];

// Display data
echo "<h3>Submitted Data:</h3>";
echo "Name: " . $name . "<br>";
echo "Email: " . $email . "<br>";
}
?>

```

```

<!DOCTYPE html>
<html>
<head>
<title>Form using POST Method</title>
</head>
<body>

<h2>Student Form</h2>

<!-- Form -->
<form method="POST" action="index.php">
Name: <input type="text" name="name"><br><br>
Email: <input type="email" name="email"><br><br>

<input type="submit" value="Submit">
</form>

</body>
</html>

```

11) Implement a PHP program for string manipulation (e.g., reverse, length, substring).

```
<!DOCTYPE html>
<html>
<head>
<title>String Manipulation in PHP</title>
</head>
<body>

<h2>String Manipulation</h2>

<form method="POST" action="index.php">
Enter a String: <input type="text" name="text"><br><br>
<input type="submit" value="Process">
</form>

</body>
</html>
```

```
<?php
if ($_SERVER["REQUEST_METHOD"] == "POST") {

$str = $_POST['text'];

echo "<h3>Results:</h3>";

// String Length
echo "Length: " . strlen($str) . "<br>";

// Reverse String
echo "Reversed String: " . strrev($str) . "<br>";

// Substring (first 5 characters)
echo "Substring (first 5 chars): " . substr($str, 0, 5) . "<br>";
}
?>
```

```
<?php
if ($_SERVER["REQUEST_METHOD"] == "POST") {
```

```

$str = $_POST['text'];

echo "<h3>Results:</h3>";

// String Length
echo "Length: " . strlen($str) . "<br>";

// Reverse String
echo "Reversed String: " . strrev($str) . "<br>";

// Substring (first 5 characters)
echo "Substring (first 5 chars): " . substr($str, 0, 5) . "<br>";
}
?>

```

```

<!DOCTYPE html>
<html>
<head>
<title>String Manipulation in PHP</title>
</head>
<body>

<h2>String Manipulation</h2>

<form method="POST" action="index.php">
Enter a String: <input type="text" name="text"><br><br>
<input type="submit" value="Process">
</form>
</body>
</html>

```

12) Create a PHP script to store and display values in an array.

```
<!DOCTYPE html>
<html>
<head>
<title>PHP Array Example</title>
</head>
<body>

<h2>Array Example</h2>

</body>
</html>
```

```
<?php
// Creating an array
$students = array("Amit", "Neha", "Rahul", "Sneha");

// Displaying array values
echo "<h3>Student Names:</h3>";

foreach ($students as $name) {
echo $name . "<br>";
}
?>
```

```
<?php
// Creating an array
$students = array("Amit", "Neha", "Rahul", "Sneha");

// Displaying array values
echo "<h3>Student Names:</h3>";

foreach ($students as $name) {
echo $name . "<br>";
}
?>
```

```
<!DOCTYPE html>
```

```
<html>
<head>
<title>PHP Array Example</title>
</head>
<body>

<h2>Array Example</h2>
</body>
</html>
```