

ID	Module	Type	Description	Priority	Risk	Status
2	Transport	Functional	The system MUST store all deliveries for tracking and history purposes	MH	Low	To Implement
3	Transport	Functional	The system MUST allow assigning a driver to a delivery	MH	Low	To Implement
4	Transport	Functional	The system MUST ensure that the assigned driver has a valid license for the selected truck	MH	Medium	To Implement
5	Transport	Functional	The system MUST allow assigning a truck to a delivery	MH	Low	To Implement
6	Transport	Functional	The system MUST store truck details including license number, model, net weight and maximum carrying weight	MH	Low	To Implement
7	Transport	Functional	The system MUST store driver details including name and license type	MH	Low	To Implement
8	Transport	Functional	The system MUST support multiple destinations per delivery	MH	Medium	To Implement
9	Transport	Functional	The system MUST store site details (source/destination) including address, contact person and phone number	MH	Low	To Implement
10	Transport	Functional	The system MUST distinguish between different site types:	MH	Low	To Implement

ID	Module	Type	Description	Priority	Risk	Status
			suppliers and store branches			
11	Transport	Functional	The system MUST assign each site to a delivery zone	MH	Medium	To Implement
12	Transport	Functional	The system MUST record the truck weight before departure	MH	Low	To Implement
13	Transport	Functional	The system MUST validate that the total weight does not exceed the truck's maximum capacity	MH	High	To Implement
14	Transport	Functional	The system MUST generate an alert if the weight exceeds the allowed maximum	MH	Medium	To Implement
15	Transport	Functional	The system MUST generate a uniquely identified delivery document per destination including transported items	NTH	Medium	Not Implemented
16	Transport	Functional	The system SHOULD allow modifying a delivery in case of weight violation (e.g., change truck, destinations, or cargo)	NTH	High	Not Implemented

Non-Functional Requirements

ID	Module	Type	Description	Priority	Risk	Status
17	Transport	Non-Functional	The system MUST be implemented in Java	MH	Low	To Implement
18	Transport	Non-Functional	The system MUST store all data in-memory without using a database	MH	Low	To Implement
19	Transport	Non-Functional	The system MUST initialize with sample data upon startup	MH	Low	To Implement
20	Transport	Non-Functional	The system MUST allow system startup without initial data and support loading data afterward	MH	Low	To Implement

Open questions

#	Topic	Issue	Effect on Current Implementation	Assumption / Action
1	Truck weight	Does the recorded truck weight before departure represent the total weight (truck + cargo) or only the truck's net weight?	High	Assume it represents the total actual weight and validate against maximum capacity
2	Driver licenses	What defines compatibility between a driver's license and a truck? Is it based on truck type, model, or another classification?	High	Ask the client / forum
3	Items in transport	Should the transport module manage full item details, or only basic data (e.g., item ID, name, quantity)?	High	Assume only basic item data is stored
4	Delivery zones	How are delivery zones defined, and can a site belong to more than one zone?	Medium	Assume each site belongs to exactly one delivery zone

#	Topic	Issue	Effect on Current Implementation	Assumption / Action
5	Route planning	Does the system need to optimize the delivery route between destinations, or only store the user-defined order?	High	Assume no route optimization is required at this stage
6	Weight violation handling	When overweight is detected, should the system automatically suggest a solution, or only alert the user?	High	Assume the system only alerts the user
7	Delivery updates	Can a delivery be modified after creation (driver, truck, destinations), or only before departure?	Medium	Assume editing is allowed only before departure
8	Delivery document	What exact fields must appear in the delivery document for each destination?	Low	Leave open
9	Site roles	Can a site act as both source and destination, and are there restrictions based on site type (supplier vs branch)?	Medium	Assume both roles are allowed but sites are distinguished by type
10	Document numbering	Is the delivery document identifier required to be globally unique across the system or only within a specific delivery?	Low	Assume globally unique identifiers