
1. Sorting of array

```
■ File Edit Search Run Compile Debug Project Options
                                                               Window Help
                                SORTING.CPP =
 -[1]-
#include<stdio.h>
#include<comio.h>
void main()
clrscr();
int i,j,a,n,number[30];
printf("enter the size of the array:");
scanf ("%d",&n);
printf("enter the elements of the array:");
for(i=0;i<n;++i)
scanf ("zd", &number[i]);
for(i=0;i<n;++i)
                            for(j=i+1;j<n;++j)
if(number[i]>number[j])
a=number[i];
number[i]=number[j];
number[j]=a;
 ——— 1:1 ———
F1 Help Alt-F8 Next Msg Alt-F7 Prev Msg Alt-F9 Compile F9 Make F10 Menu
```



Output

```
enter the size of the array:6
enter the elements of the array:3

1
4
8
7
the sorted array is
134578_
```

2. Disjoint set operations

```
■ File Edit Search Run Compile Debug Project Options
-[■] DISJOINT.CPP
                                                            Window Help
 #include<stdio.h>
struct disjset
int parent[10];
int rank[10];
int n;
ldis:
void makeset()
for(int i=0;i<dis.n;i++)
                                             dis.parent[i]=i;
dis.rank[i]=0;
}}
void displayset()
for(int i=0;i<dis.n;i++)
printf("xd",dis.parent[i]);
■ File Edit Search Run Compile Debug Project Options
                                                            Window Help
-[0]
                         DISJOINT.CPP —
                                                                  <del>__2=[‡]_</del>
for(int i=0;i<dis.n;i++)
printf("xd",dis.parent[i]);
printf("\nrank array\n");
for(i=0;i<dis.n;i++)
printf("xd",dis.parent[i]);
printf("\n");}
int find(int x)
if(dis.parent[x]!=x)
dis.parent[x]=find(dis.parent[x]);
return dis.parent[x];
void union(int x,int y)
int xset=find(x);
      F1 Help F2 Save F3 Open Alt-F9 Compile F9 Make F10 Menu
```

```
■ File Edit Search Run Compile Debug Project Options
                                                                 Window Help
-[•]-
                                DISJOINT.CPP =
                                                                        -2=[$]-
int xset=find(x);
int uset=find(u);
if(xset==yset)
return:
if(dis.rank[xset]Kdis.rank[yset])
dis.parent[xset]=uset;
dis.rank[xset]=1;
else if(dis.rank[xset]>dis.rank[yset])
dis.parent[yset]=xset;
dis.rank[yset]=1;
else
dis.parent[yset]=yset;
dis.rank[xset]=dis.rank[xset]+1;
   —— 1:1 ———
F1 Help F2 Save F3 Open Alt-F9 Compile F9 Make F10 Menu
 ≡ File Edit Search Run Compile Debug Project Options
                                                                 Window Help
 -[1]-
                               = DISJOINT.CPP =
                                                                       =2=[#]=
dis.rank[yset]=1;
int main()
int x,y,n;
printf("How many elemments");
scanf("zd",&n);
makeset();
int ch, wish;
do
printf("\n MENU\n1.UNION\n2.FIND\n3.DISPLAY\n");
printf("eter choice");
scanf ("xd", &ch);
switch(ch)
cas 1:printf("enter elements to prform union");
scanf ("xdxd",&x,&y);
union(x,y);
break;
       - 1:1 -----
F1 Help F2 Save F3 Open Alt-F9 Compile F9 Make F10 Menu
```

```
≡ File Edit Search Run Compile Debug Project Options
                                                                Window Help
 -[•]-
                               = DISJOINT.CPP =
                                                                      -2=[$]-
switch(ch)
cas 1:printf("enter elements to prform union");
scanf ("xdxd",&x,&y);
union(x,y);
break;
case 2:printf("enter elements to check if the components ");
scanf ("zdzd",&x,&y);
if(find(x)==find(y))
printf("connecet components\n");
else
printf("not connected components");
break:
case 3:
displayset();
break;
printf("Do you wish to continue?(1/0)\n");
scanf("xd", &wish);
while(wish==1);
 ----- 1:1 -----
F1 Help F2 Save F3 Open Alt-F9 Compile F9 Make F10 Menu
 ≡ File Edit Search Run Compile Debug Project Options
                                                                Window Help
-[1]-
                            — DISJOINT.CPP =
                                                                      -2-[#]--
if (f ind(x)==f ind(y))
printf("connecet components\n");
else
printf("not connected components");
break;
case 3:
displayset();
break;
printf("Do you wish to continue?(1/0)\n");
scanf("%d",&wish);
while(wish==1);
return 0;
      — 1:1 ———
F1 Help F2 Save F3 Open Alt-F9 Compile F9 Make F10 Menu
```

+

```
How many elements?4
  Menu
1.Union
2.Find
3.Display
enter choice
Enter elements to perform union:2 3
Do you wish to continue?(1/0)
  Menu
1.Union
2.Find
3.Display
enter choice
Enter elements to check if connected components:
  _Menu_
1.Union
2.Find
3.Display
enter choice
Enter elements to check if connected components:1 4
Not connected components
Do you wish to continue?(1/0)
  Menu___
1.Union
2.Find
3.Display
enter choice
Parent Array
0122
Rank Array
001-1
Do you wish to continue?(1/0)
```