HOW WE'RE BUILDING THIS · CONSUMER UX DIRECTION

Two journeys the wallet owns: Add and Prove.

Getting a trusted document in, and sharing the minimum to prove something. A phone may decide *which* wallet answers — it does not take over the wallet's job.

THE PLATFORM MAY MEDIATE

- Which wallet or document is offered to a website (the chooser sheet).

THE WALLET REMAINS RESPONSIBLE FOR

- Authenticating the verifier & validating the request
- Understandable consent, and sharing the **minimum**
- Explicit approval, and building the response securely
- Delivery, and recovery when things go wrong

THE BOUNDARY THAT MUST HOLD

Plain words on top — verified data underneath

Protocol terms never reach the person. But every simplified line is **bound to the verified protocol data** beneath it: simplification must never weaken verifier identity, consent integrity, or minimisation.

Each consumer line is the plain-language face of a security decision — not a replacement for it.

WHAT THE PERSON SEES	WHAT IT IS BOUND TO (NEVER WEAKENED)

WHAT THE PERSON SEES	WHAT IT IS BOUND TO (NEVER WEAKENED)
"✓ Verified issuer — Bundesdruckerei"	Authenticated certificate path to a trusted issuer; the name comes from the certificate, never from caller-supplied text.
"weindeals.example · registered verifier"	Verifier authenticated and its identifier bound to its certificate; the shown name is the authenticated one, and its stated purpose comes from its registration.
"Over 18: Yes" — and nothing else	A single selectively-disclosed claim from a credential whose issuer signature and device key-binding verified; only that claim is placed in the response.
"Not shared: name, date of birth, address"	Data minimisation: attributes outside the request are never assembled into the response — the "not shared" line is the true response contents.
"This site is asking for more than it registered for"	The request is checked against the verifier's registration; an over-ask is flagged before anything is shared.
"Approve with Face ID"	A device-key signature over the exact request nonce (proof of possession). No approval → no response leaves the device.

TRY IT · TAP TO MOVE THROUGH

A clickable walkthrough of both journeys

Pick a journey and tap the buttons — the same real controls a person would use, operable by keyboard and VoiceOver. Nothing is sent anywhere. Use **Back** or **Start over** any time; the "Aa Large text" button at the top scales this too.



JOURNEY · ADD (ISSUANCE)

Add your National ID — calm, understandable, recoverable

Issuer-first, ordinary verbs, no protocol words. As few screens as it takes; a confident user moves quickly, an unsure one is never stuck. Every screen's controls are real and reach VoiceOver in reading order.



ADD · 1

Meet the offer, issuer first

The authority is named and verified up front; purpose in one line; the attribute list is an optional button, never an approval wall.

VoiceOver reading order



ADD · 2

Ask about the PIN before the tap — calmly

We never assume a known PIN. "I'm not sure" leads to help framed as normal, not failure. Transport-PIN, CAN and blocked-PIN detail live in that help, not here.

VoiceOver reading order





ADD · 3

The tap — guided, and always cancellable

Live spoken status (“Reading... keep still”, and “Connection lost, reposition” on a slip). Every NFC and network step can be cancelled and resumed; a slip reconnects — it never restarts the journey.

`VoiceOver reading order`

ADD · 4

Confirm by purpose & issuer — not a checklist

We explain what the document is *for* and who stands behind it; the detailed attributes stay behind “What will be added?”, so the primary screen is calm.

`VoiceOver reading order`



ADD · 5

Preparing is a state, not a spinner

Issuers deliver asynchronously; we say so, let the user leave, and continue on the home card with a notification when ready. No time promises until measured with the real Ausweis SDK, network and issuer paths.

`VoiceOver reading order`



ADD · 6

End on something useful to do

Success leads into a real, privacy-preserving action — prove age without revealing name or birth date — turning a one-time add into an active wallet.

`VoiceOver reading order`

DURABLE STATE · WALLET HOME

The document lives as a home card — Preparing, Ready, Needs attention

Issuance status is a persistent card the user can leave and return to, carrying its own action so recovery is one tap away. It survives closing the app and rebooting.



HOME · Preparing

Preparing

Calm, no action needed.

HOME · Ready

Ready

Usable; its primary action is to prove/share.



HOME · Needs attention

Needs attention

Recoverable, progress saved, one-tap continue — never a dead end.

JOURNEY · PROVE (CONSENT)

Consent is the wallet’s — who’s asking, what’s shared, why, and what isn’t

When a website or reader asks, the wallet authenticates the verifier, validates the request, shows a plain request, shares the minimum, and takes an explicit approval. This screen is ours to get right.



PROVE · 1

Who · what · why · retention · and what is *not* shared

One legible request: verifier + registered purpose, the single answer shared, retention stated, and an explicit "Not shared" line. Approval is a deliberate Face ID action.

VoiceOver reading order

PROVE · over-ask

Warn on over-asking — a safety moment

Because the wallet authenticates the verifier against its registration, it flags a request beyond the declared purpose. The default is "don't share". Protection a passive chooser cannot offer.

VoiceOver reading order

EVERY PATH THAT ISN'T HAPPY

Errors, interruptions, and coming back later

Each names what happened in plain words and offers one clear recovery. Nothing dead-ends; progress is always saved.



STATE · wrong PIN

Wrong PIN

Tries remaining shown; help offered before the last try.



STATE · blocked PIN

Blocked PIN

CAN / reset detail lives here in context, not on the calm primary screens. Resume after reset.



STATE · NFC lost

NFC interrupted

Auto-resume the read; never restart the whole flow. Cancel always present.



STATE · unsupported device

Unsupported device

Detected before the tap; routed to alternatives, not a blank failure.



STATE · issuer rejection

Issuer rejection

The exact human reason from the issuer, plus retry and a real contact path.



STATE · timeout

Timeout

Saved progress + resume; same pattern for any network step.



STATE · pending too long

Pending too long

Honest about issuer delay; converts waiting into a notification + status on the home card.



STATE · returning / interrupted

Returning & interrupted session

A resumed session is greeted, not reset; continue or start over.

VALIDATED FOR LARGE TEXT, VOICEOVER & OLDER USERS

Accessibility is a design constraint, not a pass at the end

Use the **"Aa Large text"** button at the top to scale every screen. Full method and results: `docs/ux/accessibility-validation.md`. Empirical testing with people aged ~65–85 is the remaining gate before this is called final.

Built in

- **Real controls, real reading order** — every action is a button; each screen is a labelled group; reading order equals visual order (no screen is a single flat image).
- **Adjustable large text** — the whole prototype honours the large-text toggle; nothing is pinned tiny.
- **44 pt minimum targets**, full-width primary buttons, generous spacing.
- **High contrast** both themes; no low-contrast grey for anything a person must read or do.
- **Flat structure** — grouped rows and dividers, no card-within-card; criticals stay on screen.
- **Plain verbs** — Add, Check, Tap, Confirm, Ready; no "PID", no protocol words.
- **Reduced motion** respected; the tap animation is decorative with a spoken status beside it.

How we validate before "final"

- **Large text:** render at the large setting and confirm no clipping and every control reachable.
- **VoiceOver:** traverse each screen — heading first, then context, then actions; live regions narrate the tap and preparing states.
- **Contrast & targets:** WCAG AA (AAA where feasible) and ≥44 pt, checked against the tokens.
- **Older users (65–85):** moderated sessions on the two tasks — "add your National ID", "prove your age" — watching the PIN question and the tap. Protocol in the validation doc.

Boundary grounded in: Android credential-holder integration (developer.android.com/identity/digital-credentials/credential-holder) · Apple IdentityDocumentServices, provider-owned authorization UI (developer.apple.com/documentation/identitydocumentservices) · EUDI ARF Topic F — consent & relying-party authentication remain with the wallet (eudi.dev/2.9.0/discussion-topics/f-digital-credential-api). Full write-up: docs/ux/issuance-first-proposal.md · validation: docs/ux/accessibility-validation.md.