

SAHAY-AI — Pitch Video Shot List

Smart India Hackathon 2026 · PS SIH26093 · Team ALT F4 · Target runtime 4:40 · v2

Item	Spec
Runtime	Scripted at approximately 630 words, 4 min 40 s at 135 wpm. Lands near 5:00 with pauses and visual holds. Permitted window is 3–5 minutes.
Narration	One voice throughout. 135 words per minute. Full stops in the voiceover column are real pauses, not punctuation.
Captions	Burned in. Many judges watch the first pass muted.
Music	–22 dB under voice. Silent through beat 6.
Primary asset	Real UI screen capture. It is more persuasive than any slide or generated image.
Deliverable	1080p minimum, H.264 MP4, captions burned in, no end-slate longer than 4 s.

Shot list

The voiceover column is read verbatim. Grey italic lines are direction, not narration.

Time	Beat	Voiceover — read verbatim	On screen	Done
0:00–0:20 20 s	1 COLD OPEN	Every year, thousands of calls reach India’s helpline against atrocities. A person in distress tells their story. And then tells it again. To the next officer. And the next. By the time someone can act, the most urgent thing they said may already be buried.	VISUAL Black. Slow fade to a single ringing-phone waveform, or an empty helpline desk at night. AI image — ambient, no people. OVERLAY SIH 2026 · PS SIH26093 · Team ALT F4 (small, bottom) AUDIO No music yet. <i>Let the first line land completely dry.</i>	
0:20–0:52 32 s	2 THE PROBLEM	Helpline 14566 is the first point of contact for victims of atrocity. The people who answer it are trained, and they are outnumbered. There is no time to re-read every transcript, and no way to know which of forty waiting calls is the one that cannot wait. The problem statement asks for something specific: assess stress and vulnerability in real time, in multiple languages, detect crisis and intimidation, and recommend a pathway — without ever taking the decision away from a person.	VISUAL Slide 5 CURRENT FRICTION column, animating in one card at a time. Cut to the problem-statement requirement list. OVERLAY Fragmented · Buried cues · Manual triage AUDIO Music bed enters, low.	
0:52–1:15 23 s	3 WHAT IT IS	SAHAY-AI is an AI intake module for 14566 and the integrated portal. It listens once, in the caller’s own language, captures the account, and hands a trained officer a case that is already prioritised, already evidenced, and ready to act on. It replaces no one. It decides nothing.	VISUAL Slide 2 four-step journey strip, building left to right. OVERLAY AI recommends. A human decides. — hold 3 s	
1:15–1:48 33 s	4 NOT A CHATBOT	It would have been easier to build a chatbot. We deliberately did not. A general model, asked to run this conversation, will eventually improvise — give advice it was never licensed to give, promise an outcome no one can promise, or ask a distressed person to relive a detail nobody needs.	VISUAL Animate the chain, one block at a time: STATE MACHINE — chooses ▶ LLM — phrases only ▶ VALIDATOR — passes or falls back ▶ SPEAK	

Time	Beat	Voiceover — read verbatim	On screen	Done
		So the architecture inverts it. A deterministic state machine chooses the one approved question. The model is handed that question, and permitted only to phrase it. Every sentence is validated before it is spoken — and if validation fails, a pre-written line is used instead. The entire intake runs with the language model switched off.	OVERLAY The machine picks the question. The model only phrases it. <i>Strongest single claim in the film. Land the final line, then hold a full beat of silence before cutting.</i>	
1:48–2:25 37 s	5 VICTIM SIDE	The call opens with consent, and with the truth. “You are speaking with an AI. A human officer reviews everything. You can ask for a person at any time.” Then it listens. A bounded intake — eight to twelve turns — that skips any question the person has already answered. Because asking someone to repeat what they just told you is the fastest way to lose their trust.	VISUAL — real UI capture Victim app: consent screen → AI disclosure banner → live transcript filling, Hindi then English. Device-resolution capture. Never a camera pointed at a phone. OVERLAY Illustrative scenario · fictional data (small, persistent through every UI beat)	
2:25–2:50 25 s	6 CRISIS INTERRUPT	And on every single turn, before anything else runs, one check. If someone signals self-harm or immediate danger, the conversation stops. A fixed, counsellor-reviewed script plays. The case is marked Critical. A human takes over immediately — and the intake never resumes on its own. That check is deterministic. No model decides it.	VISUAL — real UI capture The crisis path firing: state change, Critical band appears, handoff triggers. OVERLAY CRISIS → FIXED SCRIPT → HUMAN, NOW (in the reserved crisis colour) AUDIO Cut music to silence on “one check.” Return it after “No model decides it.” <i>Silence is the strongest production choice available in this film. Use it.</i>	
2:50–3:32 42 s	7 CONSOLE AND INDEX	On the officer’s side, the queue is ordered — never filtered. Nothing is hidden from a human because a model scored it low. Each case opens with a Stress Vulnerability Index. Never a bare number. Nine dimensions — immediate safety, crisis language, intimidation, distress, trauma indicators, isolation, medical urgency, legal urgency, and whether the person can even	VISUAL — real console capture Queue → claim a case → case packet → SVI breakdown → click a dimension and the source utterance highlights → decision buttons → audit log. 1080p minimum, browser chrome hidden. OVERLAY	

Time	Beat	Voiceover — read verbatim	On screen	Done
		speak freely. Published weights. Every dimension linked to the exact words it came from. Two rules override the arithmetic. Confirmed danger or crisis forces Critical, whatever the weighted score says. And where confidence is low, the system produces no score at all — it returns needs human assessment, and says why.	Ordered, never filtered / Evidence-linked / Abstains when unsure (one per sentence) <i>The evidence-link click is the most convincing three seconds you have. Shoot it clean and consider a slow zoom.</i>	
3:32–3:52 20 s	8 PRIVACY	The person on the other end never sees any of it. No score, no band, no alert — enforced on the server, and proved by an automated test. Consent is recorded. Audio expires. The data stays in India.	VISUAL Split screen. Left: officer view with the full SVI. Right: victim timeline with none of it. OVERLAY DPDP Act 2023 · India-resident · every access audited	
3:52–4:18 26 s	9 FITS WHAT EXISTS	None of this asks the helpline to change how it works. Every channel — app, portal, the existing chatbot, and telephony through a licensed operator — terminates at one ingestion interface. The case packet writes into the department’s own system, so SAHAY-AI adds to the record instead of creating a second one. It runs as containers on government cloud, on any empanelled provider, or on a state’s own servers. CPU-only. No GPU per district, no per-request fee, no audio leaving the country. And if it is switched off, the helpline works exactly as it does today.	VISUAL The slide 3 infrastructure strip, blocks lighting up left to right. OVERLAY NIC MeghRaj · empanelled cloud · on-premises then: No vendor lock-in	
4:18–4:48 30 s	10 EVIDENCE	This runs today. On one machine, offline. One thousand two hundred and fifty-one automated tests pass — including the ones that prove a victim client can never receive an assessment. We also trained a model. And we rejected it, because on our own published fixtures it scored worse than the deterministic pipeline. It runs in shadow mode where it can change nothing, and our report says so in full. From here it scales through open Indian models — AI4Bharat’s Indic voices and speech recognition — one language at a time, each gated by its own evaluation.	VISUAL Scroll through local-research-analysis.pdf. Hold on the headline numbers table, then on the projection chart. Then the roadmap ribbon: PILOT → STATE → NATIONAL · 22 scheduled languages. OVERLAY 1,251 / 1,253 tests · 0 leaks · model: rejected_for_product_integration	

Time	Beat	Voiceover — read verbatim	On screen	Done
			<i>Deliver the rejected-model line flat and factual. It is a credibility asset, not an apology.</i>	
4:48–5:05 17 s	11 CLOSE	An atrocity helpline does not need an AI that decides. It needs one that listens carefully, never misses the call that cannot wait, and hands a person the evidence to act. SAHAY-AI. Listening. Understanding. Enabling safer tomorrows.	VISUAL Return to the opening frame, now lit. OVERLAY SAHAY-AI wordmark + SIH 2026 logo + Team ALT F4 · PS SIH26093 AUDIO Music resolves. Hard cut to black.	

Runtime control

Scripted at approximately 630 words, which is 4:40 at 135 wpm and lands near 5:00 with pauses and holds. The permitted window is 3 to 5 minutes, so there is room in both directions.

If you need	Cut this
About 4:10	Beat 2, second paragraph (the problem-statement requirement list). Beat 9, third paragraph (the hosting detail).
About 3:40	The above, plus beat 9 entirely. The deployment story is carried by the slides.
Never cut	Beats 4, 6 and 7. The architectural thesis, the crisis interrupt and the evidence link. Everything else is support for those three.

Asset list

Asset	Used in	Capture notes
SIH 2026 logo	Beats 1, 11	Two placements only. More reads as filler.
PPT slides	Beats 2, 3, 9, 10	Export slides as PNG and animate in the editor. Never screen-record PowerPoint — the transitions and cursor will show.
Victim app UI	Beats 5, 6, 8	Device-resolution screen capture. Not a camera pointed at a phone.
Executive console UI	Beats 7, 8	1080p minimum. Hide browser chrome. Use fictional names visible on screen.
local-research-analysis.pdf	Beat 10	Smooth scroll capture, then hold on one table for at least 2 s.
AI-generated images	Beats 1, 11 only	Abstract and ambient: an empty desk, a lit window, a phone line. Nothing depicting a person in distress.

What must not appear on screen

No depiction of a victim. No AI-generated or stock image of a distressed person, and no re-enactment of an atrocity. For a Ministry of Social Justice audience this reads as exploiting the subject, and it is the fastest way to lose the room. The working UI is more persuasive than any face.
--

- No data that could be mistaken for real. Fictional names throughout, with the "fictional data" caption present during every UI beat.
- No accuracy percentage that cannot be sourced. The script quotes the test count rather than a favourable recall figure, deliberately — the research report refuses to quote a favourable slice, and the video should match it.
- No claim of diagnosis, clinical validity or production deployment, in narration or on screen.

Production notes

- Record at 135 words per minute. The full stops in the voiceover column are real pauses — especially after "It decides nothing", "switched off", and "No model decides it."
- Burn in captions. Many judges watch the first pass with the sound off.
- Music bed at -22 dB under voice, and fully silent through beat 6.
- One narrator for the whole film. Two voices on a five-minute pitch sounds like a group assignment.
- Record 30 seconds of room tone before the first take, for the editor to patch gaps.
- Record each beat as a separate take. Re-recording beat 6 should not mean re-recording the film.

Overlay text — copy and paste

SIH 2026 • PS SIH26093 • Team ALT F4
Fragmented • Buried cues • Manual triage
AI recommends. A human decides.
The machine picks the question. The model only phrases it.
Illustrative scenario • fictional data
CRISIS → FIXED SCRIPT → HUMAN, NOW
Ordered, never filtered
Evidence-linked
Abstains when unsure
DPDP Act 2023 • India-resident • every access audited
NIC MeghRaj • empanelled cloud • on-premises
No vendor lock-in
1,251 / 1,253 tests • 0 leaks • model: rejected_for_product_integration
PILOT → STATE → NATIONAL • 22 scheduled languages
SAHAY-AI • Listening. Understanding. Enabling safer tomorrows.

Pre-shoot checklist

Before recording any screen capture

- ☐ Seed the database with a fictional scenario that reaches Critical, so beat 6 has something real to show.
- ☐ Seed a second scenario that ends in abstention, so beat 7 can show the "needs human assessment" state.
- ☐ Check every visible name, phone number and case reference is obviously fictional.
- ☐ Set the console to a clean window size and hide bookmarks, extensions and notifications.
- ☐ Disable system notification banners on the capture machine.
- ☐ Confirm the crisis path fires reliably on the scripted utterance before you start recording.

Before recording voiceover

- ☐ Read the full script aloud once and time it. Adjust before recording, not in the edit.
- ☐ Confirm the pronunciation of SAHAY, NHAA, MeghRaj and AI4Bharat with the narrator.
- ☐ Record 30 seconds of room tone.
- ☐ Record each beat separately, with two takes of beats 4, 6 and 7.

Before export

- ☐ Captions burned in and checked against the script word for word.
- ☐ The "fictional data" caption is present in every UI beat.
- ☐ No depiction of a person in distress anywhere in the cut.
- ☐ Every on-screen number matches the research report.
- ☐ Runtime is between 3:00 and 5:00.
- ☐ Watched once with the sound off, and it still makes sense.
- ☐ Watched once on a phone, and the smallest on-screen text is still readable.