



FourlinQ

Windows & Doors

System Catalog

"A Lifetime of Satisfaction and Peace of Mind."

10-Year Limited Warranty

Custom-made Windows & Doors to suit customers' specifications.

July 2026

fourlinq.ph · sales@fourlinq.com

Seven reasons the spec holds.

Windows and Doors are built to last. Each claim below is carried by the profile itself: the material, the chambers, the seals.

Attractive Appearance

Clean, modern profiles available in 12 finishes, from classic white to rich wood grains, designed to complement any architectural style.

Fire Retardant

uPVC material is inherently fire retardant, slowing the spread of flames and adding a critical layer of protection to your home.

Thermal Efficiency

Multi-chamber profile design traps air to reduce heat transfer, keeping interiors cooler and lowering energy consumption.

Corrosion Resistant

Unlike steel, uPVC never rusts, ideal for the Philippine climate with its humidity, salt air, and heavy rainfall.

Long Lasting Performance

Engineered for durability with a 10-year limited warranty. uPVC does not warp, rot, or require repainting over its lifetime.

Weather Resistance

EPDM gaskets and drainage holes ensure a tight seal against rain, wind, and storm conditions, built for tropical weather.

Sound Insulation

Multi-chamber profiles and thick glass (6mm to 12mm) significantly reduce outside noise for a quieter, more comfortable home.

What's inside the frame.

Seven engineering features, numbered as on the profile diagram. The photographs show the actual multi-chamber profile: the white cut section and the Walnut wood-grain laminate.



01 Thick Glass

6mm to 12mm thick glass.
Better insulation, soundproofing, and impact resistance.

02 Smooth Homogenous Profile

Smooth homogenous profile enables easy cleaning.
No grooves or gaps where dirt accumulates. Wipe clean in seconds.

03 Galvanized Steel Reinforcement

Galvanized steel reinforcement for strength, stability, and security.
Structural rigidity that resists forced entry and heavy wind loads.

04 Multi-Chamber Profile

Multi-chamber designed profile for excellent heat insulation and energy savings.
Trapped air chambers act as thermal barriers: cooler rooms, lower electricity bills.

05 Internal Glazing Beads

Internal glazing beads for added security.
Glass is secured from the inside, so it cannot be removed from outside the home.

06 EPDM Gaskets

EPDM gaskets for air and water tightness.
Creates a weatherproof seal that keeps out rain, wind, dust, and insects.

07 Drainage Holes

Drainage holes for proper drainage.
Prevents water pooling inside the frame: no leaks, no water damage.

The product range.

Custom-made Windows & Doors to suit customers' specifications.




WINDOW

Casement

Smooth operation. Reliable performance.

A smooth-rolling window that offers reliability, performance, and great looks. Hinged on one side, it opens outward for maximum ventilation and a clean facade.

- Maximum ventilation and easy cleaning




WINDOW · DOOR

Sliding

Elegant. Versatile. Thoroughly reliable.

Elegant, attractive, and versatile while being thoroughly reliable. Slides horizontally along a track, ideal where outward clearance is limited.

- Space-saving, ideal for balconies and wide openings



WINDOW

Special Shapes

Make a statement with glass.

Designed to provide ventilation even when it is raining. Can be combined with other window types to create a very dramatic feature wall of glass.

- Dramatic architectural impact, fully custom geometry



WINDOW

Awning

Light and security, beautifully combined.

Designed to provide light and architectural interest where ventilation is not necessarily needed but security is. Hinged at the top and opens outward.

- Weather protection while allowing airflow and light

The product range, continued.



WINDOW · DOOR

Slide & Fold

Open up your space completely.

Panels that slide and fold to one side, creating a fully open wall between indoor and outdoor spaces. Ideal for living areas, patios, and entertainment spaces.

- Full wall opening, seamless indoor-outdoor living



DOOR

Lift & Slide

Large panels. Effortless glide.

A heavy-duty sliding door system. Turning the handle lifts the panel off its seals so it glides almost weightlessly, then drops it back to lock into a weather-tight seal. Built for large, heavy glass panels and wide openings.

- Large, heavy panels that still glide effortlessly and seal tight

MATERIALS

uPVC and aluminium.

uPVC

- Fire retardant
- Thermally efficient, multi-chamber design
- Never rusts or corrodes
- No painting or maintenance required
- Galvanized steel reinforced for security
- EPDM gaskets, fully weatherproof
- 6mm to 12mm glass options
- Sound insulating
- 10-Year Limited Warranty

Aluminium **NEW**

- Slim sightlines for a modern minimal look
- High strength-to-weight ratio
- Suitable for large-span openings
- Corrosion-resistant

PROFILE SYSTEMS

SYSTEM	MATERIAL	NOTE
Veka	uPVC	German brand
Skyframe	uPVC	Chinese brand
Standard / Regular Systems	Aluminium	Wall thickness 1.2mm to 3.0mm.
Alu Slim Systems	Aluminium	Minimum-sightline aluminium profile.

Twelve finishes, verified on profile.

Colour references from physical uPVC profile sample bars. Wood-grain finishes carry a laminated texture; solids are smooth.

WOOD GRAIN



Oak Light

Pale golden blonde with soft, fine grain. The lightest wood option, airy and natural. Works well in Scandinavian-inspired and minimalist interiors.



Oak Malt

Warm medium-blond with golden-amber tones and slightly pronounced grain. Natural and unpretentious, like raw, unfinished timber. Pairs well with earth-tone interiors.



Black Wood

Deep espresso brown-black where wood grain is still perceptible in raking light. Moody and rich, like ebonized oak or dark wenge.



Gray Wood

Cool gray base with subtle brown-taupe grain lines, like driftwood or weathered timber. A crossover finish that is neither fully wood nor fully solid.



Dark Oak

Medium-dark reddish-brown with clearly defined, flowing grain lines in deep amber and brown. Classic and warm, reminiscent of mahogany-adjacent hardwoods.



Walnut

Rich chocolatey brown with prominent, swirling grain. Bold contrast between dark base and lighter streaks. The most premium timber look in the lineup.



Golden Oak

Bright honey-amber with a strong open-grain pattern, almost orange-gold in direct light. The most vivid wood finish. Suits traditional Filipino and Spanish colonial interiors.

SOLID



Jet Black

Deep, near-total black with a smooth matte-to-satin surface. Completely uniform, no grain. High contrast and architectural. The darkest and most dramatic option.



Charcoal Gray

Mid-dark gray, softer than Jet Black with a slightly cooler tone. Sits between anthracite and concrete in character, industrial but not aggressive. Very popular on contemporary facades.



Matte Quartz

Flat medium gray with almost no sheen, stone-like and understated. Lighter and warmer than Charcoal. Closest visually to polished concrete or a quartz countertop.



Silica Cream

Warm off-white with sandy undertones. Softer than pure white, blends naturally with concrete, stone, and tropical-palette walls.



White

Clean, bright white with a smooth uniform surface. The most versatile option: it matches any wall color and reads as modern or classic depending on context.

ALUMINIUM POWDER-COAT



Gray



Black



Brown



White

WARRANTY

10-Year Limited Warranty.

— Corrosion resistance

— Long lasting performance

— Weather resistance

— Sound insulation

SHOWROOMS & BRANCHES

Ortigas: CW Home Depot

Unit 41 Doña Julia Vargas Ave., cor.
Meralco Avenue, Brgy. Ugong, Pasig City

Alabang: CW Home Depot

Alabang Showroom G/F Unit B-22 /
Alabang Showroom 2/F Unit A-44,
Alabang Zapote Road cor. Filinvest Ave.,
Westgate Alabang, Muntinlupa

Cebu Branch

Door 9 Centro Fortuna Building, A.S.
Fortuna Street, Banilad, Mandaue City,
Cebu

DIRECT LINE

Sales

0925-848-8888

Landline

(02)8563-5363

Engineering

sales@fourlinq.com

All content in this catalog is verified against official FourlinQ printed brochures and physical profile samples.
Project-specific engineering data, section drawings, and dimensional limits are confirmed per project — email
sales@fourlinq.com with your elevations.