

Javascript

```
<!doctype html><!-- p1.html -->
<html>
  <head><title> Javascript basic 1 </title></head>
  <body>
    <script>
      name = prompt("Please enter your name");
      document.write("<h1>Hello " + name + ", Welcome to my home page.</h1>");
    </script>
    <p>
      Whatever else you want to write....
    </p>
  </body>
</html>
```

```
<!doctype html><!-- p2.html -->
<html>
  <head><title> Who's Hungry? </title></head>
  <body>
    <script type="text/javascript">
      food = prompt("What is your favorite food?");
      document.write("<h1>Your favorite food is " + food + ".</h1>");

      food = prompt("What is your least favorite food?");
      document.write("<h1>Your least favorite food is " + food + ".</h1>");
    </script>
    <p>
      Whatever else you want to write....
    </p>
  </body>
</html>
```

```
<!doctype html><!-- p3.html -->
<html>
  <head><title> Animal Sound </title></head>
  <body>
    <script>
      animal=prompt("Enter a kind of animal:", "cow");
      sound=prompt("What kind of sound does it make?", "moo");

      document.write("<h1><i>" + animal +
        "</i> makes <span style=color:red>"
        + sound + "</span> kind of sound.</h1>");
    </script>
    <p>
      Whatever else you want to write....
    </p>
  </body>
</html>
```

```
<!doctype html><!-- p4.html -->
<html>
  <head><title> Mouse effect </title></head>
  <body>
    <div style="text-align:center">
      
    </div>
  </body>
</html>
```

```
<!doctype html><!-- p5.html -->
<html>
  <head><title> Mouse effect </title></head>
  <body>
    <div style="text-align:center">
      
    </div>
  </body>
</html>
```

```
<!doctype html><!-- p6.html -->
<html>
  <head><title> On click effect </title></head>
  <body>
    <div style="text-align:center">
      <h3> Click the question mark to reveal the image. </h3>
      
    </div>
  </body>
</html>
```



```
<!doctype html><!-- p7.html -->
<html>
  <head><title> Using button </title></head>
  <body>
    <div style="text-align:center">
      
      <br>
      <input type="button" value="Show Image"
        onclick="document.getElementById('firstImage').src=
          'http://www.balance3e.com/Images/happy.gif';">
      <input type="button" value="Hide Image"
        onclick="document.getElementById('firstImage').src=
          'http://www.balance3e.com/Images/mystery.gif';">
    </div>
  </body>
</html>
```



```
<!doctype html><!-- p8.html -->
<html>
  <head><title> Using alert </title></head>
  <body>
    <script>
      alert('How R U?');
    </script>

    <div style="text-align:center">
      <input type="button" value="Click Here"
        onclick="alert('Yeah, right.');">
    </div>
  </body>
</html>
```

```
<!doctype html><!-- p9.html -->
<html>
  <head><title> Lucky number </title></head>
  <body style="text-align:center">
    <h1 style="margin:75px"> Click button below to find your lucky number.</h1>

    <input type="button" value="Click Here For Lucky Number"
      onclick="luckyNum=Math.floor(Math.random()*100)+1;
        alert('You Lucky Number is '+luckyNum);">

  </body>
</html>
```

```
<!doctype html><!-- p10.html -->
<html>
  <head><title> Output box </title></head>
  <body style="text-align:center">
    <p>Click button below to find your lucky number.</p>

    <input type="button" value="Click Here For Lucky Number"
      onclick="luckyNum=Math.floor(Math.random()*100)+1;
        document.getElementById('numberBox').value = luckyNum;">

    <hr>
    <p>
      Your lucky number is:
      <input type="number" id="numberBox" size="4" value="">
    </p>
  </body>
</html>
```

```
<!doctype html><!-- p11.html -->
<html>
  <head><title> Input via box </title></head>
  <body style="text-align:center">
    <h2>Temperature conversion page.</h2><hr>
    <p>    Enter a temerature in degrees Fahrenheit:
      <input type="number" id="fahrBox" size="10" value="">
    </p>
    <p>    <input type="button" value="Convert to Celsius"
      onclick="tempInF=document.getElementById('fahrBox').value;
        tempInC=(5/9)*(tempInF-32);
        document.getElementById('celsiusBox').value=tempInC">
    </p>
    <p>    Equivalent temperature in degrees Celsius:
      <input type="number" id="celsiusBox" size="10" value="">
    </p>
  </body>
</html>
```

```
<!doctype html><!-- p12.html -->
<html>
  <head><title> Input/Output via same box </title></head>
  <body style="text-align:center">
    <h2>Input/Output via same box.</h2><hr>
    <input type="button" value="Double the number"
      onclick="numIn=document.getElementById('box').value;
        numOut=2*numIn;
        document.getElementById('box').value=numOut">
    <input type="number" id="box" size="20" value="">
  </body>
</html>
```

```
<!DOCTYPE html><!-- p13.html -->
<html>
  <head>
    <title>form0</title>
  </head>
  <body>
    <form action="http://localhost/register.php" method="get">
      <input name="email" placeholder="Email" type="text">
      <input name="password" placeholder="Password" type="password">
      <input name="confirmation" placeholder="Password (again)" type="password">
      <input name="agreement" type="checkbox"> I agree
      <input type="submit" value="Register">
    </form>
  </body>
</html>
```