

```

<!DOCTYPE html>
<html lang="en">

<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Invoice</title>
<link rel="stylesheet" href="style.css" type="text/css" media="all" />
<link href="https://cdn.jsdelivr.net/npm/tailwindcss@2.2.19/dist/tailwind.min.css"
rel="stylesheet">
</head>

<body>
<div class="py-4">
  <div class="px-14 py-6">
    <table class="w-full border-collapse border-spacing-0">
      <tbody>
        <tr>
          <td class="w-full align-top">
            <div>
              
            </div>
          </td>
          <td class="align-top">
            <div class="text-sm">
              <table class="border-collapse border-spacing-0">
                <tbody>
                  <tr>
                    <td class="border-r pr-4">
                      <div>
                        <p class="whitespace-nowrap text-slate-400 text-right">Date</p>
                        <p class="whitespace-nowrap font-bold text-main text-right">29/4/2024
6:21 PM</p>
                      </div>
                    </td>
                    <td class="pl-4">
                      <div>
                        <p class="whitespace-nowrap text-slate-400 text-right">Invoice #</p>
                        <p class="whitespace-nowrap font-bold text-main text-
right">order_O4RcTXSdYhD8WS</p>
                      </div>
                    </td>
                  </tr>
                </tbody>
              </table>
            </div>
          </td>
        </tr>
      </tbody>
    </table>
  </div>
</div>

```

```
        </table>
      </div>
    </td>
  </tr>
</tbody>
</table>
</div>
```

```
<div class="bg-slate-100 px-14 py-6 text-sm">
  <table class="w-full border-collapse border-spacing-0">
    <tbody>
      <tr>
        <td class="w-1/2 align-top">
          <div class="text-sm text-neutral-600">
            <p class="font-bold">Supplier Company INC</p>
            <p>Name: demo123</p>
            <p>Phone: 9846953197</p>
            <!-- Assuming address is an object -->
            <p>VAT: undefined</p>
            <p>undefined</p>
            <p>undefined, undefined, undefined</p>
            <p>undefined</p>
          </div>
        </td>
        <td class="w-1/2 align-top text-right">
          <div class="text-sm text-neutral-600">
            <p class="font-bold">Customer Company</p>
            <p>Phone: 9846953197</p>
            <p>VAT: undefined</p>
            <!-- Assuming address is an object -->
            <p>undefined</p>
            <p>undefined, undefined, undefined</p>
            <p>undefined</p>
          </div>
        </td>
      </tr>
    </tbody>
  </table>
</div>
```

```
<div class="px-14 py-10 text-sm text-neutral-700">
  <table class="w-full border-collapse border-spacing-0">
    <thead>
      <tr>
        <td class="border-b-2 border-main pb-3 pl-3 font-bold text-main">#</td>
        <td class="border-b-2 border-main pb-3 pl-2 font-bold text-main">Product
```

```

details</td>
    <td class="border-b-2 border-main pb-3 pl-2 text-right font-bold text-
main">Price</td>
    <td class="border-b-2 border-main pb-3 pl-2 text-center font-bold text-
main">Qty.</td>
    <td class="border-b-2 border-main pb-3 pl-2 text-center font-bold text-
main">VAT</td>
    <td class="border-b-2 border-main pb-3 pl-2 text-right font-bold text-
main">Subtotal</td>
    <td class="border-b-2 border-main pb-3 pl-2 pr-3 text-right font-bold text-
main">Subtotal + VAT</td>
</tr>
</thead>
<tbody>

    <tr>
    <td class="border-b py-3 pl-3">1.</td>
    <td class="border-b py-3 pl-2">aldrin</td>
    <td class="border-b py-3 pl-2 text-right">$45.00</td>
    <td class="border-b py-3 pl-2 text-center">1</td>
    <td class="border-b py-3 pl-2 text-center">undefined%</td>
    <td class="border-b py-3 pl-2 text-right">$45.00</td>
    <td class="border-b py-3 pl-2 pr-3 text-right">$NaN</td>
</tr>

    <tr>
    <td colspan="7">
    <table class="w-full border-collapse border-spacing-0">
    <tbody>
    <tr>
    <td class="w-full"></td>
    <td>
    <table class="w-full border-collapse border-spacing-0">
    <tbody>
    <tr>
    <td class="border-b p-3">
    <div class="whitespace-nowrap text-slate-400">Net total:</div>
    </td>
    <td class="border-b p-3 text-right">
    <div class="whitespace-nowrap font-bold text-main">$320.00</div>
    </td>
    </tr>
    <tr>
    <td class="p-3">
    <div class="whitespace-nowrap text-slate-400">VAT total:</div>

```

```

        </td>
        <td class="p-3 text-right">
            <div class="whitespace-nowrap font-bold text-main">$64.00</div>
        </td>
    </tr>
    <tr>
        <td class="bg-main p-3">
            <div class="whitespace-nowrap font-bold text-white">Total:</div>
        </td>
        <td class="bg-main p-3 text-right">
            <div class="whitespace-nowrap font-bold text-white">$384.00</div>
        </td>
    </tr>
</tbody>
</table>
</td>
</tr>
</tbody>
</table>
</td>
</tr>
</tbody>
</table>
</div>

```

```

<div class="px-14 text-sm text-neutral-700">
    <p class="text-main font-bold">PAYMENT DETAILS</p>
    <p>Banks of Banks</p>
    <p>Bank/Sort Code: 1234567</p>
    <p>Account Number: 123456678</p>
    <p>Payment Reference: BRA-00335</p>
</div>

```

```

<div class="px-14 py-10 text-sm text-neutral-700">
    <p class="text-main font-bold">Notes</p>
    <p class="italic">Lorem ipsum is placeholder text commonly used in the graphic,
print, and publishing industries
    for previewing layouts and visual mockups.</p>
</div>

```

```

<footer class="fixed bottom-0 left-0 bg-slate-100 w-full text-neutral-600 text-center
text-xs py-3">
    Supplier Company
    <span class="text-slate-300 px-2">|</span>
    info@company.com
    <span class="text-slate-300 px-2">|</span>

```

+1-202-555-0106

</footer>

</div>

</div>

</body>

</html>