

```

1  INSERT INTO "Producer" ("producerID", "studioName", "producerType", salary) VALUES (1,
   'fox', 'lights', '$10,000.00');
2  INSERT INTO "Producer" ("producerID", "studioName", "producerType", salary) VALUES (2,
   'disney', 'stage', '$20,000.00');
3  INSERT INTO "Producer" ("producerID", "studioName", "producerType", salary) VALUES (3,
   'disney', 'film', '$300,000.00');
4  INSERT INTO "Producer" ("producerID", "studioName", "producerType", salary) VALUES (4,
   'motion pictures', 'makeup', '$20,000.00');
5  INSERT INTO "Producer" ("producerID", "studioName", "producerType", salary) VALUES (5,
   'disney', 'stage', '$20,000.00');
6  INSERT INTO "Producer" ("producerID", "studioName", "producerType", salary) VALUES (6,
   'fox', 'film', '$300,000.00');
7  INSERT INTO "Producer" ("producerID", "studioName", "producerType", salary) VALUES (7,
   'disney', 'graphics', '$400,000.00');
8  INSERT INTO "Producer" ("producerID", "studioName", "producerType", salary) VALUES (8,
   'disney', 'television', '$200,000.00');
9  INSERT INTO "Producer" ("producerID", "studioName", "producerType", salary) VALUES (9,
   'fox', 'stage', '$20,000.00');
10 INSERT INTO "Producer" ("producerID", "studioName", "producerType", salary) VALUES (10,
   'fox', 'stage', '$20,000.00');
11
12 INSERT INTO "Director" ("directorID", "directorRole", salary) VALUES (1, 'scene1',
   '$10,000.00');
13 INSERT INTO "Director" ("directorID", "directorRole", salary) VALUES (2, 'scene2',
   '$20,000.00');
14 INSERT INTO "Director" ("directorID", "directorRole", salary) VALUES (3, 'scene3',
   '$30,000.00');
15 INSERT INTO "Director" ("directorID", "directorRole", salary) VALUES (4, 'scene4',
   '$40,000.00');
16 INSERT INTO "Director" ("directorID", "directorRole", salary) VALUES (5, 'scene5',
   '$60,000.00');
17 INSERT INTO "Director" ("directorID", "directorRole", salary) VALUES (6, 'scene6',
   '$70,000.00');
18 INSERT INTO "Director" ("directorID", "directorRole", salary) VALUES (7, 'scene7',
   '$80,000.00');
19 INSERT INTO "Director" ("directorID", "directorRole", salary) VALUES (8, 'scene8',
   '$90,000.00');
20 INSERT INTO "Director" ("directorID", "directorRole", salary) VALUES (9, 'scene9',
   '$20,000.00');
21 INSERT INTO "Director" ("directorID", "directorRole", salary) VALUES (10, 'scene10',
   '$30,000.00');
22
23 INSERT INTO "Actor" ("actorID", "actorRole", agency, salary) VALUES (1, 'avatar',
   'disney', '$20,000.00');
24 INSERT INTO "Actor" ("actorID", "actorRole", agency, salary) VALUES (2, 'indiana
   jones', 'disney', '$30,000.00');
25 INSERT INTO "Actor" ("actorID", "actorRole", agency, salary) VALUES (3, 'voldemort',
   'disney', '$40,000.00');
26 INSERT INTO "Actor" ("actorID", "actorRole", agency, salary) VALUES (4, 'pretty woman',
   'disney', '$50,000.00');
27 INSERT INTO "Actor" ("actorID", "actorRole", agency, salary) VALUES (5, 'clown',
   'disney', '$40,000.00');
28 INSERT INTO "Actor" ("actorID", "actorRole", agency, salary) VALUES (6, 'prince',
   'disney', '$40,000.00');
29 INSERT INTO "Actor" ("actorID", "actorRole", agency, salary) VALUES (7, 'rabbit',
   'disney', '$50,000.00');
30 INSERT INTO "Actor" ("actorID", "actorRole", agency, salary) VALUES (8, 'princess',
   'motion pictures', '$50,000.00');
31 INSERT INTO "Actor" ("actorID", "actorRole", agency, salary) VALUES (9, 'hoodlum',
   'fox', '$40,000.00');
32 INSERT INTO "Actor" ("actorID", "actorRole", agency, salary) VALUES (10, 'butler',
   'disney', '$30,000.00');
33
34 INSERT INTO "Writer" ("writerID", publisher, salary) VALUES (1, 'penguin', '$20,000.00');
35 INSERT INTO "Writer" ("writerID", publisher, salary) VALUES (2, 'hachette livre',
   '$20,000.00');
36 INSERT INTO "Writer" ("writerID", publisher, salary) VALUES (3, 'harpercollins',
   '$20,000.00');
37 INSERT INTO "Writer" ("writerID", publisher, salary) VALUES (4, 'pearson education',

```

```

'$20,000.00');
38 INSERT INTO "Writer" ("writerID", publisher, salary) VALUES (5, 'penguin', '$20,000.00');
39 INSERT INTO "Writer" ("writerID", publisher, salary) VALUES (6, 'simon schuster',
'$20,000.00');
40 INSERT INTO "Writer" ("writerID", publisher, salary) VALUES (7, 'john wiley',
'$20,000.00');
41 INSERT INTO "Writer" ("writerID", publisher, salary) VALUES (8, 'pan macmillan',
'$20,000.00');
42 INSERT INTO "Writer" ("writerID", publisher, salary) VALUES (9, 'oxfort press',
'$20,000.00');
43 INSERT INTO "Writer" ("writerID", publisher, salary) VALUES (10, 'oxford press',
'$20,000.00');
44
45 INSERT INTO "Person" ("personID", "sinNumber", "firstName", "surName", gender,
"eyeColor", "middleName", "actorID", "directorID", "producerID", "writerID") VALUES (2,
123456789, 'Steven', 'Spielberg', false, 'black', NULL, 2, 2, 2, 2);
46 INSERT INTO "Person" ("personID", "sinNumber", "firstName", "surName", gender,
"eyeColor", "middleName", "actorID", "directorID", "producerID", "writerID") VALUES (3,
123456789, 'James', 'Cameron', false, 'black', NULL, 3, 3, 3, 3);
47 INSERT INTO "Person" ("personID", "sinNumber", "firstName", "surName", gender,
"eyeColor", "middleName", "actorID", "directorID", "producerID", "writerID") VALUES (4,
123456789, 'Quentin', 'Tarantino', false, 'black', NULL, 4, 4, 4, 4);
48 INSERT INTO "Person" ("personID", "sinNumber", "firstName", "surName", gender,
"eyeColor", "middleName", "actorID", "directorID", "producerID", "writerID") VALUES (5,
123456789, 'Chris', 'Nolan', false, 'black', NULL, 5, 5, 5, 5);
49 INSERT INTO "Person" ("personID", "sinNumber", "firstName", "surName", gender,
"eyeColor", "middleName", "actorID", "directorID", "producerID", "writerID") VALUES (6,
123456789, 'David', 'Fincher', false, 'black', NULL, 6, 6, 6, 6);
50 INSERT INTO "Person" ("personID", "sinNumber", "firstName", "surName", gender,
"eyeColor", "middleName", "actorID", "directorID", "producerID", "writerID") VALUES (7,
123456789, 'Clint', 'Eastwood', false, 'black', NULL, 7, 7, 7, 7);
51 INSERT INTO "Person" ("personID", "sinNumber", "firstName", "surName", gender,
"eyeColor", "middleName", "actorID", "directorID", "producerID", "writerID") VALUES (8,
123456789, 'Ang', 'Lee', false, 'black', NULL, 8, 8, 8, 8);
52 INSERT INTO "Person" ("personID", "sinNumber", "firstName", "surName", gender,
"eyeColor", "middleName", "actorID", "directorID", "producerID", "writerID") VALUES (9,
123456789, 'Stanley', 'Kubrick', false, 'black', NULL, 9, 9, 9, 9);
53 INSERT INTO "Person" ("personID", "sinNumber", "firstName", "surName", gender,
"eyeColor", "middleName", "actorID", "directorID", "producerID", "writerID") VALUES
(10, 123456789, 'Woody', 'Allen', false, 'black', NULL, 10, 10, 10, 10);
54 INSERT INTO "Person" ("personID", "sinNumber", "firstName", "surName", gender,
"eyeColor", "middleName", "actorID", "directorID", "producerID", "writerID") VALUES (1,
123456789, 'Martin', 'Scorsese', false, 'blue', NULL, 1, 1, 1, 1);
55
56 INSERT INTO "BirthOrigin" ("birthOriginID", city, state, country) VALUES (1, 'toronto',
'ontario', 'canada');
57 INSERT INTO "BirthOrigin" ("birthOriginID", city, state, country) VALUES (3, 'new
york', 'new york', 'US');
58 INSERT INTO "BirthOrigin" ("birthOriginID", city, state, country) VALUES (4, 'paris',
'paris', 'france');
59 INSERT INTO "BirthOrigin" ("birthOriginID", city, state, country) VALUES (2,
'montreal', 'quebec', 'canada');
60 INSERT INTO "BirthOrigin" ("birthOriginID", city, state, country) VALUES (5, 'ottawa',
'ontario', 'canada');
61 INSERT INTO "BirthOrigin" ("birthOriginID", city, state, country) VALUES (6,
'vancouver', 'BC', 'canada');
62 INSERT INTO "BirthOrigin" ("birthOriginID", city, state, country) VALUES (7, 'london',
'london', 'england');
63 INSERT INTO "BirthOrigin" ("birthOriginID", city, state, country) VALUES (8,
'pittsburgh', 'penssylvania', 'US');
64 INSERT INTO "BirthOrigin" ("birthOriginID", city, state, country) VALUES (9, 'dhaka',
'dhaka', 'bangladesh');
65 INSERT INTO "BirthOrigin" ("birthOriginID", city, state, country) VALUES (10,
'barcelona', 'barcelona', 'spain');
66
67 INSERT INTO "BirthRecord" ("personID", "birthOriginID", "birthDate") VALUES (1, 1,
'2017-08-22');
68 INSERT INTO "BirthRecord" ("personID", "birthOriginID", "birthDate") VALUES (2, 2,
'2017-08-11');

```

```

69 INSERT INTO "BirthRecord" ("personID", "birthOriginID", "birthDate") VALUES (3, 3,
    '1990-01-01');
70 INSERT INTO "BirthRecord" ("personID", "birthOriginID", "birthDate") VALUES (4, 4,
    '1976-01-21');
71 INSERT INTO "BirthRecord" ("personID", "birthOriginID", "birthDate") VALUES (5, 5,
    '1999-09-09');
72 INSERT INTO "BirthRecord" ("personID", "birthOriginID", "birthDate") VALUES (6, 6,
    '1891-03-23');
73 INSERT INTO "BirthRecord" ("personID", "birthOriginID", "birthDate") VALUES (7, 7,
    '1956-09-08');
74 INSERT INTO "BirthRecord" ("personID", "birthOriginID", "birthDate") VALUES (8, 8,
    '1977-03-23');
75 INSERT INTO "BirthRecord" ("personID", "birthOriginID", "birthDate") VALUES (9, 9,
    '1988-01-01');
76 INSERT INTO "BirthRecord" ("personID", "birthOriginID", "birthDate") VALUES (10, 10,
    '1999-04-04');
77
78 INSERT INTO "Awards" ("awardID", "awardName", "awardedBy", "awardDescription") VALUES
    (1, 'Best Film', 'Oscar', 'Best Film');
79 INSERT INTO "Awards" ("awardID", "awardName", "awardedBy", "awardDescription") VALUES
    (2, 'Best Drama', 'Oscar', 'Best Dramatic Film');
80 INSERT INTO "Awards" ("awardID", "awardName", "awardedBy", "awardDescription") VALUES
    (3, 'Best Comedy', 'Oscar', 'Best Comedy');
81 INSERT INTO "Awards" ("awardID", "awardName", "awardedBy", "awardDescription") VALUES
    (4, 'Best Romantic', 'Oscar', 'Best Romantic');
82 INSERT INTO "Awards" ("awardID", "awardName", "awardedBy", "awardDescription") VALUES
    (5, 'Best International', 'Oscar', 'Best International');
83 INSERT INTO "Awards" ("awardID", "awardName", "awardedBy", "awardDescription") VALUES
    (6, 'Best Director', 'Oscar', 'Best Director');
84 INSERT INTO "Awards" ("awardID", "awardName", "awardedBy", "awardDescription") VALUES
    (7, 'Best Art', 'Oscar', 'Best Art');
85 INSERT INTO "Awards" ("awardID", "awardName", "awardedBy", "awardDescription") VALUES
    (8, 'Best Music', 'Oscar', 'Best Music');
86 INSERT INTO "Awards" ("awardID", "awardName", "awardedBy", "awardDescription") VALUES
    (9, 'Best Graphics', 'Oscar', 'Best Graphics');
87 INSERT INTO "Awards" ("awardID", "awardName", "awardedBy", "awardDescription") VALUES
    (10, 'Best Documentary', 'Oscar', 'Best Documentary');
88
89 INSERT INTO "Movie" ("movieID", "movieTitle", "releaseDate", rating, budget, gross,
    "directorID", "producerID", "writerID") VALUES (1, 'titanic', '2000-01-01', 10,
    '$1,000,000,000.00', '$2,000,000,000.00', 1, 2, 3);
90 INSERT INTO "Movie" ("movieID", "movieTitle", "releaseDate", rating, budget, gross,
    "directorID", "producerID", "writerID") VALUES (2, 'shawshank redemption',
    '2001-02-02', 9, '$79,000,000.00', '$89,000,000.00', 4, 5, 6);
91 INSERT INTO "Movie" ("movieID", "movieTitle", "releaseDate", rating, budget, gross,
    "directorID", "producerID", "writerID") VALUES (3, 'godfather', '2002-03-03', 8,
    '$123,000,000.00', '$145,000,000.00', 7, 8, 9);
92 INSERT INTO "Movie" ("movieID", "movieTitle", "releaseDate", rating, budget, gross,
    "directorID", "producerID", "writerID") VALUES (4, 'dark knight', '2003-02-22', 7,
    '$99,999,999.00', '$10,000,000.00', 10, 1, 2);
93 INSERT INTO "Movie" ("movieID", "movieTitle", "releaseDate", rating, budget, gross,
    "directorID", "producerID", "writerID") VALUES (5, 'angry men', '2004-09-23', 9,
    '$10,000.00', '$100,000,234.00', 9, 3, 4);
94 INSERT INTO "Movie" ("movieID", "movieTitle", "releaseDate", rating, budget, gross,
    "directorID", "producerID", "writerID") VALUES (6, 'schindler's list', '2005-08-09',
    7, '$90,456,987.00', '$109,876,543.00', 8, 5, 6);
95 INSERT INTO "Movie" ("movieID", "movieTitle", "releaseDate", rating, budget, gross,
    "directorID", "producerID", "writerID") VALUES (7, 'pulp fiction', '2006-06-30', 5,
    '$20,000.00', '$10,000.00', 7, 8, 9);
96 INSERT INTO "Movie" ("movieID", "movieTitle", "releaseDate", rating, budget, gross,
    "directorID", "producerID", "writerID") VALUES (8, 'fight club', '2007-08-22', 6,
    '$123,456,789.00', '$987,654,321.00', 3, 2, 10);
97 INSERT INTO "Movie" ("movieID", "movieTitle", "releaseDate", rating, budget, gross,
    "directorID", "producerID", "writerID") VALUES (9, 'forrest gump', '2008-12-12', 6,
    '$200,000.00', '$300,000.00', 4, 9, 2);
98 INSERT INTO "Movie" ("movieID", "movieTitle", "releaseDate", rating, budget, gross,
    "directorID", "producerID", "writerID") VALUES (10, 'inception', '2009-07-14', 4,
    '$300,000.00', '$200,000.00', 9, 3, 1);
99

```

```

100 INSERT INTO "Cinema" ("cinemaID", "cinemaName", "phoneNumber", "streetName",
    "streetNumber", city, country, "postalCode") VALUES (1, 'cineplex odeon', '4166932045',
    'staines road', '184', 'scarborough', 'canada', 'm1x1v3');
101 INSERT INTO "Cinema" ("cinemaID", "cinemaName", "phoneNumber", "streetName",
    "streetNumber", city, country, "postalCode") VALUES (2, 'famous players', '4161234567',
    'famous road', '111', 'toronto', 'canada', 'm1z1v4');
102 INSERT INTO "Cinema" ("cinemaID", "cinemaName", "phoneNumber", "streetName",
    "streetNumber", city, country, "postalCode") VALUES (3, 'imax theatres', '6471023456',
    'woo drive', '123', 'ottawa', 'canada', 'm4c5l6');
103 INSERT INTO "Cinema" ("cinemaID", "cinemaName", "phoneNumber", "streetName",
    "streetNumber", city, country, "postalCode") VALUES (4, 'scarborough cineplex',
    '9052345678', 'crescent road', '9', 'montreal', 'canada', 'm4r1d4');
104 INSERT INTO "Cinema" ("cinemaID", "cinemaName", "phoneNumber", "streetName",
    "streetNumber", city, country, "postalCode") VALUES (5, 'colliseum', '1234567890',
    'danforth street', '1', 'vancouver', 'canada', 'm5dlrt');
105 INSERT INTO "Cinema" ("cinemaID", "cinemaName", "phoneNumber", "streetName",
    "streetNumber", city, country, "postalCode") VALUES (6, 'blockbuster cinema',
    '4567890000', 'yay road', '2', 'paris', 'france', '4rt5f5');
106 INSERT INTO "Cinema" ("cinemaID", "cinemaName", "phoneNumber", "streetName",
    "streetNumber", city, country, "postalCode") VALUES (7, 'netflix theatres',
    '1230981234', 'bob circle', '99', 'london', 'england', '5r49j7');
107 INSERT INTO "Cinema" ("cinemaID", "cinemaName", "phoneNumber", "streetName",
    "streetNumber", city, country, "postalCode") VALUES (8, 'timhortons theatre',
    '5670981111', 'hello street', '123', 'dhaka', 'bangladesh', 'm4r1d4');
108 INSERT INTO "Cinema" ("cinemaID", "cinemaName", "phoneNumber", "streetName",
    "streetNumber", city, country, "postalCode") VALUES (9, 'scotiabank films',
    '4560989999', 'scotiabank road', '89', 'new york', 'US', '5t68h6');
109 INSERT INTO "Cinema" ("cinemaID", "cinemaName", "phoneNumber", "streetName",
    "streetNumber", city, country, "postalCode") VALUES (10, 'oxford films', '9999999999',
    'ninety nine street', '99', 'new york', 'US', '9u9u9u');
110
111 INSERT INTO "Genre" ("genreID", type, description) VALUES (1, 'comedy', 'funny');
112 INSERT INTO "Genre" ("genreID", type, description) VALUES (2, 'horror', 'scary');
113 INSERT INTO "Genre" ("genreID", type, description) VALUES (3, 'sci-fi', 'scientific');
114 INSERT INTO "Genre" ("genreID", type, description) VALUES (4, 'action', 'action film');
115 INSERT INTO "Genre" ("genreID", type, description) VALUES (5, 'adventure', 'adventure
    film');
116 INSERT INTO "Genre" ("genreID", type, description) VALUES (6, 'thriller', 'exciting');
117 INSERT INTO "Genre" ("genreID", type, description) VALUES (7, 'animation', 'cartoon');
118 INSERT INTO "Genre" ("genreID", type, description) VALUES (8, 'kids', 'for younger
    viewers');
119 INSERT INTO "Genre" ("genreID", type, description) VALUES (9, 'adults', '18+ viewers');
120 INSERT INTO "Genre" ("genreID", type, description) VALUES (10, 'documentary',
    'biography');
121 INSERT INTO "Genre" ("genreID", type, description) VALUES (11, 'western', 'cowboys');
122
123 INSERT INTO "CastMember" ("actorID", "moviedID") VALUES (1, 10);
124 INSERT INTO "CastMember" ("actorID", "moviedID") VALUES (2, 9);
125 INSERT INTO "CastMember" ("actorID", "moviedID") VALUES (3, 8);
126 INSERT INTO "CastMember" ("actorID", "moviedID") VALUES (4, 7);
127 INSERT INTO "CastMember" ("actorID", "moviedID") VALUES (5, 6);
128 INSERT INTO "CastMember" ("actorID", "moviedID") VALUES (6, 5);
129 INSERT INTO "CastMember" ("actorID", "moviedID") VALUES (7, 4);
130 INSERT INTO "CastMember" ("actorID", "moviedID") VALUES (8, 3);
131 INSERT INTO "CastMember" ("actorID", "moviedID") VALUES (9, 2);
132 INSERT INTO "CastMember" ("actorID", "moviedID") VALUES (10, 1);
133
134 INSERT INTO "MovieDetails" ("genreID", "moviedID") VALUES (1, 10);
135 INSERT INTO "MovieDetails" ("genreID", "moviedID") VALUES (2, 9);
136 INSERT INTO "MovieDetails" ("genreID", "moviedID") VALUES (3, 8);
137 INSERT INTO "MovieDetails" ("genreID", "moviedID") VALUES (4, 7);
138 INSERT INTO "MovieDetails" ("genreID", "moviedID") VALUES (5, 6);
139 INSERT INTO "MovieDetails" ("genreID", "moviedID") VALUES (6, 5);
140 INSERT INTO "MovieDetails" ("genreID", "moviedID") VALUES (7, 4);
141 INSERT INTO "MovieDetails" ("genreID", "moviedID") VALUES (8, 3);
142 INSERT INTO "MovieDetails" ("genreID", "moviedID") VALUES (9, 2);
143 INSERT INTO "MovieDetails" ("genreID", "moviedID") VALUES (10, 1);
144
145 INSERT INTO "Quotes" ("quoteID", quote, "genreID", "personID", "moviedID") VALUES (1,

```

```

'hello world', 1, 1, 10);
146 INSERT INTO "Quotes" ("quoteID", quote, "genreID", "personID", "moviedID") VALUES (2,
'astalavista baby', 2, 2, 9);
147 INSERT INTO "Quotes" ("quoteID", quote, "genreID", "personID", "moviedID") VALUES (3,
'i am your father', 3, 3, 8);
148 INSERT INTO "Quotes" ("quoteID", quote, "genreID", "personID", "moviedID") VALUES (4,
'you can''t handle the truth', 4, 4, 7);
149 INSERT INTO "Quotes" ("quoteID", quote, "genreID", "personID", "moviedID") VALUES (5,
'eat my shorts', 5, 5, 6);
150 INSERT INTO "Quotes" ("quoteID", quote, "genreID", "personID", "moviedID") VALUES (6,
'run forrest run', 6, 6, 5);
151 INSERT INTO "Quotes" ("quoteID", quote, "genreID", "personID", "moviedID") VALUES (7,
'doh', 7, 7, 4);
152 INSERT INTO "Quotes" ("quoteID", quote, "genreID", "personID", "moviedID") VALUES (8,
'hit me baby one more time', 8, 8, 3);
153 INSERT INTO "Quotes" ("quoteID", quote, "genreID", "personID", "moviedID") VALUES (9,
'im going to make him an offer he can't refuse', 9, 9, 2);
154 INSERT INTO "Quotes" ("quoteID", quote, "genreID", "personID", "moviedID") VALUES (10,
'you don't understand', 10, 10, 1);
155
156 INSERT INTO "Rewards" ("awardID", "moviedID") VALUES (1, 10);
157 INSERT INTO "Rewards" ("awardID", "moviedID") VALUES (2, 9);
158 INSERT INTO "Rewards" ("awardID", "moviedID") VALUES (3, 8);
159 INSERT INTO "Rewards" ("awardID", "moviedID") VALUES (4, 7);
160 INSERT INTO "Rewards" ("awardID", "moviedID") VALUES (5, 6);
161 INSERT INTO "Rewards" ("awardID", "moviedID") VALUES (6, 5);
162 INSERT INTO "Rewards" ("awardID", "moviedID") VALUES (7, 4);
163 INSERT INTO "Rewards" ("awardID", "moviedID") VALUES (8, 3);
164 INSERT INTO "Rewards" ("awardID", "moviedID") VALUES (9, 2);
165 INSERT INTO "Rewards" ("awardID", "moviedID") VALUES (10, 1);
166
167 INSERT INTO "Showtimes" ("cinemaID", room, "time", "ticketPrice", "showType",
"moviedID") VALUES (1, 1, '09:00:00', '$9.00', 'Kids', 10);
168 INSERT INTO "Showtimes" ("cinemaID", room, "time", "ticketPrice", "showType",
"moviedID") VALUES (2, 2, '12:39:00', '$9.00', 'Regular', 9);
169 INSERT INTO "Showtimes" ("cinemaID", room, "time", "ticketPrice", "showType",
"moviedID") VALUES (3, 3, '01:00:00', '$12.00', 'IMAX', 8);
170 INSERT INTO "Showtimes" ("cinemaID", room, "time", "ticketPrice", "showType",
"moviedID") VALUES (4, 4, '08:00:00', '$9.00', 'Regular', 7);
171 INSERT INTO "Showtimes" ("cinemaID", room, "time", "ticketPrice", "showType",
"moviedID") VALUES (5, 5, '09:00:00', '$9.00', 'Kids', 6);
172 INSERT INTO "Showtimes" ("cinemaID", room, "time", "ticketPrice", "showType",
"moviedID") VALUES (7, 4, '08:30:22', '$12.00', 'IMAX', 4);
173 INSERT INTO "Showtimes" ("cinemaID", room, "time", "ticketPrice", "showType",
"moviedID") VALUES (6, 5, '10:00:00', '$9.00', 'Regular', 5);
174 INSERT INTO "Showtimes" ("cinemaID", room, "time", "ticketPrice", "showType",
"moviedID") VALUES (8, 3, '12:22:23', '$9.00', 'Adult', 3);
175 INSERT INTO "Showtimes" ("cinemaID", room, "time", "ticketPrice", "showType",
"moviedID") VALUES (10, 1, '02:00:00', '$9.00', 'Regular', 1);
176 INSERT INTO "Showtimes" ("cinemaID", room, "time", "ticketPrice", "showType",
"moviedID") VALUES (9, 2, '03:00:00', '$9.00', 'Regular', 2);
177
178
179
180
181
182
183

```