

Index

- α 2-adrenergic agonists, 199
 abdominal tumours, 231, 232, 392
 absorption, 14
 abuse, 42, 43–7, 202, 478
 emotional, 43–4
 non-accidental injury (NAI), 440, 449, 451, 465, 478, 479
 online, 42, 43–4
 sexual, 43–4
 see also safeguarding
 accessory auricles, 315
 acetazolamide, 292, 308
 acidosis, 76, 88, 213, 373–4, 396, 477
 activated partial thromboplastin time (APTT), 155, 396
 acute lymphoblastic leukaemia (ALL), 399, 400, 412–15, 456–9
 adenotonsillectomy, 92, 99, 233, 234–5, 236, 281
 adrenaline, 274, 275, 352–3, 427, 432, 472–3
 adrenal insufficiency, 72
 advanced care planning, 38
 aeromedical transport, 485–6
 aganglionosis, 215
 airway, oropharyngeal, 85, 104, 114, 117–18, 433, 443
 airway assessment, 53, 82, 85, 252, 266, 272
 airway equipment, 56, 85, 114, 441, 488
 airway exchange catheters, 121, 256–8, 267
 airway obstruction, 67–8, 114–16, 238, 241, 253, 443–4
 airway oedema, 5, 117, 243, 259, 268, 464
 airways, 234–5, 238–9, 241–3, 250, 251, 252, 253, 254, 255–9, 421, 423
 acute compromise, 254–6
 assessment, 60, 62, 252–4, 281, 320
 cardiopulmonary resuscitation, 421
 cysts, 242
 development in utero, 1
 management, 68, 104–7, 256–8, 434, 435, 443
 extubation, 258–60, 299
 maintenance, 247, 249, 251, 266–8, 282
 neonates, 5, 208, 225
 obstruction, 436
 tongue, 4
 post-resuscitation care, 433
 preoperative assessment, 1, 82, 83
 therapeutic endoscopy, 242
 trauma, 121
 see also intubation
 alfentanil, 78, 158, 239, 416, 419
 alveoli, 5, 240, 263, 270, 470
 American Burn Association, 465
 anaemia, 62, 74–6, 153, 154–5, 325–6
 of prematurity, 220–3
 anaesthesia
 depth, 127, 160, 211, 213, 237, 238
 induction, 31, 97, 161–2, 238, 253–4, 395
 monitoring
 depth, 162, 167–8, 362, 365
 analgesia, 170–1, 196, 197–204, 235–6, 453–4
 postoperative, 274–5, 341–2, 346, 380, 383, 386
 analgesic plan, 198, 203, 205
 analgesics, 17, 18, 198–9, 200, 236, 440–5
 anaphylaxis, 61, 69, 102, 109–10, 146, 170
 anastomosis, 214–15, 353, 371, 391
 angioplasty, 363, 404–5
 anorectal anomalies, 215, 230, 384
 anterior superior iliac spine (ASIS), 182, 183–4, 427
 anthracyclines, 232, 401, 414, 415
 antibiotics, 111, 139, 216, 223, 321, 463
 administration, 282, 313, 348
 anaphylaxis, 110
 prophylactic, 133, 137, 376, 381, 402, 405
 resistance to, 465
 antimuscarinics, 66
 anxiety, 25, 28–9, 31, 34, 54, 103–4
 procedural, 96, 128, 189
 aorta, 343, 348–9, 352, 368–76, 383–5
 aortic coarctation, 344
 aortic rupture, 451, 452
 aortic stenosis, 344, 369–70, 374
 critical, 63, 345, 362
 apnoea/hypopnoea index, 67, 233–4
 apnoeas, 6, 67, 221–2, 238–40, 253, 255
 postoperative, 150, 207, 209, 226, 228, 229
 APOA, 59, *see* preoperative assessment
 APRICOT, 50, 102, 107
 arginine vasopressin disorder, 148–9, 293, 296, 417, 478
 Arndt catheter, 337
 arrhythmias, 273, 365–6, 373–4, 385, 386, 414–15
 arterial access, 126, 296, 327, 348, 385, 447
 arterial line, 228, 231, 278–89, 383, 384, 481
 arterial switch operation (ASO), 101, 353
 arthrogryposis multiplex congenita (AMC), 324
 ASD (atrial septal defect), 353, 362, 368–9, 375, 474
 ASD (autism spectrum disorder), 32, 43, 191
 assent, xi, *see* consent
 Association of Paediatric Anaesthetists of Great Britain and Ireland (APAGBI), 45, 57, 93, 235, 259
 asthma, 68, 72, 74, 93, 96, 97
 astrocytomas, 297, 411
 asystole, 299, 420–7, 429, 430
 atelectasis, 6, 63, 69, 221, 255, 355
 atracurium, 20–1, 108–10, 208, 306, 309
 atresia
 jejunal/ileal, 214
 tricuspid, 344, 353–4, 370, 376
 atrial septal, 343–4, 360, 362, 363, 368–9, 371
 atropine, 7, 107, 304, 403, 408
 autism spectrum disorder, 32, 43, 191
 axillary artery (AA), 126, 173, 174–5, 348, 486–7
 Ayre's T-piece, 121–2

- babies, 1, *see* infants.
- balloon catheter, 128, 337–8, 360, 363
- balloon dilatation, 362–4, 402–3, 404
- barotrauma, 6, 123, 221, 225, 240
- batteries (electrical), 366
- battery (criminal offense), 35
- benzodiazepines, 17, 18, 88, 96, 189
- beta thalassaemia, 76
- biliary atresia, 389–90, 391, 393
- bilirubin, 388, 389
- birth, 1–4, 8, 9, 10, 154, 155, 220–1, 223–4, 241–2
- cardiorespiratory adaptation for, 2–3
- cord clamping, 3
- haematology at, 7–8, 154–5, 208
- lung fluid resorption, 10
- management, 3–4
- preterm, 3, 218, 221
- resuscitation at, 133
- bispectral index monitors, 162
- Blalock–Taissig shunt, 352
- bleeding, 8, 155, 156, 235–6, 270–1, 327, 447–8
- control, 134
- postoperative, 269
- vitamin K deficiency, 155, 224
- bleomycin, 405, 414, 415–16
- blood components, 153, 154, 156
- blood glucose, 71–2, 74, 146, 208, 209, 488
- blood loss, 269, 283–4, 300, 327, 328–9
- blood pressure (BP), 126, 225, 346–7, 349–50, 431–3, 484
- blood transfusion, 61, 144, 147, 153, 154, 157
- neonates, 154–5
- BMI, 74, 93, 161, 220, 253
- body language, 30
- body weight, 14–15, 16, 20, 144, 150, 153
- bolus, 148–50, 152, 160, 476, 477
- bone grafts, alveolar, 265, 270, 272, 274
- bougies, 120–1, 245, 256
- brachial plexus, 172–5, 327, 328, 362
- bradycardia, 125, 161–2, 194, 302, 420–7, 429
- brain tumours, 72, 295
- bronchial blockers, 119, 329, 335–8, 452
- bronchiectasis, 69, 333, 340
- bronchiolitis, 63–4, 467–8, 469, 472–3, 480, 484
- bronchoscope, 240–1, 245–6, 332, 335–8, 400, 403
- bronchoscopy, 211, 240, 241, 245, 335–6, 402
- bronchospasm, 63, 68–9, 74, 102, 110–11, 234
- bronchus, 211, 332, 333, 336–7, 339, 429
- buccinator flaps, 265, 270
- bupivacaine, 15, 23–4, 202, 269, 297, 304
- burn hypermetabolic syndrome, 462–3, 464
- burn pain management, 463
- burns, 135, 365, 456–66
- large, 456, 458, 459, 461–3, 464, 466
- cancer, 320, 410–12
- cannula, 108, 126, 138–9, 142–3, 186, 447
- cannulation, 54, 97, 131, 281, 282, 429–30
- capillary refill time (CRT), 151, 225, 283, 416, 431, 433
- capnography, 114–25, 192, 193, 293, 429, 480–4
- carbamazepine, 78, 152
- carbon dioxide, 97, 121, 229, 240, 292, 360
- cardiac arrest, 102, 364, 420–1, 425–7, 429–31, 451–3
- in-hospital, 420, 421, 429–30
- cardiac catheterisation, 25, 357, 360–1, 364, 368
- cardiac failure, 344, 369, 372–3, 374, 376, 407
- cardiac lesions, 83, 207, 303, 343, 364, 368–70
- cardiac output (CO), 6–7, 126–7, 345, 347, 358–9, 378
- cardiomyopathy, 83, 84, 86, 343, 414, 468–9
- dilated, 89, 355, 361
- obstructive, 63, 344, 366
- cardiorespiratory arrest, 420–1, 425, 427–8, 431, 438
- caregivers, 26, 43, 45, 198, 203–4, 433, *see also* parents
- care planning, 38, 232
- carnitine palmitoyl transferase, 163
- catabolism, 85, 86, 302, 387–8, 463
- catecholamines, 9–10, 352–3, 378, 464, 472–3
- catheters, 130–1, 133, 135–8, 341, 364–5, 400–1
- blood infection from (CRBI), 131, 135, 137–8
- fracture, 131, 132
- muscular
- erector spinae, 341
- peripheral intravenous, 130
- urinary, 216, 232, 289, 293, 348, 461
- balloon, 128
- vascular
- Arndt, 337
- arterial, 405, 468, 477
- balloon, 337–8, 360, 363
- central venous, 124, 133, 135, 138, 167, 195
- double lumen, 133
- midline, 130, 131–2
- size, 131, 203
- skin-tunnelled, 136
- umbilical, 130, 133, 348
- wide-bore, 395
- catheters airway exchange, 258, 259
- CBF, 160, *see* cerebral blood flow.
- CBV, 291, *see* cerebral blood volume.
- central nervous system (CNS), 18–23, 75, 201, 222
- central venous pressure (CVP), 133, 282–3, 292, 293, 385, 392
- cerebral blood flow (CBF), 291–2, 294, 296, 299, 406, 407
- cerebral blood volume, 291–2, 294
- cerebral palsy (CP), 38, 78–9, 184, 319, 323, 325
- cerebral perfusion, 15, 222, 292, 293, 348, 349
- cerebrospinal fluid, 152, 200, 291–2, 476
- chemical burns, 252, 461
- chemotherapy, 232, 325, 399–400, 408, 412, 417
- chest, 246, 348, 351, 423–4, 425, 452
- chest compressions (CC), 423–4, 425, 427–8, 429, 430, 436–8
- chest wall deformity, 333
- chest X-ray (CXR), 79–80, 210, 221, 245, 331, 383, 385, 431, 434, 451
- Child Death Overview Process (CDOP), 47–8
- Child Death Review Meeting (CDRM), 47–8
- Children's Cancer and Leukaemia Group (CCLG), 411
- choanal atresia, 246
- choledochal malformations, 391
- chronic kidney disease (CKD), 8, 80, 385
- chronic lung disease (CLD), 70, 79, 221, 226, 230, 293
- chronic postsurgical pain, 204–5
- chronic renal failure (CRF), 80
- circumcision, 35, 36, 39, 40, 52, 380–1
- cirrhosis, 389, 390–1
- cisatracurium, 20–1
- clear fluids, 66, 99, 147, 148, 156, 228
- cleft lip, 261, 264, 265, 268, 271, 369
- cleft palate, 83, 261–4, 266, 271, 280, 302
- isolated, 261–2, 271
- cloacal malformation, 216
- clonidine, 96, 187, 202, 203, 321, 381
- coagulation disorders, 77, 81, 273

- coagulopathy, 154, 350–1, 389, 395, 397–8, 447
- codeine, 98, 201, 236
- colloids, 146
- communication, 30, 34, 45, 189
- children, 29, 197
 - non-verbal, 30, 443
 - special needs, 32, 204
 - strategies, 30
 - verbal, 30
- closed-loop, 56
- with general practitioners, 93, 99, 375, 385
- non-verbal, 30, 443
- parents/caregivers, 29, 45, 60, 260
- remote, 13, 128
- within surgical team, 104, 207, 233, 255, 272, 318
- see also* consent.
- comorbidities, 11, 13, 60, 102, 103, 231
- compartment syndrome, 89, 93, 139, 321, 323, 461
- computed tomography (CT), 132, 399, 401, 408, 453–4, 488
- congenital abnormalities, 82, 216, 218, 251, 262, 331–2
- congenital cystic adenomatous malformation (CCAM), 331
- congenital diaphragmatic hernia, 4, 207, 209, 212, 229, 230
- congenital heart disease (CHD), 84–6, 207, 343, 368, 373–8
- congenital lobar emphysema (CLE), 331–2, 340, 342
- congenital talipes equinovarus, 322
- consent, 27, 35–41, 61, 154, 169, 191–2
- self-determination, 35
- context-sensitive half-time (CSHT), 159, 161, 165, 167
- continuous positive airway pressure (CPAP), 6, 251, 255, 281, 337–8, 469
- core temperature, 88, 348, 349, 428, 430, 431
- corneal grafting, 302, 308
- court orders, 37, 39
- CPAP, 6, *see* continuous positive airway pressure.
- craniocervical junction, 83
- craniopharyngioma, 149, 296, 299, 300
- cranioplasty, 279, 281, 286
- craniosynostosis, 278–9, 285, 286, 287–8, 290, 302–3
- Creutzfeldt–Jacob disease, 154
- cricothyroidotomy, 123, 259–60, 420–33
- croup, 63–4, 243–5, 254, 468, 469, 473
- cryoprecipitate, 8, 154, 155–6, 225, 231, 448
- cryotherapy, 304, 307, 308, 309–10, 408, 412
- crystalloids, 146, 395, 396, 447
- hypotonic, 144
- CT, 52, *see* computed tomography.
- cyanosis, 344, 345, 352, 353, 373, 374
- cystoscopy, 92, 380, 382, 386
- damage control surgery (DCS), 447, 449
- DDAVP, 77, *see* desmopressin.
- deep sedation, 189–90, 192–3, 416, 471
- Deep Venous Thrombosis, 66, *see* DVT.
- defibrillation, 192, 376, 420, 425, 427, 430
- dehydration, 9, 146, 148–51, 367, 373
- delayed cord clamping (DCC), 3, 154
- dermoid cysts, 315
- desflurane, 21, 23, 97, 111
- desmopressin, 77, 149, 231, 296, 417, 478
- developmental pharmacodynamics, 16
- developmental psychology, 25
- developmental theory, 25–8
- dexmedetomidine, 17, 96, 164–5, 194, 236
- dexamethasone, 59–73, 99, 234, 307, 400, 414
- diabetes insipidus, 148, *see* arginine vasopressin disorder.
- diabetes mellitus, 53, 70, 93, 221
- diaphragmatic rupture, 452
- diarrhoea, 215, 413, 417, 465, 475
- diclofenac, 96, 98, 200, 285, 306, 308
- DiGeorge syndrome, 63, 154, 417
- discharge (postoperative), 96, 97–8, 99, 454
- dislocated lenses, 302–3
- disseminated intravascular coagulation (DIC), 8, 89, 155, 223
- distribution, 15
- Down syndrome, 67, 83, 211, 233, 298, 302
- doxorubicin, 231–2, 392, 401, 414, 415
- Duchenne muscular dystrophy (DMD), 72, 83, 89, 93, 158, 418
- ductus arteriosus (DA), 2–3, 4, 207, 222, 370, 474
- ductus venosus (DV), 2, 3, 132
- duodenal atresia, 84, 209, 213–14
- DVT, 66, 320
- dysplasia
- bronchopulmonary, 6, 70, 221, 309
 - developmental hip, 322
- ECG, 63, *see* electrocardiography.
- ECHO, 74, 76, 80, 215–16, 364, 369
- echocardiography, 60, 70, 89, 128, 210, 359–60
- effect-site targeted TCI, 160
- ejection fraction (EF), 345, 372, 395
- electrical injury, 316, 457, 459–60, 461
- electrocardiography, 80, 114–25, 346, 348, 427, 428
- embolisation, 363, 366, 399, 406, 407, 453
- emergence delirium, 17, 60, 65, 111, 233, 235
- empyema, 178, 332–3
- endobronchial intubation, 69, 118, 211, 225, 285, 303
- endoscopy, 5, 68, 195, 238, 239, 410
- diagnostic, 237, 241
 - therapeutic, 237, 242, 243
- enhanced recovery after surgery (ERAS), 148, 325
- enuresis, 31, 65, 67, 380
- epiglottitis, 116, 119–20, 243, 251, 252, 253
- epilepsy, 77–8, 93, 191, 280, 323, 326
- erector spinae plane block (ESPB), 178, 341
- estimated blood volume (EBV), 153, 283
- Ewing's sarcoma, 324–5
- exomphalos, 207, 216–17
- extracorporeal membrane oxygenation, 164, 213, 250, 362, 471
- extravasation, 108–9, 131, 167, 435, 453
- extubation, 260
- ex-utero intrapartum treatment, 249
- face mask, 104–7, 114, 246, 251–5, 305, 482
- families, 28–9, 42–3, 48, 53–4, 59–61, 93–6, *see also* caregivers; parents
- fascia iliaca, 169, 180, 182–4
- fasting, 66, 85, 86, 146, 150, 191
- femoral artery (FA), 126, 134, 182–3, 360, 404, 408
- femoral nerve (FN), 182–3, 184, 185, 321
- femoral vein (FV), 124, 130, 133–4, 135, 137, 182–3
- fentanyl, 18–19, 97–8, 195, 343–7, 380–1, 440
- fetal lung fluid, 2
- FGM, 43, 44

- FiO₂, 3, 425, 428, 469, 471, 472
 fistula, 211–12, 230, 452
 flexible endoscopy, 256
 fluid administration, 133, 392, 396, 430, 432, 435
 fluid balance, 144, 147, 148, 150, 152, 156
 fluid management, 144, 147, 148–9, 150, 283, 285
 intravenous, 144–7, 148, 150, 366
 fluid overload, 80, 213, 385, 395, 431–2, 435
 fluid resuscitation, 146, 215, 230, 231, 269, 270
 fluoroscopy, 132, 137, 362, 408
 Fontan procedure, 353, 371
 foramen ovale (FO), 2–4, 363
 foreign body airway obstruction, 436
 fractures, 54–5, 193, 194, 272, 319, 324
 Frank–Starling mechanism, 6
 fresh frozen plasma (FFP), 8, 154, 155–6, 224, 225, 448
 fronto-orbital remodelling/
 advancement, 287
 functional residual capacity (FRC), 5–6, 21, 238–9, 240, 334

 gallstone disease, 391
 gas induction, 104, 167, 217, 235, 238, 377
 gastroesophageal reflux, 230, 323
 gastroschisis, 207, 216–18
 gastroscopy, 193, 195
 gastrostomy, 211, 323, 401
 general anaesthesia, 10, 11, 60–1, 199, 272–5, 366–7, 464
 consent for, 38
 long-term effects, 10–11
 General Medical Council (GMC), 35–8
 gestation, 8, 14, 18, 220–1, 223
 Gillick competence, 36, 41
 GIRFT (getting it right first time)
 principle, 56, 101
 glaucoma, 302–3, 307, 317
 glossoptosis, 67, 262–4
 glottis, 119–21, 238, 336–7, 444, 458
 glucocorticoids, 2, 9, 16, 72–3
 glucose, 9, 144–6, 148–51, 292, 388
 glucose-6-phosphate dehydrogenase
 deficiency, 76
 grooming, 44
 gynaecomastia, 315

 haematology, 7, 8, 59, 67, 75, 77
 haematoma, 170, 314–15, 341, 364
 haemodialysis, 80, 85, 191, 385, 475
 haemodynamic instability, 383, 384, 440–5, 446, 453–4
 haemoglobin, 127, 153–4, 155, 282, 283, 315
 haemoglobin concentration, 3, 62, 153, 208, 278–83, 373
 haemolytic uraemic syndrome
 (HUS), 475
 haemophilia, 77
 halothane, 21–3
 hand surgery, 175, 312, 319
 Hartmann's solution, 9, 269, 283, 294, 461
 heart, 345–6, 348–51, 360, 367, 396–7, 425–7
 heart failure, 4, 17, 222, 344, 346, 369
 heart murmurs, 62–4, 266
 heart rate, 125, 192, 194, 347, 377–8, 446
 hepatic tumours, 392, 411
 hepatosplenomegaly, 86, 394, 395, 417
 HFOV, 211, *see* ventilation, high-frequency oscillatory.
 high-dependency unit (HDU), 18, 93, 157, 233, 285, 300
 hip spica, 322, 384
 Hirschsprung's disease, 207, 215
 Holliday–Segar formula, 144, 461, 472
 homocystinuria, 86, 302
 humidification, 122, 125, 244, 246, 469
 Hurler syndrome, 83
 hydrocephalus, 86, 288, 297, 299, 300, 323
 hypercapnia, 211, 213, 222, 292, 293, 473–4
 hyperglycaemia, 146, 223, 294, 465, 477
 hyperkalaemia, 88–9, 155–6, 215, 218, 385, 386
 hypertelorism, 280, 289
 hypertension, 248–9, 299, 303, 304, 383, 385
 hyperventilation, 208, 225, 292, 299, 438, 450
 hypocalcaemia, 78, 80, 154, 155–6, 218, 447–8
 hypoglycaemia, 9, 78, 146, 149–50, 394–5, 405–6
 hypomagnesaemia, 144–56, 414
 hyponatraemia, 144, 146, 149, 151–3, 394, 465
 hypoplastic left-heart syndrome
 (HLHS), 343–4, 348, 354, 370, 375
 hypospadias, 381
 hypotension, 17, 109–10, 150–1, 161–2, 225, 445
 hypothalamic–pituitary–adrenal
 (HPA) axis, 9
 hypothermia, 75, 155–6, 349–50, 430–1, 447, 462–3
 hypovolaemia, 146, 361, 362, 364, 428, 430

 hypoxaemia, 88, 125, 208, 238, 253, 334
 central, 4
 hypoxia, 67–9, 221–2, 394, 430–3, 451–2
 hypoxic pulmonary vasoconstriction
 (HPV), 334

 ibuprofen, 96, 98, 207–9, 269, 304, 306
 immunotherapy, 231, 410, 414
 implantable ports, 136
 induction of anaesthesia, 103, 104–7, 207–8, 255, 304–5, 377–8
 parental presence during, 103
 infants, 16–23, 223–6, 262–4, 266–9, 430–8, *see also* neonates
 infection, 75, 251–2, 275, 333, 465, 476–7
 wound, 312, 326, 329, 456, 465
 infusion, prostaglandin, 4, 343–4, 346, 353, 355, 474
 inhaled anaesthetics, 21–2
 inherited metabolic disease (IMD), 85
 insulin, 71–2, 74, 151, 388, 405
 intensive care, 243–5, 247, 431, 440–1, 467, 469–70
 interrupted aortic arch (IAA), 262, 344, 345, 369, 370
 intracranial pressure, 23, 158, 291–2, 293, 449, 476
 intraocular pressure, 302, 304, 305, 444
 intraoperative monitoring, 283, 293, 300
 intraosseous access, 123–4, 138–9, 446, 460
 intrathoracic pressure, 5, 248, 354, 372, 436
 intravenous anaesthetic agents, 19
 intravenous induction, 15, 22, 97, 104, 293, 361
 intravenous lines, 84–5, 108, 111, 362
 intubation, 244, 245, 255–6, 298, 443, 444–5, 468, 469, 470
 aids, 120–3, 243, 267
 alternatives, 258
 avoidance, 254
 contraindications, 245, 345
 indications for, 468, 473, 482, 487
 neuromuscular blockade and, 321
 plans for failure, 434
 positions, 297, 298
 risks, 253, 258, 309
 situations where not possible, 267
 for trauma, 444
 isoflurane, 21, 23, 225, 228, 294, 361
 isotonic crystalloids, 144–6, 148–50, 156, 385

- jaundice, 191, 387–98
 jaw thrust, 107, 114, 196, 255, 421–4
 Jehovah's Witnesses (JW), 37, 61, 154
 Joint Agency Response (JAR), 47–8
 jugular vein
 external, 133–4, 137, 348
 internal, 133–5, 348, 349, 360, 363, 400–1
 Kasai procedure, 391
 ketamine, 10, 17, 165, 188–95, 343–7, 440
 ketoacidosis, diabetic, 71, 135, 151, 477, 480
 Klippel–Feil syndrome, 83
 Langerhans cell histiocytosis (LCH), 324, 417
 laparotomy, 214, 225, 230, 232, 384
 laryngeal mask airway (LMA), 115, 246, 249, 251, 254, 258
 laryngeal papillomas, 93, 242
 laryngoscopy, 82–3, 85, 119–21, 238–9, 258, 444
 indirect, 256
 straight blade, 4, 120
 laryngospasm, 102, 107, 195, 234, 255
 laryngotracheobronchitis, 63, *see* croup
 larynx, 119–21, 237, 242–3, 245, 246–7, 256–8
 laser surgery, 242, 308, 315–18
 lateral decubitus position, 178, 334
 latex allergy, 111, 323, 384
 learning disabilities, 29, 30, 32, 82, 263–4, 273–4
 left-ventricular outflow tract
 obstruction (LVOTO), 344, 366, 370, 374, 377–8
 leukaemia, 37, 84, 130, 400, 411
 levobupivacaine, 24, 170, 202, 209, 228, 230
 lidocaine, 97, 167, 170–1, 238, 304, 306
 limb deformities, congenital, 312
 limb lengthening, 321, 323
 liver disease, 16, 387, 388–9, 390, 394, 398
 liver failure, 388–9, 390, 393, 397, 414
 liver transplantation, 389, 391, 392–8
 living wills, 38
 local anaesthesia, 23, 197–9, 202–3, 275–6, 341, 382
 neonates, 23
 looked after children (LAC), 43
 lumbar puncture (LP), 92, 97, 195, 410, 411, 416
 lung abscess, 333
 lungs, 2–3, 5, 134–5, 331–5, 340
 lymphoma, 332, 400, 411, 413
 macroglossia, 67, 83, 87, 217, 251–2, 264
 magnesium, 145, 199, 202, 374
 magnetic resonance angiography (MRA), 367
 magnetic resonance imaging (MRI), 119, 188–9, 193, 399, 408, 409
 major haemorrhage, 155–6, 441, 445–6, 447, 448, 449
 major trauma centres (MTCs), 440, 459
 malignant hyperthermia (MH), 87–8, 89, 158, 320, 324, 418
 malonyl carnitine, 163
 maxillary hypoplasia, 82, 279–82
 McCoy blade, 120
 mean arterial pressure (MAP), 248, 292, 294, 447, 470–2, 487–8
 meconium ileus, 69, 207, 214
 medical examiner, 48
 Mental Capacity Act, 36, 37
 metabolic acidosis, 78, 80, 145–6, 223, 224, 447–8
 metabolism, 16
 micrognathia, 251, 254, 262, 267, 268, 271
 midazolam, 17–18, 96–7, 165, 193–4, 195, 347
 middle ear surgery, 248, 250
 milk
 breast, 66, 147, 193
 formula, 66, 147, 223
 minimally invasive surgery (MIS), 209, 286
 minimum alveolar concentration (MAC), 22–3, 107, 208, 228, 405, 407
 modified ultrafiltration, 350
 monobloc frontofacial
 advancement, 281, 288–9
 morphine, 15–16, 18, 201, 269, 312, 440
 oral, 98, 209, 269, 270, 380–1, 382
 Morquio syndrome, 83, 87, 298
 mortality, 66, 67, 68, 102, 374–5, 397–8
 motor evoked potentials (MEPs), 294, 321, 326
 MRI, 52, *see* magnetic resonance imaging
 mucopolysaccharidoses, 67, 83, 86, 89, 302–3
 mucositis, 414–15, 416
 multimodal analgesia, 198, 218, 269, 270–1, 321, 323
 muscle relaxants, 21, 107–8, 110, 166, 246, 247
 neonates, 19–23
 muscular dystrophy, 89, 319, 320, 324, 325, 418
 myopathic conditions, 83
 myringotomy, 92, 234
 nasogastric tube, 107, 229–30, 269, 270, 323, 328
 nasopharyngeal airways, 114–15, 236, 241, 266–8, 270–1
 nasopharyngeal angiofibroma, 249
 National Audit Projects (NAPs), 61, 110
 National Child Mortality Database, 47
 nausea, 51, 54, 102, 144–52, 414, 415
 postoperative, 60, 91, 98, 148, 158, 204
 necrotising enterocolitis, 133, 207, 217, 223
 neglect, 43, 45
 negligence, 35
 neonates, 6–9, 11–12, 149, 150, 153, 155, 156, 207–12, 213, 214, 215, 216, 217, 218
 airways, 208, 380
 anorectal anomalies, 215–17
 apnoea, 62
 atresias, 213–14
 balloon atrial septostomy, 363
 blood spot screening, 74
 blood transfusion, 154–5
 cardiovascular development, 6–7
 catheterisation, 131–2
 central venous access, 132
 choanal atresia, 246
 circumcision, 381
 congenital abnormalities, 207
 congenital diaphragmatic hernia, 212–13
 congenital lobar emphysema, 331
 cranial anatomy, 291
 cystic fibrosis, 69
 cystic fibrosis screening, 69
 drug dosing, 13–14, 162–3, 381
 ductal stent, 363
 endocrine system, 9
 epidurals, 378
 ethics, 103
 face masks, 114
 fluid management, 149–50
 fluid therapy, 146
 general anaesthesia, 61
 haematology, 7–8
 humidification, 122
 hypoglycaemia, 78, 208
 intraocular surgery, 307
 intraosseous needle insertion, 139
 intravenous anaesthetics, 16–19
 jaundice, 389, 390
 maintenance fluids, 149
 maintenance of anaesthesia, 347
 mandibular distraction in, 267

- neonates (cont.)
 meconium ileus, 214
 minimum alveolar concentration (MAC), 228
 modified ultrafiltration, 351
 monitoring, 348
 blood pressure, 126
 temperature, 127
 transcutaneous carbon dioxide, 126
 morbidity, 102
 mortality, 102
 muscle relaxants, 19–23
 necrotising enterocolitis, 223–4
 opioids, 201
 oxygen consumption, 4
 pain, 10–11, 12
 perioperative fluids, 150
 persistent pulmonary hypertension, 4
 pharmacodynamics, 16
 pharmacokinetics, 14–16, 164
 premature, 6, 10, 13, 220, 224–5, 226
 prostaglandin infusion, 474
 pulmonary hypertension, 345
 renal, hepatic and metabolic development, 8–9
 sacroccygeal teratoma, 218
 sepsis, 224
 thermoregulation, 10, 208
 total intravenous anaesthesia, 166
 tracheal tubes, 117
 tracheo-oesophageal fistula, 210
 transfusion, 153, 154–5, 208
 venous air embolus, 296
neonates and infants, 19, 20–1, 132, 134, 135, 203
neostigmine, 21, 294
nephrectomy, 232, 380–3
nephroblastoma, 231, 382–3, 411, 412
nerve blocks, 98, 104, 169
 abdominal, 169, 179
 adductor canal, 182
 auriculotemporal, 173
 axillary, 174
 bilateral, 230
 caudal, 98, 181, 186, 216, 382
 continuous peripheral, 321
 erector spinae plane block (ESPBs), 178, 341
 femoral, 182, 184, 321
 infragluteal, 184
 infraorbital, 269
 intercostal, 341
 mental, 274
 penile, 55, 181, 381
 peripheral, 313
 phrenic, 174
 quadratus lumborum, 180
 rectus sheath, 179
 sciatic/popliteal, 98
 serratus anterior plane, 178–9, 341
 supraclavicular, 173–4
 thoracic, 342
 thoracic paravertebral, 177
 truncal, 169, 176
 ultrasound-guided, 98
 unilateral ilioinguinal/
 iliohypogastric, 229
 upper limb, 169, 173, 175
nerves
 optic, 296, 306, 309
 phrenic, 172
 posterior cutaneous, 183
 posterior tibial, 185
 pudendal, 181
 radial, 173, 174–6, 314
 recurrent laryngeal, 172, 174
 saphenous, 182–4, 185
 sciatic, 183–5
 small elliptical, 182
 splanchnic, 180
 subcostal, 180
 ulnar, 173, 174–6, 314, 327
neural tube defects, 297, 300
neuroblastoma, 231–2, 399–401, 411, 412–13, 414, 415
neuromuscular blockade, 16, 21, 308, 309, 321, 326–7
neurosurgery, 148–9, 291, 293, 294–5, 476, 487
neurotoxicity, 208, 225
newborns, 1, *see* neonates.
Nissen fundoplication, 228, 230
nitrous oxide, 20–1, 23, 188–95, 308–9
non-accidental injury (NAI), 440, 449, 451, 465, 478, 479
non-Hodgkin's lymphoma, 399–401, 412, 414–15
non-invasive ventilation (NIV), 60, 68, 89, 123, 434
non-specialist hospitals, 51, 56, 57, 91, 489
non-steroidal anti-inflammatory drugs, 449, *see* NSAIDs
noradrenaline, 353, 393, 432, 435, 472–3, 475
normocapnia, 249, 299, 301, 361, 484, 488
normoglycaemia, 82–6, 146, 283, 405
North Thames Cleft Service, 265
NSAIDs, 98, 197–200, 248, 321–2, 342
obesity, 57, 59–67, 73–4, 81, 320, 323
obstructive, 67–8, 92–3, 233–5, 280–1, 319–20
oculocardiac reflex, 7, 275, 285, 304, 307, 310
oculocardiac reflex, 304, 408
oedema, 5, 245, 247, 251, 259, 458
oesophageal atresia (OA), 207, 210–11, 212, 230, 369, 402
ondansetron, 99, 204, 234, 275, 307, 374
one-lung ventilation (OLV), 336
operations, 230, 246, 247–9, 270–1, 312, 462
opioid infusions, 200, 201, 217, 342, 395
opioids, 18, 164, 167, 195–6, 199–202, 322–3
orbital box osteotomy, 281, 289
orotracheal tube, 282
orthodontic treatment, 108
osteogenesis imperfecta (OI), 84, 139, 319–20, 324, 472
osteosarcoma, 324, 411, 412
oxidative stress, 76–7
oxygen, 7–8, 211, 240, 246, 434, 483
oxygen saturation, 351, 352, 353, 371, 373, 406
packed red blood cells (PRBC), 8, 154, 156
pain, 143, 196, 203–5, 235, 269, 450
 cannulation, 97
 neonates, 10, 12
 perioperative management, 197–8
 postoperative, 51, 197, 198, 201–2, 203, 235–6
 pain assessment, 204, 235, 324
 pain management, 57, 59, 197–9, 203–5, 462
 acute, 54, 197, 202
 multimodal, 198
 nonpharmacological, 203
 paracetamol, 96, 197–200, 207–9, 248, 273–5
 intravenous, 200, 269, 282, 304, 312, 351
 paravertebral space, 177–8, 341
 parenteral nutrition (PN), 136, 209, 214, 217, 223, 225
 parents, 25, 36, 37, 39–40, 99, 102, 103, 485, 486
 abuse by, 43, 45
 communication with, 29, 32, 39, 53, 60, 65
 consent and confidentiality, 36, 37, 39, 40, 61, 191
 diagnostic information from, 253
 feedback from, 410
 home care, 99, 204, 307
 parental responsibility (PR), 36–7, 39, 42, 98
 presence during procedures, 31–2, 96, 103, 104, 190, 243
 presence during transport, 486–7
 resources for, 15, 91
 self-referrals, 446
 see also caregivers; families.

- patent ductus arteriosus (PDA), 3–4, 220–2, 343–4, 353, 355, 368–70
- patient selection, 92, 213, 296, 328, 410
- PEEP, 3, 241, 248–9, 334–5, 425, 469
- pelvic injury, 453
- perioperative period, 70, 71, 72–3, 78, 79, 296
- peripherally inserted central catheters (PICC), 130–2, 167, 400
- peripheral nerve blocks (PNB), 169
- periventricular leukomalacia, 6, 222
- pharmacokinetics
absorption, 13–14
distribution, 14–15
excretion, 16
metabolism, 15–16
- pharmacokinetic-pharmacodynamic modelling, 160
- pharmacokinetics, 13, 74, 80, 158, 167
- pharyngoplasty, 261–70
- phenytoin, 78, 261, 451, 476, 488
- phlebitis, 108, 131, 138, 143
- PICU, 6, *see* intensive care.
- Pierre Robin sequence, 82–3, 114, 258, 262–4, 267, 268
- pinnaplasty, 92, 97, 99, 171, 314–15
- plasma, 144, 156, 158, 160, 162, 164
- platelets, 75, 154, 155–6, 223, 225, 448–9
- pleural drains, 340–1
- pneumothorax, 134–5, 240–1, 246, 444, 447
- polysplenia, 390
- polyurethane, 131, 133, 136, 337
- posterior urethral valves, 380, 384
- post-haemorrhagic ventricular dilatation (phvd), 222
- postoperative analgesia, 274–5, 341–2, 380, 382, 385, 386
- postoperative care, 60, 85, 285, 290, 325, 328
- postoperative period, 89, 91, 144, 146, 269, 328
- post-resuscitation care, 427, 431
- potassium, 9, 144–5, 148, 150, 229
- potassium titanyl phosphate, 242
- preadmission screening
questionnaire, 93
- preassessment, 53–4, 57, 93, 101, 325
- prematurity, retinopathy of, 6, 223, 304, 308, 309
- premedication, 31–2, 59–60, 65, 96–7, 103, 111
- preoperative assessment, 59–60, 62–5, 68, 82, 197–8, 232
- preoperative fasting, 147, 377, 394
- preoxygenation, 238, 239–40
- pressure gradient, 334, 340, 368–76
- preterm infants, 3–4, 6, 8–10, 14, 221–4
- propofol, 16–17, 158, 162, 166, 167, 168, 238–9, 416
adverse effects, 166, 440
PRIS (propofol-related infusion syndrome), 163–4, 418, 419
contraindications, 451, 479
mixtures, 164
- prostaglandins, 3, 222, 344–5, 370, 474
- prothrombin time (PT), 155, 391, 396, 397, 449
- pulmonary artery (PA), 2, 343, 344, 353–5, 360, 370–1
- pulmonary blood flow (PBF), 343–4, 347, 353, 363, 364, 368–72
- pulmonary hypertension, 75, 212–13, 345, 373, 378, 407
- pyloric stenosis, 150, 229
- quadratus lumborum (QL), 169, 179, 180–1, 228, 382
- radiology, 52, 310, 399, 400, 401–2
- radiotherapy, 231–2, 408, 412–13, 416
- rapid sequence induction (RSI), 21, 107, 230, 237, 309, 444–5
- red blood cells (RBC), 8, 76, 154, 156, 448
- refusal of treatment, 32, 35, 37, 39, 154
- remifentanyl, 19, 164, 167, 195, 294–5, 311–12
- remifentanyl infusion, 166, 248, 249, 268, 308, 312
- REM sleep, 6
- renal biopsy, 401
- renal failure, 9, 80, 380, 385, 414, 475
- renal function, 80, 380, 383, 384, 394, 400
- reperfusion phase, 396
- respiratory distress, 3–4, 221, 222, 243, 451, 473
- respiratory function, 5, 79, 89, 323, 325, 394
- respiratory support, 123, 208, 212, 214, 215, 469
- respiratory system, development, 1–2
- respiratory tract infections, 63, 69–70, 163, 226, 264, 266
upper, 63, 96, 234
- restraint, 32, 39, 41
- resuscitation, 56, 57, 424–5, 429, 430–1, 459
- return of spontaneous circulation, 421, 424, 427–32, 451
- rhabdomyolysis, 87, 89, 158, 163, 418, 419
- rigid external distractor (RED)
removal, 288–9
- Ring–Adair–Elwin (RAE) tracheal tubes, 117, 235, 282
- rocuronium, 21, 74, 98, 306, 309, 444–5
- ropivacaine, 23–4, 170–1, 202
- Royal College of Anaesthetists (RCOA), 31, 45–6, 51, 91, 93, 470
- sacrococcygeal teratoma, 218
- safeguarding, 42–3, 45–9, 91, 454, 465–6, *see also* abuse
- sagittal synostosis, 278–81, 286–7, 288
- sarcoma, 324–5, 414, 416
- sciatic nerve (SN), 183–5
- scoliosis, 79, 319, 323, 324–6, 329, 369
- SCP block, 171
- sedation, 16, 17–18, 165–6, 188, 190, 192, 193, 195–6, 440–5
moderate, 188, 192–3, 194, 195
safety, 192–3
as spectrum, 188
- sedation techniques
moderate, 191, 193
- seizures, 78, 82–6, 300, 410–15, 475–6
- self-determination, 35
- sepsis, 146, 389, 394, 465, 468–9, 477–8
- septal defects
atrial, 343–4, 351, 368–9, 371, 390
ventricular, 84, 343, 359, 362, 365, 368–9
- septal puncture, atrial, 363
- septostomy, atrial, 353, 357, 363, 371
- severe combined immune deficiency (SCID), 413, 417–18
- sevoflurane, 21–3, 193, 208–9, 211, 236–7, 291–4
- shock, 150–1, 155, 427–9, 449, 460, 475
haemorrhagic, 435, 449
hypovolaemic, 151, 214, 236, 440–5
- sickle cell anaemia, 55, 62, 66, 74–6, 233, 236
- sleep apnoea, obstructive, 53, 67, 92, 191, 233, 319
- sleep disordered breathing (SDB), 83, 84, 233, 234
- smoke inhalation injury, 464
- sodium, 9, 144–50, 152–3, 229
- soft palate, 4, 114, 261–6, 268, 270
- spinal surgery, 295–300, 319, 320, 328, 340
- stereotactic surgery, 298, 300
- sternotomy, 343, 344, 346, 348, 351, 352

- sternum, 333, 345, 348, 351, 424, 425
- stomach, 85, 86, 107–8, 229, 236–7, 401–2
- stridor, 237, 241–5, 247, 252–3
- stylets, 118, 120–1, 128, 243, 256, 267
- subclavian vein, 133, 134–5, 137, 365–6, 447
- subglottic stenosis, 5, 70, 84, 118, 246, 252–3
- suction catheter, 119, 121, 195, 240, 305, 433
- sufentanil, 158, 189, 294
- sugammadex, 21, 98, 309, 444–5
- superficial cervical plexus (SCP), 169, 171–3
- supraglottic airway device (SAD), 97, 234–5, 303, 305–6, 308, 403
- supraglottic airways, 97, 115, 255
- surgery, vitreoretinal, 302, 304, 308–9, 310
- suxamethonium, 16, 19–20, 88–9, 107–8, 324, 444–5
- syndactyly, 280, 282, 313, 314
- systems, respiratory, 2
- tachycardia, 151, 299, 304, 345, 347, 468–9
- tachypnoea, 62, 151, 243, 468, 473, 474
- target concentrations, 162–3, 167, 195–6
- target-controlled infusion (TCI), 97, 158, 160, 164, 166–7, 241
- plasma target, 160
- propofol, 162, 196
- TCI, 97, *see* target-controlled infusion.
- TGA, 344, 353, 363, 376
- thalassaemia, 76
- thermoregulation, 10, 12, 208, 210, 298
- thiopental, 13–14, 16–17, 19, 20
- thoracotomy, 178, 331, 332, 340, 342
- throat packs, 267–8, 272–3, 274, 276, 306
- thrombocytopenia, 8, 98, 155, 391, 395, 475
- thromboelastography, 351, 396, 448
- thrombophlebitis, 143
- thrombosis, 86, 131, 132, 135–6, 360, 364
- tongue tie, 315
- tonsillectomy, 52, 55, 92–3, 97, 234, 235–6
- topical anaesthesia, 54, 66, 97, 111, 306, 308
- total anomalous pulmonary venous drainage (TAPVD), 344, 370, 373, 474
- total intravenous anaesthesia (TIVA), 158, 163, 164–8, 238–9, 326–7
- tourniquets, 76, 311, 312–13, 320, 321, 322
- toxic shock syndrome (TSS), 459, 465–6, 475
- toxic shock syndrome toxin (TSST), 465
- trachea, 238–9, 240, 245–7, 248, 259–60, 336–7
- tracheal tubes, 107, 116–17, 239–40, 246–7, 259–60, 433–4
- armoured, 118, 293
- Cole, 118
- cuff pressure, 5, 116, 117, 431, 470, 479
- double-lumen, 118, 336, 339, 452
- polar/RAE, 16, 117, 239 *see also* intubation.
- tracheobronchial injury, 452
- tracheobronchomalacia, 68, 70, 241, 403
- tracheomalacia, 84, 212, 226, 237, 241, 253
- tracheo-oesophageal fistula (TOF), 207, 209–10, 343, 346, 402
- tracheostomy, 241, 246–8, 254–5, 258–9, 281, 434–5
- tracheostomy tube, 119, 123, 246, 248, 433, 483
- tranexamic acid, 156, 157, 284, 351, 448–9, 451
- transcutaneous electrical nerve stimulation (TENS), 203
- transfusion, 8, 153, 154–5, 396, 413, 447–8
- trans-oral robotic cleft surgery (TORCS), 271
- transplant, autologous, 413
- transplantation, 385, 386, 393, 395, 396, 413
- bone marrow, 136, 413, 417
- cardiac, 343, 355–6, 359–60, 415
- liver, 389, 391, 392–8
- renal, 385, 386
- transport
- air, 485–6
- road, 485
- train, 485
- trauma, 121, 308–9, 420–8, 440, 444–6, 480–1
- abdominal, 438, 440, 453
- adult, 156, 441
- laryngeal, 240
- maxillofacial, 272, 275, 444
- penetrating, 440, 446, 452, 454, 484, 489
- trauma laparotomy, 453
- traumatic brain injury (TBI), 440–1, 443, 449, 450–1, 476
- truncus arteriosus, 262, 344, 369–70
- tumour biopsy, 232, 383, 399, 401, 413
- tumours, 231, 292, 295–6, 401, 406, 411–12
- abdominal, 231, 232, 392
- spinal, 297–8
- ultrasound, 126, 134–5, 137, 138, 383, 384
- umbilical vein, 2, 3, 130, 132
- uniblocker, 337–8
- univent tube, 336, 338
- valvotomy, 343, 362
- variable rate insulin infusion, 72
- vascular access, 80, 82, 130, 138–9, 399–400, 462
- vascular balloons, 338
- vasopressors, 283, 285, 392, 449, 478
- vecuronium, 21, 98, 293, 347
- venous air embolus, 296
- ventilation, 224–5, 240, 335, 425, 468
- alveolar, 110, 207, 470
- control, 6
- high-frequency oscillatory, 211, 213, 221, 470–1, 472, 483
- postoperative, 228, 294–5, 297, 328, 333, 384
- ventilators, 123, 425, 470, 471, 483–4, 486
- ventricular assist device (VAD), 355
- ventricular septal defect (VSD), 343–4, 352–3, 358, 362, 369, 372
- videolaryngoscopy, 87, 120, 267, 298, 483
- violence reduction strategies, 454
- vitamin K, 8, 155, 224, 387–8, 389, 391
- vocal cord palsies, 241
- volatile agents, 88–9, 158, 320–1, 355, 377, 418
- volvulus, 207, 214–15
- vomiting, 98–9, 191, 204, 292–3, 299–300, 306–7
- Von Willebrand disease, 77, 231, 383
- VRII, 72, *see* variable rate insulin infusion.
- WHO Surgical Safety Checklist, 104
- Williams syndrome, 83, 345, 369
- Wilms tumour, 231–2, 383, 415
- wire embolism, 135
- World Health Organisation (WHO), 9, 44, 73–4, 358