Search...

Get 90% Refund
Courses Tutorials Practice Jobs

Problem Editorial Submissions Comments

Output Window

Compilation Results Custom Input Y.O.G.I. (AI Bot)

Problem Solved Successfully

Suggest Feedback

Test Cases Passed
1112 / 1112

Attempts : Correct / Total
1 / 1
Accuracy : 100%

Points Scored
2 / 2
Your Total Score: 48

Time Taken
0.84

Solve Next

Bubble Sort | Floor in a Sorted Array | Closest Triplet

Stay Ahead With:

Java (21) Start Timer

```java
// User function Template for Java

class Solution {
    public int findMinDiff(ArrayList<Integer> arr, int m) {
        // your code here
            int n = arr.size();

        if (m > n) {
            return -1;
        }

        Collections.sort(arr);

        int minDiff = Integer.MAX_VALUE;

        for (int i = 0; i + m - 1 < n; i++) {
            int diff = arr.get(i + m - 1) - arr.get(i);
            if (diff < minDiff) {
                minDiff = diff;
            }
        }

        return minDiff;
    }
}
```

Ctrl + Enter

Custom Input Compile & Run Submit

Output Window

Compilation Results | Custom Input | Y.O.G.I. (AI Bot)

Problem Solved Successfully

Suggest Feedback

Test Cases Passed	Attempts : Correct / Total
1112 / 1112	**1 / 1**
	Accuracy : 100%

Points Scored	Time Taken
2 / 2	**0.36**
Your Total Score: 50 ↑	

Solve Next

Sorted subsequence of size 3 | Array Duplicates | Two Sum - Pair with Given Sum

Stay Ahead With:

```java
class Solution {
    public static int smallestSubWithSum(int x, int[] arr) {
        // Your code goes here
            int n = arr.length;

            int minLen = n + 1;

        for (int i = 0; i < n; i++) {
            int sum = 0;

            for (int j = i; j < n; j++) {
                sum = sum + arr[j];

                if (sum > x) {
                    int length = j - i + 1;
                    if (length < minLen) {
                        minLen = length;
                    }
                    break;
                }
            }
        }

        if (minLen == n + 1) {
            return 0;
        }

        return minLen;
    }
}
```

Custom Input | Compile & Run | Submit (Ctrl + Enter)

Output Window

Compilation Results | Custom Input | Y.O.G.I. (AI Bot)

Problem Solved Successfully

Suggest Feedback

Test Cases Passed

1111 / 1111

Attempts : Correct / Total

1 / 1

Accuracy : 100%

Points Scored

2 / 2

Your Total Score: 52

Time Taken

0.21

Solve Next

Wave Array | Sort by Absolute Difference | Convert an array to reduced form

Stay Ahead With:

```
class Solution {
    // Function to partition the array around the range such
    // that array is divided into three parts.
    public void threeWayPartition(int arr[], int a, int b) {
        // code here
          int low = 0;
        int mid = 0;
        int high = arr.length - 1;

        while (mid <= high) {

            if (arr[mid] < a) {
                int temp = arr[low];
                arr[low] = arr[mid];
                arr[mid] = temp;

                low++;
                mid++;
            }
            else if (arr[mid] > b) {
                int temp = arr[mid];
                arr[mid] = arr[high];
                arr[high] = temp;

                high--;
            }
            else {
                mid++;
            }
        }
    }
}
```

Custom Input | Compile & Run | Submit

Ctrl + Enter

Output Window

Compilation Results | Custom Input | Y.O.G.I. (AI Bot)

Problem Solved Successfully

Suggest Feedback

Test Cases Passed	Attempts : Correct / Total
1112 / 1112	**1 / 1**
	Accuracy : 100%

Points Scored	Time Taken
4 / 4	**0.45**
Your Total Score: 56 ↑	

Solve Next

Rearrange Array Alternately | Count Number | Subarray Inversions

Stay Ahead With:

```java
// User function Template for Java

class Solution {
    // Function for finding maximum and value pair
    int minSwap(int[] arr, int k) {
        // Complete the function
          int n = arr.length;

          int good = 0;
        for (int i = 0; i < n; i++) {
            if (arr[i] <= k) {
                good++;
            }
        }

        if (good == 0) {
            return 0;
        }

        int bad = 0;
        for (int i = 0; i < good; i++) {
            if (arr[i] > k) {
                bad++;
            }
        }

        int ans = bad;

        for (int i = 0, j = good; j < n; i++, j++) {

            if (arr[i] > k) {
                bad--;
            }

            if (arr[j] > k) {
                bad++;
            }
```

Custom Input | Compile & Run | Submit

Ctrl + Enter

Search...

Courses Tutorials Practice Jobs

Problem Editorial Submissions Comments

Output Window

Compilation Results Custom Input Y.O.G.I. (AI Bot)

Problem Solved Successfully

Suggest Feedback

Test Cases Passed	Attempts : Correct / Total
1115 / 1115	**1 / 1**
	Accuracy : 100%

Points Scored	Time Taken
1 / 1	**0.13**
Your Total Score: 57 ↑	

Solve Next

Palindrome Array | Smaller and Larger | Find the left over element

Stay Ahead With:

Java (21) Start Timer

```java
/*Complete the Function below*/
class Solution {
    public static boolean isPalinArray(int[] arr) {
        // add code here.
            int n = arr.length;
            for (int i = 0; i < n; i++) {

            int num = arr[i];
            int original = num;
            int reverse = 0;

            while (num > 0) {
                int digit = num % 10;
                reverse = reverse * 10 + digit;
                num = num / 10;
            }

            if (original != reverse) {
                return false;
            }
        }

        return true;
    }
}
```

Custom Input Compile & Run Submit

Ctrl + Enter

Output Window

Compilation Results | Custom Input | Y.O.G.I. (AI Bot)

Problem Solved Successfully

Suggest Feedback

Test Cases Passed

1115 / 1115

Attempts : Correct / Total

1 / 1

Accuracy : 100%

Points Scored

1 / 1

Your Total Score: 62

Time Taken

0.6

Solve Next

Multiply Array | Mean of an Array | Greatest of three numbers

Stay Ahead With:

```java
class Solution {
    public double findMedian(int[] arr) {
        // Code here.
            int n = arr.length;
            Arrays.sort(arr);

        if (n % 2 != 0) {
            return arr[n / 2];
        } else {
            return (arr[n / 2 - 1] + arr[n / 2]) / 2.0;
        }
    }
}
```

Ctrl + Enter

Custom Input | Compile & Run | Submit

Problem | Editorial | Submissions | Comments

Output Window

Compilation Results | Custom Input | Y.O.G.I. (AI Bot)

Problem Solved Successfully

Suggest Feedback

Test Cases Passed	Attempts : Correct / Total
1115 / 1115	**1 / 1**
	Accuracy : 100%

Points Scored	Time Taken
4 / 4	**1.95**
Your Total Score: 61 ↑	

Solve Next

Find kth element of spiral matrix | Rotate by 90 degree | Reverse Spiral Form of Matrix

Stay Ahead With:

Java (21) | Start Timer

```java
class Solution {
    public ArrayList<Integer> spirallyTraverse(int[][] mat) {
        // code here
         ArrayList<Integer> result = new ArrayList<>();

        int top = 0;
        int bottom = mat.length - 1;
        int left = 0;
        int right = mat[0].length - 1;

        while (top <= bottom && left <= right) {

            for (int i = left; i <= right; i++) {
                result.add(mat[top][i]);
            }
            top++;

            for (int i = top; i <= bottom; i++) {
                result.add(mat[i][right]);
            }
            right--;

            if (top <= bottom) {
                for (int i = right; i >= left; i--) {
                    result.add(mat[bottom][i]);
                }
                bottom--;
            }

            if (left <= right) {
                for (int i = bottom; i >= top; i--) {
                    result.add(mat[i][left]);
                }
                left++;
            }
        }

```

Custom Input | Compile & Run | Submit

Problem List

Submit

Premium

Description | Accepted × | Editorial | Solutions | Submissions

All Submissions

Accepted 133 / 133 testcases passed

Adyasha27 submitted at Feb 09, 2026 21:36

Editorial | Solution

Runtime

0 ms | Beats 100.00%

Analyze Complexity

Memory

43.92 MB | Beats 59.64%

Code | Java

```java
class Solution {
    public boolean searchMatrix(int[][] matrix, int target) {
            int rows = matrix.length;
        int cols = matrix[0].length;

```

Code

Java | Auto

Full screen

```java
class Solution {
    public boolean searchMatrix(int[][] matrix, int target) {
            int rows = matrix.length;
        int cols = matrix[0].length;

        int low = 0;
        int high = rows * cols - 1;

        while (low <= high) {

            int mid = (low + high) / 2;
```

Saved

Ln 28, Col 5

Testcase | Test Result

Accepted Runtime: 0 ms

Case 1 | Case 2

Input

matrix =

[[1,3,5,7],[10,11,16,20],[23,30,34,60]]

target =

3

Output

Problem | Editorial | Submissions | Comments

Output Window

Compilation Results | Custom Input | Y.O.G.I. (AI Bot)

Problem Solved Successfully

Suggest Feedback

Test Cases Passed

1117 / 1117

Attempts : Correct / Total

1 / 1

Accuracy : 100%

Points Scored

4 / 4

Your Total Score: 66

Time Taken

1.06

Solve Next

Reverse Spiral Form of Matrix | Binary Matrix with at most K 1s | Aggressive Cows

Stay Ahead With:

Java (21) | Start Timer

```java
class Solution {
    public int median(int[][] mat) {
        // code here
           int r = mat.length;
        int c = mat[0].length;

        int[] arr = new int[r * c];
        int k = 0;

        for (int i = 0; i < r; i++) {
            for (int j = 0; j < c; j++) {
                arr[k++] = mat[i][j];
            }
        }

        Arrays.sort(arr);

        return arr[arr.length / 2];
    }
}
```

Custom Input | Compile & Run | Submit

Ctrl + Enter

Search...

Courses Tutorials Practice Jobs

Problem Editorial Submissions Comments

Output Window

Compilation Results Custom Input Y.O.G.I. (AI Bot)

Problem Solved Successfully

Suggest Feedback

Test Cases Passed

1111 / 1111

Attempts : Correct / Total

1 / 1

Accuracy : 100%

Points Scored

4 / 4

Your Total Score: 70

Time Taken

0.88

Solve Next

Max sum in the configuration | Boolean Matrix | Row with Minimum 1s

Stay Ahead With:

Java (21) Start Timer

```java
// User function Template for Java

class Solution {
    public int rowWithMax1s(int arr[][]) {
        // code here
         int rows = arr.length;
        int cols = arr[0].length;

        int maxOnes = 0;
        int rowIndex = -1;

        for (int i = 0; i < rows; i++) {

            int count = 0;

            for (int j = 0; j < cols; j++) {
                if (arr[i][j] == 1) {
                    count++;
                }
            }

            if (count > maxOnes) {
                maxOnes = count;
                rowIndex = i;
            }
        }

        return rowIndex;
    }
}
```

Ctrl + Enter

Custom Input Compile & Run Submit

14°C Clear Search ENG IN 21:44 09-02-2026