Problem List | Submit | Premium

Description | Accepted | Editorial | Solutions | Submissions

All Submissions

Accepted 66 / 66 testcases passed

Adyasha27 submitted at Feb 22, 2026 09:27

Editorial | Solution

Runtime

0 ms | Beats 100.00%

Analyze Complexity

Memory

44.90 MB | Beats 47.24%



Code | Java

```java
class Solution {
    public int searchInsert(int[] nums, int target) {
        int start = 0;
        int end = nums.length - 1;

```

Code

Java | Auto

```java
class Solution {
    public int searchInsert(int[] nums, int target) {
        int start = 0;
        int end = nums.length - 1;

        while (start <= end) {

            int mid = (start + end) / 2;

            if (nums[mid] == target) {
                return mid;
            }
            else if (nums[mid] < target) {
```

Saved | Ln 1, Col 1

Testcase | Test Result

Accepted Runtime: 0 ms

Case 1 | Case 2 | Case 3

Input

nums =

[1,3,5,6]

target =

5

Description | Accepted × | Editorial | Solutions | Submissions

← All Submissions

Accepted 160 / 160 testcases passed

Adyasha27 submitted at Feb 22, 2026 09:37

Editorial | Solution

Runtime

4 ms | Beats 16.21%

Analyze Complexity

Memory

45.86 MB | Beats 51.64%

Code | Java

```java
import java.util.*;

class Solution {
    public List<List<Integer>> combinationSum(int[] candidates, int target)
        List<List<Integer>> result = new ArrayList<>();
```

Code

Java | Auto

```java
import java.util.*;

class Solution {
    public List<List<Integer>> combinationSum(int[] candidates, int target) {
        List<List<Integer>> result = new ArrayList<>();
        Arrays.sort(candidates);
        backtrack(candidates, target, 0, new ArrayList<>(), result);
        return result;
    }

    private void backtrack(int[] candidates, int target, int start,
                           List<Integer> current, List<List<Integer>> result) {
        if (target == 0) {
            result.add(new ArrayList<>(current));
            return;
        }

        for (int i = start; i < candidates.length; i++) {
            if (candidates[i] > target) break;
            current.add(candidates[i]);
            backtrack(candidates, target - candidates[i], i, current, result);
            current.remove(current.size() - 1);
        }
```

Saved

Ln 25, Col 2

Testcase | Test Result

Accepted Runtime: 1 ms

Case 1 | Case 2 | Case 3

https://leetcode.com/problems/combination-sum-ii/submissions/1927022847/?envType=problem-list-v2&envId=array

Array | Submit | Premium

Description | Accepted | Editorial | Solutions | Submissions

All Submissions

Accepted 176 / 176 testcases passed

Adyasha27 submitted at Feb 22, 2026 09:38

Editorial | Solution

Runtime

5 ms | Beats 99.21%

Analyze Complexity

Memory

45.25 MB | Beats 68.21%



Code | Java

```java
import java.util.*;

class Solution {
    public List<List<Integer>> combinationSum2(int[] candidates, int target)
        List<List<Integer>> result = new ArrayList<>();
```

Code

Java | Auto

```java
import java.util.*;

class Solution {
    public List<List<Integer>> combinationSum2(int[] candidates, int target) {
        List<List<Integer>> result = new ArrayList<>();
        Arrays.sort(candidates);
        backtrack(candidates, target, 0, new ArrayList<>(), result);
        return result;
    }

    private void backtrack(int[] candidates, int target, int start, List<Integer> current, List<List<Integer>> result) {
        if (target == 0) {
            result.add(new ArrayList<>(current));
            return;
        }

        for (int i = start; i < candidates.length; i++) {
            // Skip duplicates at the same recursion level
            if (i > start && candidates[i] == candidates[i - 1]) continue;

            if (candidates[i] > target) break; // No need to continue

```

Saved | Ln 1, Col 1

Testcase | Test Result

Accepted Runtime: 1 ms

Case 1 | Case 2

Array

Submit

Premium

Description | Accepted | Editorial | Solutions | Submissions

All Submissions

Accepted 110 / 110 testcases passed

Adyasha27 submitted at Feb 22, 2026 09:39

Editorial | Solution

Runtime

2 ms | Beats 34.87%

Analyze Complexity

Memory

47.47 MB | Beats 36.28%

Code | Java

```java
class Solution {
    public int jump(int[] nums) {
        int jumps = 0;
        int end = 0;
        int farthest = 0;
```

Code

Java | Auto

```java
class Solution {
    public int jump(int[] nums) {
        int jumps = 0;
        int end = 0;
        int farthest = 0;

        for (int i = 0; i < nums.length - 1; i++) {
            farthest = Math.max(farthest, i + nums[i]);

            if (i == end) {
                jumps++;
                end = farthest;
            }
        }

        return jumps;
    }
}
```

Saved

Ln 1, Col 1

Testcase | Test Result

Accepted Runtime: 0 ms

Case 1 | Case 2

Array

Submit

Premium

Description | Accepted | Editorial | Solutions | Submissions

All Submissions

Accepted 128 / 128 testcases passed

Adyasha27 submitted at Feb 22, 2026 09:41

Editorial | Solution

Runtime

6 ms | Beats 99.36%

Analyze Complexity

Memory

49.83 MB | Beats 49.77%



Code | Java

```java
import java.util.*;

class Solution {
    public List<List<String>> groupAnagrams(String[] strs) {
        Map<String, List<String>> map = new HashMap<>();
```

Code

Java | Auto

```java
import java.util.*;

class Solution {
    public List<List<String>> groupAnagrams(String[] strs) {
        Map<String, List<String>> map = new HashMap<>();

        for (String str : strs) {
            char[] chars = str.toCharArray();
            Arrays.sort(chars);
            String key = new String(chars);

            map.putIfAbsent(key, new ArrayList<>());
            map.get(key).add(str);
        }

        return new ArrayList<>(map.values());
    }
}
```

Saved

Ln 1, Col 1

Testcase | Test Result

Accepted Runtime: 0 ms

Case 1 | Case 2 | Case 3

Problem List | Submit | Premium

Description | Accepted | Editorial | Solutions | Submissions

All Submissions

Accepted 114 / 114 testcases passed

Adyasha27 submitted at Feb 22, 2026 09:42

Editorial | Solution

Runtime

0 ms | Beats 100.00%

Analyze Complexity

Memory

43.60 MB | Beats 38.26%

Code | Java

```java
class Solution {
    public int[] plusOne(int[] digits) {
        int n = digits.length;

        for (int i = n - 1; i >= 0; i--) {
```

Code

Java | Auto

```java
class Solution {
    public int[] plusOne(int[] digits) {
        int n = digits.length;

        for (int i = n - 1; i >= 0; i--) {
            if (digits[i] < 9) {
                digits[i]++;
                return digits;
            }
            digits[i] = 0;
        }

        int[] result = new int[n + 1];
        result[0] = 1;
        return result;
    }
}
```

Saved | Ln 1, Col 1

Testcase | Test Result

Accepted Runtime: 0 ms

Case 1 | Case 2 | Case 3

18°C | Search | ENG | 09:42

Array

Submit

Premium

Description | Accepted | Editorial | Solutions | Submissions

All Submissions

Accepted 202 / 202 testcases passed

Adyasha27 submitted at Feb 22, 2026 09:43

Editorial | Solution

Runtime

0 ms | Beats 100.00%

Analyze Complexity

Memory

47.48 MB | Beats 50.24%



Code | Java

```java
class Solution {
    public void setZeroes(int[][] matrix) {
        int m = matrix.length;
        int n = matrix[0].length;

        boolean firstRowZero = false;
```

Code

Java | Auto

```java
class Solution {
    public void setZeroes(int[][] matrix) {
        int m = matrix.length;
        int n = matrix[0].length;

        boolean firstRowZero = false;
        boolean firstColZero = false;


        for (int j = 0; j < n; j++) {
            if (matrix[0][j] == 0) {
                firstRowZero = true;
                break;
            }
        }


        for (int i = 0; i < m; i++) {
            if (matrix[i][0] == 0) {
                firstColZero = true;
                break;
            }
        }
```

Saved

Ln 1, Col 1

Testcase | Test Result

Accepted Runtime: 0 ms

Case 1 | Case 2

Array

Submit

Premium

Description | Accepted | Editorial | Solutions | Submissions

All Submissions

Accepted 133 / 133 testcases passed

Adyasha27 submitted at Feb 22, 2026 09:46

Editorial | Solution

Runtime

0 ms | Beats 100.00%

Analyze Complexity

Memory

44.07 MB | Beats 42.21%

Code | Java

```java
class Solution {
    public boolean searchMatrix(int[][] matrix, int target) {
            int rows = matrix.length;
        int cols = matrix[0].length;

```

Code

Java | Auto

```java
class Solution {
    public boolean searchMatrix(int[][] matrix, int target) {
            int rows = matrix.length;
        int cols = matrix[0].length;

        int low = 0;
        int high = rows * cols - 1;

        while (low <= high) {

            int mid = (low + high) / 2;

            int r = mid / cols;
            int c = mid % cols;

            if (matrix[r][c] == target) {
                return true;
            } else if (matrix[r][c] < target) {
                low = mid + 1;
            } else {
                high = mid - 1;
            }
        }
```

Saved

Ln 1, Col 1

Testcase | Test Result

Accepted Runtime: 0 ms

Case 1 | Case 2

Array

Submit

Description | Accepted | Editorial | Solutions | Submissions

All Submissions

Accepted 89 / 89 testcases passed

Adyasha27 submitted at Feb 22, 2026 09:48

Editorial | Solution

Runtime

0 ms | Beats 100.00%

Analyze Complexity

Memory

43.80 MB | Beats 9.66%

Code | Java

```java
class Solution {
    public void sortColors(int[] nums) {
        int low = 0, mid = 0, high = nums.length - 1;

        while (mid <= high) {
```

Code

Java | Auto

```java
class Solution {
    public void sortColors(int[] nums) {
        int low = 0, mid = 0, high = nums.length - 1;

        while (mid <= high) {
            if (nums[mid] == 0) {
                int temp = nums[low];
                nums[low] = nums[mid];
                nums[mid] = temp;
                low++;
                mid++;
            }
            else if (nums[mid] == 1) {
                mid++;
            }
            else {
                int temp = nums[mid];
                nums[mid] = nums[high];
                nums[high] = temp;
                high--;
            }
        }
    }
```

Saved

Ln 24, Col

Testcase | Test Result

Accepted Runtime: 0 ms

Case 1 | Case 2

https://leetcode.com/problems/subsets/submissions/1927030300/?envType=problem-list-v2&envId=array

Array | Submit | Premium

Description | Accepted | Editorial | Solutions | Submissions

All Submissions

Accepted 10 / 10 testcases passed

Adyasha27 submitted at Feb 22, 2026 09:49

Editorial | Solution

Runtime

1 ms | Beats 87.89%

Analyze Complexity

Memory

44.23 MB | Beats 57.86%



Code | Java

```java
import java.util.*;

class Solution {
    public List<List<Integer>> subsets(int[] nums) {
        List<List<Integer>> result = new ArrayList<>();
```

Code

Java | Auto

```java
import java.util.*;

class Solution {
    public List<List<Integer>> subsets(int[] nums) {
        List<List<Integer>> result = new ArrayList<>();
        backtrack(nums, 0, new ArrayList<>(), result);
        return result;
    }

    private void backtrack(int[] nums, int start, List<Integer> current, List<List<Integer>>
result) {

        result.add(new ArrayList<>(current));

        for (int i = start; i < nums.length; i++) {

            current.add(nums[i]);


            backtrack(nums, i + 1, current, result);


            current.remove(current.size() - 1);
```

Saved | Ln 1, Col 1

Testcase | Test Result

Accepted Runtime: 0 ms

Case 1 | Case 2

Array

Submit

Premium

Description | Accepted | Editorial | Solutions | Submissions

All Submissions

Accepted 88 / 88 testcases passed

Adyasha27 submitted at Feb 22, 2026 09:50

Editorial | Solution

Runtime

133 ms | Beats 65.49%

Analyze Complexity

Memory

43.25 MB | Beats 30.13%

Code | Java

```java
class Solution {
    public boolean exist(char[][] board, String word) {
        int m = board.length;
        int n = board[0].length;

```

Code

Java | Auto

```java
class Solution {
    public boolean exist(char[][] board, String word) {
        int m = board.length;
        int n = board[0].length;

        for (int i = 0; i < m; i++) {
            for (int j = 0; j < n; j++) {
                if (dfs(board, word, 0, i, j)) {
                    return true;
                }
            }
        }
        return false;
    }

    private boolean dfs(char[][] board, String word, int index, int row, int col) {

        if (index == word.length()) {
            return true;
        }


        if (row < 0 || col < 0 || row >= board.length || col >= board[0].length
```

Saved

Ln 37, Col 33

Testcase | Test Result

Accepted Runtime: 0 ms

Case 1 | Case 2 | Case 3

Array

Submit

Premium

Description | Accepted | Editorial | Solutions | Submissions

All Submissions

Accepted 294 / 294 testcases passed

Adyasha27 submitted at Feb 22, 2026 09:53

Editorial | Solution

Runtime

19 ms | Beats 80.58%

Analyze Complexity

Memory

45.89 MB | Beats 63.27%

Code | Java

```java
import java.util.*;

class Solution {
    public List<List<Integer>> fourSum(int[] nums, int target) {
        List<List<Integer>> result = new ArrayList<>();
```

Code

Java | Auto

```java
import java.util.*;

class Solution {
    public List<List<Integer>> fourSum(int[] nums, int target) {
        List<List<Integer>> result = new ArrayList<>();
        int n = nums.length;

        Arrays.sort(nums);

        for (int i = 0; i < n - 3; i++) {
            // Skip duplicate for first number
            if (i > 0 && nums[i] == nums[i - 1]) continue;

            for (int j = i + 1; j < n - 2; j++) {
                // Skip duplicate for second number
                if (j > i + 1 && nums[j] == nums[j - 1]) continue;

                int left = j + 1;
                int right = n - 1;

                while (left < right) {
                    long sum = (long) nums[i] + nums[j] + nums[left] + nums[right];

```

Saved

Ln 1, Col 1

Testcase | Test Result

Accepted Runtime: 1 ms

Case 1 | Case 2

Description | Accepted × | Editorial | Solutions | Submissions

← All Submissions

Accepted 196 / 196 testcases passed

Adyasha27 submitted at Feb 22, 2026 09:54

Editorial | Solution

Runtime

0 ms | Beats 100.00%

Analyze Complexity

Memory

44.13 MB | Beats 9.70%



Code | Java

```java
class Solution {
    public int search(int[] nums, int target) {
        int left = 0, right = nums.length - 1;

        while (left <= right) {
```

Code

Java | Auto

```java
class Solution {
    public int search(int[] nums, int target) {
        int left = 0, right = nums.length - 1;

        while (left <= right) {
            int mid = left + (right - left) / 2;

            if (nums[mid] == target) {
                return mid;
            }


            if (nums[left] <= nums[mid]) {
                if (nums[left] <= target && target < nums[mid]) {
                    right = mid - 1;
                } else {
                    left = mid + 1;
                }
            }

            else {
                if (nums[mid] < target && target <= nums[right]) {
                    left = mid + 1;
```

Saved

Ln 20, Col 13

Testcase | Test Result

Accepted Runtime: 0 ms

Case 1 | Case 2 | Case 3

Description | Accepted × | Editorial | Solutions | Submissions

← All Submissions

Accepted 88 / 88 testcases passed

Adyasha27 submitted at Feb 22, 2026 09:57

Editorial | Solution

Runtime

0 ms | Beats 100.00%

Analyze Complexity

Memory

48.14 MB | Beats 71.43%



Code | Java

```java
class Solution {
    public int[] searchRange(int[] nums, int target) {
        int left = findFirst(nums, target);
        int right = findLast(nums, target);
        return new int[]{left, right};
```

Code

Java | Auto

```java
class Solution {
    public int[] searchRange(int[] nums, int target) {
        int left = findFirst(nums, target);
        int right = findLast(nums, target);
        return new int[]{left, right};
    }

    private int findFirst(int[] nums, int target) {
        int left = 0, right = nums.length - 1;
        int index = -1;

        while (left <= right) {
            int mid = left + (right - left) / 2;

            if (nums[mid] >= target) {
                right = mid - 1;
            } else {
                left = mid + 1;
            }

            if (nums[mid] == target) {
                index = mid;
            }
```

Saved

Ln 1, Col 1

Testcase | Test Result

Accepted Runtime: 0 ms

Case 1 | Case 2 | Case 3