

Nama : Adyatma Abidin


NIM : 210605110109

Framework Programming (OPT SUB)

Github : <https://github.com/Adyatmaa/framework-scheduler>

1. Merancang struktur *database* yang sesuai


Database



Name	Rows	Size	Created	Updated	Engine	Comment	Type
jadwal	3	48.0 KiB	2024-04-29 16:50:...		InnoDB		Table
status	2	16.0 KiB	2024-04-28 03:40:...		InnoDB		Table
user	2	16.0 KiB	2024-04-28 03:49:...		InnoDB		Table

Database memiliki 3 tabel yang saling berelasi satu sama lain untuk mengambil data dari tabel yang berhubungan.

Tabel



Columns:		Add	Remove	Up	Down						
#	Name	Datatype	Length/Set	Unsigned	Allow NU...	Zerofill	Default				
1	id	INT	10	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	AUTO_INCREMENT	No default			
2	judul	VARCHAR	50	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	NULL			
3	deskripsi	VARCHAR	500	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	NULL			
4	lokasi	VARCHAR	50	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	NULL			
5	tanggal_mulai	DATE		<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	NULL			
6	tanggal_selesai	DATE		<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	NULL			
7	status_id	INT	10	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	NULL			
8	user_id	BIGINT	19	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	NULL			
9	created_at	TIMESTAMP		<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	NULL			
10	updated_at	TIMESTAMP		<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	NULL			

Tabel jadwal berisi jadwal yang harus dikerjakan. Tabel ini juga memiliki foreign key yang akan memanggil status serta pemilik dari tugas yang telah dijadwalkan.

Host: localhost Database: schedule Table: status Data aipt.sql Query #2* Query #3* Basic Options Indexes (1) Foreign keys (0) Check constraints (0) Partitions CREATE code

Name: status

Comment:

Columns: + Add Remove Up Down

#	Name	Datatype	Length/Set	Unsigned	Allow NU...	Zerofill	Default
1	id	INT	10	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	AUTO_INCREMENT
2	status	VARCHAR	50	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	NULL
3	created_at	TIMESTAMP		<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	NULL
4	updated_at	TIMESTAMP		<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	NULL

Tabel status berisi status atau keterangan dari jadwal yang dibuat, apakah tugas yang dijadwalkan telah selesai atau belum.

Host: localhost Database: schedule Table: user Data aipt.sql Query #2* Query #3* Basic Options Indexes (1) Foreign keys (0) Check constraints (0) Partitions CREATE code

Name: user

Comment:

Columns: + Add Remove Up Down

#	Name	Datatype	Length/Set	Unsigned	Allow NU...	Zerofill	Default
1	id	BIGINT	19	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	AUTO_INCREMENT
2	role	VARCHAR	50	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	No default
3	username	VARCHAR	50	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	No default
4	password	VARCHAR	255	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	No default
5	nama	VARCHAR	50	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	No default
6	created_at	TIMESTAMP		<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	NULL
7	updated_at	TIMESTAMP		<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	NULL

Tabel user berisi data dari user, baik dari admin atau client.

2. Membuat *model*, *controller*, dan *view*

Terdapat 2 controller untuk user dan admin. Jadi aksi yang dilakukan oleh user atau client akan dibedakan dengan admin.

AdminController.php

```
<?php

namespace App\Http\Controllers;

use App\Models\Jadwal;
use App\Models\User;
use Illuminate\Http\Request;
use Illuminate\Support\Facades\Auth;
use Illuminate\Support\Facades\Hash;
use Illuminate\Support\Facades\Validator;

class AdminController extends Controller
{
    public function index()
    {
        return view('index');
    }
    public function login()
    {
        return view('admin.login');
    }

    public function register()
    {
        return view('admin.register');
    }

    public function logout()
    {
        Auth::logout();
        return redirect('/')->with('logout', 'You have logged out');
    }

    public function loggingIn(Request $request)
    {
        $jadwal = Jadwal::all();

        $validator = Validator::make($request->all(), [
            'username' => 'required',
            'password' => 'required'
        ]);

        if (Auth::attempt($request->only(['username', 'password']))) {
```

```
        session(['user' => Auth::user()]);  
  
        return redirect(route('admin_dashboard'))->with('loginSuccess',  
'You have logged in');  
    } else {  
        return redirect('/login')->with('salah', 'Your username or  
password is wrong');  
    }  
}  
  
public function admin_dashboard()  
{  
    $jadwal = Jadwal::all();  
    return view('admin.admin_dashboard', ['jadwal' => $jadwal]);  
}  
  
public function admin_participant()  
{  
    $user = User::all();  
    return view('admin.admin_participant', ['user' => $user]);  
}  
  
public function admin_course()  
{  
    $jadwal = Jadwal::all();  
    return view('admin.admin_course', ['jadwal' => $jadwal]);  
}  
  
public function admin_inputCourse()  
{  
    $user = User::all();  
    return view('admin.admin_inputCourse', ['user' => $user]);  
}  
  
public function admin_parDetail($id)  
{  
    $jadwal = Jadwal::with(['getUser'])->where('user_id', $id)->get();  
    $user = User::with('selectUser')->where('id', $id)->get();  
    // dd($user);  
    return view('admin.admin_parDetail', compact('jadwal', 'user'));  
}  
  
public function admin_editCourse($id)  
{  
    $jadwal = Jadwal::findOrFail($id);  
    return view('admin.admin_editCourse', compact('jadwal'));  
}
```

```
public function admin_updateCourse(Request $request, $id)
{
    $request->validate([
        'judul' => 'required',
        'deskripsi' => 'required',
        'lokasi' => 'required',
        'tanggal_mulai' => 'required',
        'tanggal_selesai' => 'required',
    ]);

    $data = Jadwal::findOrFail($id);
    $data->judul = $request->judul;
    $data->deskripsi = $request->deskripsi;
    $data->lokasi = $request->lokasi;
    $data->tanggal_mulai = $request->tanggal_mulai;
    $data->tanggal_selesai = $request->tanggal_selesai;

    $data->save();

    return redirect(route('admin_course'))->with('editCourse', 'Course has
been changed');
}

public function admin_deleteCourse($id)
{
    $jadwal = Jadwal::findOrFail($id);
    $jadwal->delete();

    return redirect(route('admin_course'))->with('deleteSuccess', 'Course
already delete');
}

public function admin_deletePar($id)
{
    $user = User::findOrFail($id);
    $user->delete();

    return redirect(route('admin_participant'));
}

public function isRegister(Request $request)
{
    $user = new User();
    $user->role = 'admin';
    $user->username = $request->username;
    $user->password = Hash::make($request->password);
    $user->nama = $request->nama;
    $user->save();
}
```

```

        return redirect(route('login'))->with('adminReg', 'Account has been
created successfully');
    }

    public function makeCourse(Request $request)
    {
        $jadwal = new Jadwal();

        $jadwal->judul = $request->judul;
        $jadwal->deskripsi = $request->deskripsi;
        $jadwal->lokasi = $request->lokasi;
        $jadwal->tanggal_mulai = $request->tanggal_mulai;
        $jadwal->tanggal_selesai = $request->tanggal_selesai;
        $jadwal->status_id = '1';
        $jadwal->user_id = $request->user;

        $jadwal->save();

        return redirect(route('admin_course'))->with('makeCourse', 'Course
successfully created');
    }
}

```

AdminController berisi method yang akan dipanggil jika admin melakukan aksi.

UserController.php

```

<?php

namespace App\Http\Controllers;

use App\Models\Jadwal;
use App\Models\User;
use Illuminate\Http\Request;
use Illuminate\Support\Facades\Auth;
use Illuminate\Support\Facades\Hash;
use Illuminate\Support\Facades\Validator;

class UserController extends Controller
{
    public function index()
    {
        return view('index');
    }

    public function user_register()
    {

```

```
        return view('client.client_register');
    }

    public function logout()
    {
        Auth::logout();
        return redirect(route('index'))->with('logout', 'You have logged
out');
    }

    public function userIsReg(Request $request)
    {
        $user = new User();
        $user->role = 'student';
        $user->username = $request->username;
        $user->password = Hash::make($request->password);
        $user->nama = $request->nama;
        $user->save();
        return redirect(route('index'))->with('userReg', 'Account has been
created successfully');
    }

    public function userLogin(Request $request)
    {
        $jadwal = Jadwal::all();
        $validator = Validator::make($request->all(), [
            'username' => 'required',
            'password' => 'required'
        ]);

        // echo 'berhasil login';
        if (Auth::attempt($request->only(['username', 'password']))) {
            session(['userNow' => Auth::user()]);
            return redirect(route('user_dashboard', ['jadwal' => $jadwal]))-
>with('loginSuccess', 'You have logged in');
        } else {
            return redirect('/')->withErrors(['error' => 'Your Username or
password is wrong']);
        }
    }

    public function user_dashboard()
    {
        $jadwal = Jadwal::all();
        return view('client.client_dashboard', ['jadwal' => $jadwal]);
    }
}
```

```

public function user_ViewCourse()
{
    $jadwal = Jadwal::all();
    return view('client.client_course', ['jadwal' => $jadwal]);
}

public function user_course($id)
{
    $jadwal = Jadwal::findOrFail($id);
    return view('client.client_courseDetail', compact('jadwal'));
}

public function user_submit(Request $request, $id)
{
    $request->validate([
        'id' => 'required',
        'status_id' => 'required',
    ]);

    $data = Jadwal::findOrFail($id);
    $data->status_id = '2';

    $data->save();
    return redirect(route('user_ViewCourse'))->with('submitCourse',
    'Course have been submitted');
}
}

```

UserController berisi method yang akan dipanggil jika user atau client melakukan aksi.

Model

Terdapat 3 model dari 3 tabel database yang dibuat

Jadwal.php

```

<?php

namespace App\Models;

use Illuminate\Database\Eloquent\Factories\HasFactory;
use Illuminate\Database\Eloquent\Model;

class Jadwal extends Model
{
    use HasFactory;

```

```

protected $table = 'jadwal';

protected $fillable = [
    'user_id',
    'status_id',
    'judul',
    'deskripsi',
    'lokasi',
    'tanggal',
    'jam_mulai',
    'jam_selesai'
];

public function getUser()
{
    return $this->belongsTo(User::class);
}

public function getStat()
{
    return $this->belongsTo(Status::class);
}
}

```

Model ini berisi tabel jadwal serta relasi yang berfungsi untuk memanggil foreign key dari tabel yang berhubungan.

Status.php

```

<?php

namespace App\Models;

use Illuminate\Database\Eloquent\Factories\HasFactory;
use Illuminate\Database\Eloquent\Model;

class Status extends Model
{
    use HasFactory;

    protected $table = 'status';

    protected $fillable = [
        'status',
        'created_at',
        'updated_at'
    ];
}

```

```
public function selectStat()
{
    return $this->hasMany(Jadwal::class);
}
```

Model ini berisi tabel status serta relasi yang berfungsi untuk memanggil foreign key dari tabel yang berhubungan.

User.php

```
<?php

namespace App\Models;

// use Illuminate\Contracts\Auth\MustVerifyEmail;
use Illuminate\Database\Eloquent\Factories\HasFactory;
use Illuminate\Foundation\Auth\User as Authenticatable;
use Illuminate\Notifications\Notifiable;
use Laravel\Sanctum\HasApiTokens;

class User extends Authenticatable
{
    use HasApiTokens, HasFactory, Notifiable;

    /**
     * The attributes that are mass assignable.
     *
     * @var array<int, string>
     */
    protected $table = 'user';
    protected $fillable = [
        'username',
        'password',
        'role',
        'nama',
    ];

    public function selectUser()
    {
        return $this->hasMany(Jadwal::class);
    }
}
```

Model ini berisi tabel user serta relasi yang berfungsi untuk memanggil foreign key dari tabel yang berhubungan.

View

Terdapat 3 folder untuk membagi view pada program. Ketiganya untuk membagi view pada admin, user serta view untuk layout.

```
@extends('layouts.header')

@section('content')
    <main>
        <div class="container-fluid">
            <p class="h3">Sharpen Your Skills Here</p>
            <div class="row">
                <div class="col" style="">
                    <div class="card border-0">
                        <div class="card text-center">
                            <div class="card-body">
                                <div class="container-fluid">
                                    
                                </div>
                            </div>
                        </div>
                    </div>
                </div>
                <div class="col">
                    <div class="card border-0">
                        <div class="card justify-content-center align-items-center">
                            <div class="card-body">
                                <p class="card-text">Start your learn here!</p>
                            </div>
                        <form action="{{ route('userLogin') }}">
                            @csrf
                            <div class="container-fluid">
                                <div class="col">
                                    <div class="container">
                                        <div class="col mb-3">
                                            <div class="row mb-3">
                                                <label
for="">Username</label>
                                                <input type="text"
name="username" class="form-control">
                                            </div>
                                        </div>
                                    </div>
                                </div>
                            </div>
                        </form>
                    </div>
                </div>
            </div>
        </div>
    </main>

```

```

        style="width: 100%">
    </div>
    <div class="row mb-3">
        <label
for="">Password</label>
        <input type="password"
name="password" class="form-control"
style="width: 100%">
    </div>
</div>
<div class="container">
    <button type="submit"
class="btn btn-primary mb-3">Login</button>
</div>

        <div class="container">
            <p>Don't have an account?<a
href="{{ route('user_register') }}">Sign in
                Here</a></p>
        </div>
        </center>
    </div>
</div>
</form>
</div>
</div>
</div>
</div>
</main>
@endsection

```

index.php berisi landing page dari program

Layout berisi header serta footer yang akan dipanggil ke halaman lain yang berisi content dari program. Admin.blade berisi layout untuk halaman admin, client.blade berisi layout untuk client, header.php berisi layout untuk index.

admin.blade.php

```

<html lang="en">
<head>
    <meta charset="UTF-8">

```

```
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<meta http-equiv="X-UA-Compatible" content="ie=edge">
<title>Document</title>
<link
  href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css"
  rel="stylesheet"
    integrity="sha384-QWTKZyjpPEjISv5WaRU90FeRpok6YctnYmDr5pNlyT2bRjXh0JMhjY6hW+ALEwIH"
  crossorigin="anonymous">
  <script
  src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/js/bootstrap.bundle.min.js"
    integrity="sha384-YvpcrYf0tY31HB60NNkmXc5s9fDVZLESaAA55NDz0xhy9GkcIdsLK1eN7N6jIeHz"
  crossorigin="anonymous">
  </script>

  <script
  src="https://cdn.jsdelivr.net/npm/sweetalert2@11.10.8/dist/sweetalert2.all.min.js"
    integrity="sha256-73r02g7JSErG8isZXCse39Kf5yGuePgjyvot/8cRCNQ="
  crossorigin="anonymous"></script>

<style>
  main {
    min-width: 100vh;
    min-height: 92vh;
    font-family: 'Montserrat';
  }

  header {
    position: relative;
    width: 100%;
    font-family: 'Montserrat';
  }

  footer {
    position: relative;
    width: 100%;
    font-family: 'Montserrat';
  }
</style>
</head>

<body>
  <header>
    <nav class="navbar navbar-expand-lg bg-body-tertiary">
      <div class="container-fluid">
```

```

        <a class="navbar-brand mx-3" href="{{ route('admin_dashboard') }}>MyCourses</a>
        <button class="navbar-toggler" type="button" data-bs-
        toggle="collapse"
            data-bs-target="#navbarSupportedContent" aria-
        controls="navbarSupportedContent"
            aria-expanded="false" aria-label="Toggle navigation">
            <span class="navbar-toggler-icon"></span>
        </button>
        <div class="collapse navbar-collapse"
    id="navbarSupportedContent">
            <ul class="navbar-nav me-auto mb-2 mb-lg-0">
                <li class="nav-item">
                    <a class="nav-link" aria-current="page" href="{{
    route('admin_dashboard') }}>Home</a>
                </li>
                <li class="nav-item">
                    <a class="nav-link" href="{{
    route('admin_participant') }}>Participant</a>
                </li>
                <li class="nav-item dropdown">
                    <a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown"
                        aria-expanded="false">
                        Courses
                    </a>
                    <ul class="dropdown-menu">
                        <li><a class="dropdown-item" href="{{
    route('admin_course') }}>Courses</a></li>
                            <li><a class="dropdown-item" href="{{
    route('admin_inputCourse') }}>Create a course</a>
                            </li>
                        </ul>
                    </li>
                </ul>
            <a href="{{ route('logout') }}" class="btn btn-danger mx-3">Logout</a>
        </div>
    </div>
</nav>
</header>

@yield('content')

<footer class="p-3 bg-dark">
    <p class="text-center text-white">
        @2024

```

```
        </p>
    </footer>
@if (session('salah'))
<script>
    Swal.fire({
        icon: "error",
        title: "Oops...",
        text: "{{ session('salah') }}",
    });
</script>
@elseif(session('deleteSuccess'))
<script>
    Swal.fire({
        title: "Deleted!",
        text: "{{ session('deleteSuccess') }}",
        icon: "success"
    });
</script>
@elseif(session('makeCourse'))
<script>
    Swal.fire({
        title: "Success!",
        text: "{{ session('makeCourse') }}",
        icon: "success"
    });
</script>
@elseif(session('editCourse'))
<script>
    Swal.fire({
        title: "Success!",
        text: "{{ session('editCourse') }}",
        icon: "success"
    });
</script>
@elseif(session('loginSuccess'))
<script>
    Swal.fire({
        title: "Success!",
        text: "You have logged in",
        icon: "success",
    });
</script>
@elseif(session('logout'))
<script>
    Swal.fire({
        title: "Success!",
        text: "{{ session('logout') }}",
        icon: "success"
    });
</script>
```

```
        });
    </script>
@endif
</body>

</html>
```

client.blade.php

```
<?php
use Carbon\Carbon;
?>
<html lang="en">

<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <meta http-equiv="X-UA-Compatible" content="ie=edge">
    <title>Room Course</title>
    <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css"
rel="stylesheet"
        integrity="sha384-
QWTKZyjpPEjISv5WaRU90FeRpok6YctnYmDr5pNlyT2bRjXh0JMhjY6hW+ALEwIH"
crossorigin="anonymous">
        <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/js/bootstrap.bundle.min.js"
        integrity="sha384-
YvpcrYf0tY3lHB60NNkmXc5s9fDVZLESaAA55NDz0xhy9GkcIds1K1eN7N6jIeHz"
crossorigin="anonymous">
        </script>
        <link rel="shortcut icon" href=".//assets/img/jadwal.pkl.jpeg">

        <script
src="https://cdn.jsdelivr.net/npm/sweetalert2@11.10.8/dist/sweetalert2.all.min.js"
        integrity="sha256-73r02g7JSErG8isZXCse39Kf5yGuePgjyvot/8cRCNQ="
crossorigin="anonymous"></script>

<style>
    main {
        min-width: 100vh;
        min-height: 92vh;
        font-family: "Montserrat";
    }
</style>
```

```

        header {
            position: relative;
            width: 100%;
            font-family: "Montserrat";
        }

        footer {
            position: relative;
            width: 100%;
            font-family: "Montserrat";
        }
    </style>
</head>

<body>
    <header>
        <nav class="navbar navbar-expand-lg bg-body-tertiary">
            <div class="container-fluid ">
                <a class="navbar-brand mx-3" href="{{ route('user_dashboard') }}>MyCourses</a>
                <button class="navbar-toggler" type="button" data-bs-
toggle="collapse"
                    data-bs-target="#navbarSupportedContent" aria-
controls="navbarSupportedContent"
                    aria-expanded="false" aria-label="Toggle navigation">
                    <span class="navbar-toggler-icon"></span>
                </button>
                <div class="collapse navbar-collapse"
id="navbarSupportedContent">
                    <ul class="navbar-nav me-auto mb-2 mb-lg-0">
                        <li class="nav-item">
                            <a class="nav-link" aria-current="page" href="{{
route('user_dashboard') }}>Home</a>
                        </li>
                        <li class="nav-item">
                            <a class="nav-link" href="{{
route('user_ViewCourse') }}>Course</a>
                        </li>
                    </ul>
                    <a href="{{ route('logout') }}" class="btn btn-danger mx-
3">Logout</a>
                </div>
            </div>
        </nav>
    </header>

    @yield('content')

```

```

<footer class="p-3 bg-dark">
  <p class="text-center text-white">
    @2024
  </p>
</footer>
@stack('script')
@if (session('loginSuccess'))
<script>
  Swal.fire({
    title: "Success!",
    text: "You have logged in",
    icon: "success",
  });
</script>
@elseif(session('logout'))
<script>
  Swal.fire({
    title: "Success!",
    text: "You have logged out",
    icon: "success",
  });
</script>
@elseif(session('submitCourse'))
<script>
  Swal.fire({
    title: "Success!",
    text: "{{ session('submitCourse') }}",
    icon: "success",
  });
</script>
@endif
</body>

</html>

```

header.blade.php

```

<html lang="en">

<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <meta http-equiv="X-UA-Compatible" content="ie=edge">
  <title>Document</title>
  <link
  href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css"
  rel="stylesheet">

```

```
        integrity="sha384-
QwTKZyjpPEjISv5WaRU90FeRpok6YctnYmDr5pNlyT2bRjXh0JMhjY6hW+ALEwIH"
crossorigin="anonymous">
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/js/bootstrap.bundle.min.js"
        integrity="sha384-
YvpCrYf0tY3lHB60NNkmXc5s9fDVZLESaAA55NDz0xhy9GkcIds1K1eN7N6jIeHz"
crossorigin="anonymous">
</script>
<script
src="https://cdn.jsdelivr.net/npm/sweetalert2@11.10.8/dist/sweetalert2.all.min.js"
        integrity="sha256-73r02g7JSErG8isZXCse39Kf5yGuePgjyvot/8cRCNQ="
crossorigin="anonymous"></script>
<style>
main {
    min-width: 100vh;
    min-height: 86vh;
    font-family: 'Montserrat';
}

header {
    position: relative;
    width: 100%;
    font-family: 'Montserrat';
    font-family: 'Montserrat';
}

footer {
    position: relative;
    width: 100%;
    font-family: 'Montserrat';
}
</style>
</head>

<body>
<header>
<nav class="navbar navbar-expand-lg bg-body-tertiary">
<div class="container-fluid">
<a class="navbar-brand mx-3" href="{{ route('index') }}>MyCourses</a>
<button class="navbar-toggler" type="button" data-bs-
toggle="collapse"
        data-bs-target="#navbarSupportedContent" aria-
controls="navbarSupportedContent"
        aria-expanded="false" aria-label="Toggle navigation">
```

```
        <span class="navbar-toggler-icon"></span>
    </button>
    <div class="collapse navbar-collapse"
id="navbarSupportedContent">
    <ul class="navbar-nav me-auto mb-2 mb-lg-0">
        <li class="nav-item">
            <a class="nav-link active" aria-current="page"
href="{{ route('index') }}">Home</a>
        </li>
    </ul>
    <a href="{{ route('login') }}" class="btn btn-outline-
success mx-3">Login as admin</a>
</div>
</div>
</nav>
</header>

@yield('content')

<footer class="p-3 bg-dark">
    <p class="text-center text-white">
        @2024
    </p>
</footer>
@if ($errors->any())
<script>
    Swal.fire({
        icon: "error",
        title: "Oops...",
        text: "{{ $errors->first('error') }}",
    });
</script>
@elseif(session('userReg'))
<script>
    Swal.fire({
        icon: "success",
        title: "Success!",
        text: "{{ session('userReg') }}",
    });
</script>
@elseif(session('adminReg'))
<script>
    Swal.fire({
        icon: "success",
        title: "Success!",
        text: "{{ session('adminReg') }}",
    });
</script>
```



```

                <button type="submit" class="btn btn-primary mb-3">Create account</button>
            </div>
            <div class="container">
                <p>Already have an account?<br>
                    <a href="{{ route('index') }}">Log
                in Here</a>
                </p>
            </div>
            </center>
        </div>
    </form>
</div>
</div>
</main>
@endsection

```

client_dashboard.blade.php

```

@extends('layouts.client')
@section('content')
<main>
    <div class="container-fluid px-5">

        <div class="card my-3">
            <div class="card-body">
                <p class="h4 mb-3 text-end">Howdy, {{ session('userNow.nama') }} <img alt="user icon" style="vertical-align: middle; height: 1em;"/></p>
                <p class="h3">Start your learning by doing all your course here</p>
                
            </div>
        </div>
        {{-- --}}
    </div>
</main>
@endsection

```

client_course.blade.php

```

@extends('layouts.client')
@section('content')
<main>

```

```

<div class="container-fluid px-5">
    <p class="h4 my-3 text-end">Howdy, {{ session('userNow.nama') }}</p>
    <form class="d-flex pt-3" role="search" action="#" id="searchForm">
        <input class="form-control me-2" type="search" placeholder="Search" aria-label="Search" id="searchInput">
        <button class="btn btn-outline-success" type="submit">Search</button>
    </form>
    <p class="h3">Course you have to do</p>
    <div class="container-fluid" id="courseList">
        <div class="row">
            <div class="col-sm-10">
                @foreach ($jadwal as $jadwal)
                    @if ($jadwal->user_id == session('userNow.id'))
                        <div class="card mb-3">
                            <div class="card-body">
                                <p><strong>Course to do :</strong></p>
                                <p>{{ $jadwal->judul }}</p>
                                <p style="display: none">{{ $jadwal->id }}</p>
                                <p> <strong>Course Time :</strong></p>
                                <div class="row">
                                    <div class="col">
                                        <p><strong>Started</strong></p>
                                    >
                                    <p>{{<?php
\Carbon\Carbon::parse($jadwal->tanggal_mulai)->translatedFormat('l, d F Y') }}</p>
                                    </p>
                                </div>
                                <div class="col">
                                    <p><strong>Finished</strong></p>
                                <p>{{<?php
\Carbon\Carbon::parse($jadwal->tanggal_selesai)->translatedFormat('l, d F Y') }}</p>
                                    </p>
                                </div>
                            </div>
                        </div>
                    <?php
                    $date = Carbon\Carbon::parse($jadwal->tanggal_selesai);
                    ?>
                
```

```

@if ($date->isToday() && $jadwal-
>status_id != 2)
    <script>
        Swal.fire({
            title: "You have your
course undone today",
            position: "top-end",
            text: "Go grab it real
quick!"
        });
    </script>
@endif

<div class="card-text mt-3">
    @if ($jadwal->status_id == '1')
        <a href="{{
route('user_course', ['id' => $jadwal->id]) }}">
            class="btn btn-primary">Do
Course</a>
    @else
        <a href="{{
route('user_course', ['id' => $jadwal->id]) }}">
            class="btn btn-outline-
primary" style="pointer-events: none">You Have
            Done this
            Course</a>
    @endif
    </div>
</div>
</div>
@endif
@endforeach
</div>
</div>
</div>
</main>
@endsection
@push('script')
<script>
    const searchForm = document.getElementById('searchForm');
    const searchInput = document.getElementById('searchInput');
    const courseList = document.getElementById('courseList');

    searchForm.addEventListener('submit', function(event) {
        event.preventDefault();
        const searchTerm = searchInput.value.toLowerCase();
        const cards = courseList.querySelectorAll('.card');

```

```

        cards.forEach(function(card) {
            const judul =
card.querySelector('p').textContent.toLowerCase();

            if (judul.includes(searchTerm)) {
                card.style.display = 'block';
            } else {
                card.style.display = 'none';
            }
        });
    });
</script>
@endpush

```

client_courseDetail.blade.php

```

@extends('layouts.client')
@section('content')
<main>
    <div class="container-fluid px-5 py-3">
        <div class="card">
            <div class="card-body">
                <div class="row">
                    <div class="col-sm-6">
                        <form action="{{ route('user_submit', ['id' =>
$jadwal->id]) }}" method="POST">
                            @csrf
                            @method('PUT')
                            <input type="hidden" name="id" id="" value="{{
$jadwal->id }}>
                            <input type="hidden" name="status_id" id="" value="{{
$jadwal->status_id }}>
                            <div class="mb-3">
                                <label for="">Course Title</label>
                                <input type="text" name="judul"
style="background-color: white"
class="form-control" id="" value="{{
$jadwal->judul }}" disabled>
                            </div>
                            <div class="mb-3">
                                <label for="">Course Time</label>
                                <div class="row">
                                    <div class="col">
                                        <input type="text"
style="width: 100%; border:
none;" class="form-control bg-white">

```

```

                value="{{
\Carbon\Carbon::parse($jadwal->tanggal_mulai)->format('l') }}"
                disabled>
                <input type="date"
                      style="width: 100%;border:
none;"class="form-control bg-white"
                value="{{ $jadwal-
>tanggal_mulai }}" disabled>
                </div>
                <div class="col">
                    <input type="text" class="form-
control bg-white" value="Until"
                style="border: white"
disabled>
                </div>
                <div class="col">
                    <input type="text" style="width:
100%; border:none;" class="form-control bg-white"
                value="{{ $jadwal->tanggal_selesai }}"
                disabled>
                    <input type="date" style="width:
100%; border:none;" class="form-control bg-white"
value="{{ $jadwal->tanggal_selesai }}"
                disabled>
                </div>
                </div>
                </div>
                <div class="mb-3">
                    <label for="" class="form-label">Course
Location</label>
                    <input type="text" class="form-control bg-
white" value="{{ $jadwal->lokasi }}"
                disabled>
                </div>
                <div class="mb-3">
                    <label for="deskripsi" class="form-
label">Task Description</label>
                    <textarea class="form-control bg-white"
name="deskripsi" id="deskripsi" cols="30" style="width: 100%
rows="5" disabled>{{ $jadwal-
>deskripsi }}</textarea>
                </div>
                <button type="submit" class="btn btn-
primary">Mark as Done</button>
            </form>

```

```

        </div>
        <div class="col-sm-6">
            
        </div>
    </div>
</div>
</main>
@endsection

```

Folder admin berisi halaman yang akan ditampilkan untuk admin.

Halaman register.blade.php berisi tampilan register untuk admin. Halaman login.blade.php berisi berisi tampilan untuk halaman login admin. Halaman admin_course berisi tampilan untuk melihat course yang telah dibuat.

Halaman admin_dashboard berisi tampilan awal yang ditunjukkan ke admin ketika masuk program. Halaman admin_participant berisi tampilan untuk melihat siapa saja user atau client yang ada pada program. Halaman admin_parDetail berisi tampilan untuk melihat detail dari user yang dipilih.

Halaman admin_inputCourse berisi tampilan untuk membuat course yang baru. Halaman admin_editCourse berisi tampilan untuk mengedit course yang telah ada.

register.blade.php

```

@extends('layouts.header')
@section('content')
<main>
    <div class="container-fluid" style="width: 25%">
        <div class="card border-0 mx-3 py-5">
            <div class="card justify-content-center align-items-center">
                <div class="card-body">
                    <p class="card-text">Admin Register</p>
                </div>
                <form action="{{ route('isRegister') }}" method="POST">
                    @csrf
                    <div class="container-fluid">
                        <div class="col">
                            <div class="container mb-5">
                                <div class="col mb-3">
                                    <div class="row mb-3">
                                        <label for="">Username</label>
                                        <input type="text" class="form-control" name="username" style="width: 100%">
                                    </div>
                                </div>
                            </div>
                        </div>
                    </div>
                </form>
            </div>
        </div>
    </div>
</main>

```

```

        <div class="row mb-3">
            <label for="">Password</label>
            <input type="password"
class="form-control" name="password" style="width: 100%">
        </div>
        <div class="row mb-3">
            <label for="">Name</label>
            <input type="text" class="form-
control" name="nama" style="width: 100%">
        </div>
    </div>
    <center>
        <div class="container">
            <button type="submit" class="btn btn-
primary mb-3">Create account</button>
        </div>
        <div class="container">
            <p>Already hav an account?<br>
                <a href="{{route('login')}}">Log
in Here</a></p>
        </div>
    </center>
</div>
</form>
</div>
</div>
</main>
@endsection

```

login.blade.php

```

@extends('layouts.header')
@section('content')
<main>
    <div class="container-fluid" style="width: 25%">
        <div class="card border-0 mx-3 py-5">
            <div class="card justify-content-center align-items-center">
                <div class="card-body">
                    <p class="card-text">Admin Login</p>
                </div>
                <form action="{{ route('loggingIn') }}" method="POST">
                    @csrf
                    <div class="container-fluid">
                        <div class="col">

```

```

        <div class="container mb-5">
            <div class="col mb-3">
                <div class="row mb-3">
                    <label for="">Username</label>
                    <input type="text" class="form-control" name="username" style="width: 100%">
                </div>
                <div class="row mb-3">
                    <label for="">Password</label>
                    <input type="password" class="form-control" name="password" style="width: 100%">
                </div>
            </div>
        </div>
        <center>
            <div class="container">
                <button type="submit" class="btn btn-primary mb-3">Login</button>
            </div>
            <div class="container">
                <p>Don't have an account?<br>
                    <a href="{{route('register')}}">Sign in Here</a></p>
                </div>
            </center>
        </div>
    </div>
</form>
</div>
</div>
</main>
@endsection

```

admin_course.blade.php

```

@extends('layouts.admin')
@section('content')
    <main>
        <div class="container-fluid">
            @if ($jadwal->isEmpty())
                <p class="h6 mt-3">No Course Here</p>
            @else
                <div class="container-fluid">
                    <div class="form-control bg-white mt-3" style="border: 0;">

```

```

        <strong class="h4">Course List</strong>
    </div>
</div>
@foreach ($jadwal as $jadwal)
    <div class="card my-3 mx-3" style="width: 75%">
        <div class="card-body">
            <h5 class="card-title">{{ $jadwal->judul }}</h5>
            <textarea name="deskripsi" class="form-control bg-white" id="" style="width: 75%" cols="30" rows="3"
                disabled>{{ $jadwal->deskripsi }}</textarea>
            <input type="text" name="" style="border: 0ch"
id=""
                value="Course Loocation : {{ $jadwal->lokasi
}}" class="form-control bg-white my-3"
                disabled>
                <div class="container ml-3 mb-3">
                    <p class="card-text">Course Started:
                        {{ \Carbon\Carbon::parse($jadwal->tanggal_mulai)->translatedFormat('l, d F Y') }}</p>
                </div>
                <div class="container ml-3">
                    <p class="card-text">Course End:
                        {{ \Carbon\Carbon::parse($jadwal->tanggal_selesai)->translatedFormat('l, d F Y') }}</p>
                </div>
                <a href="{{ route('admin_editCourse', ['id' =>
$jadwal->id]) }}"
                    class="btn btn-primary my-3">Edit this
course</a>
                <form action="{{ route('admin_deleteCourse', ['id' =>
$jadwal->id]) }}" method="POST">
                    @csrf
                    @method('DELETE')
                    <button class="btn btn-danger"
type="submit">Delete this Course</button>
                </form>
            </div>
        </div>
    @endforeach
    @endif
</div>
</main>
@endsection

```

admin_dashboard.blade.php

```

@extends('layouts.admin')
@section('content')
<main>
    <div class="container-fluid py-3 px-5">
        <p class="h6 mb-5">Howdy, {{ session('user.nama') }}</p>
        <p class="h3 mb-5">Courses</p>
        @if ($jadwal->isEmpty())
            <p class="h6 -mt-3">No Course Here</p>
        @else
            @foreach ($jadwal as $jadwal)
                <div class="row row-cols-2">
                    <div class="col mb-3">
                        <div class="card">
                            <div class="card-body">
                                <div class="container-fluid">
                                    <p>{{ $jadwal->judul }}</p>
                                </div>
                            </div>
                        </div>
                    </div>
                @endforeach
            @endif
        </div>
    </main>
@endsection

```

admin_participant.blade.php

```

@extends('layouts.admin')
@section('content')
<main>
    <div class="container-fluid py-3 px-4">
        <p class="h4">All Participant</p>
        <div class="card">
            <div class="card-body">
                <table class="table">
                    <thead>
                        <tr>
                            <th style="width: 10%">No</th>
                            <th style="width: 70%">Name</th>
                            <th>Action</th>
                        </tr>
                    </thead>
                    <tbody>
                        <?php

```

```

    $no = 1;
    ?>
    @foreach ($user as $user)
        @if ($user->role == 'student')
            <tr>
                <td><?= $no++ ?></td>
                <td>{{ $user->nama }}</td>
                <td>
                    <a href="{{
route('admin_parDetail', ['id' => $user->id]) }}"
                        class="btn btn-success mb-3">See Details</a>
                    <form action="{{
route('admin_deletePar', ['id' => $user->id]) }}"
                        method="POST">
                        @csrf
                        @method('DELETE')
                        <button type="submit"
class="btn btn-danger">Delete</button>
                    </form>
                </td>
            </tr>
        @endif
    @endforeach
    </tbody>
    </table>
</div>
</div>
</main>
@endsection

```

admin_parDetail.blade.php

```

@extends('layouts.admin')
@section('content')
<main>
    <div class="container-fluid">
        <div class="container-fluid mt-4 mb-3 px-5">
            @foreach ($user as $user)
                <label for="" class="form-label h3">{{ $user->nama }}</label>
                Course Details</label>
            @endforeach
        </div>
        <div class="card mb-3">
            <div class="card-body">

```

```

@if ($jadwal->isEmpty())
<div class="container mx-4 my-4 h5">{$user->nama}
has no Course</div>
<div class="container mx-4 my-4 h6">Go create a Course
for them</div>
@else
<table class="table">
<thead>
<tr>
<th style="width: 8%">No</th>
<th>Course</th>
<th>Status</th>
</tr>
<?php
$no = 1;
?>
@foreach ($jadwal as $jadwal)
<tr>
<td><?= $no++ ?></td>
<td>{{ $jadwal->judul }}</td>
@if ($jadwal->status_id == '1')
<td>Undone</td>
@else
<td>Done</td>
@endif
</tr>
@endforeach
</thead>
</table>
@endif
</div>
</div>
</main>
@endsection

```

admin_inputCourse.blade.php

```

@extends('layouts.admin')
@section('content')
<main>
<div class="container-fluid py-5" style="width: 50%">
<div class="card border-0">
<div class="card justify-content-center align-items-center">
<div class="card-body mb-3">
<p class="h4 card-text">Create a new course</p>
</div>

```

```
<form action="{{ route('makeCourse') }}" method="POST">
    @csrf
    <div class="container-fluid">
        <div class="col">
            <div class="container">
                <div class="col mb-3">
                    <div class="row mb-3">
                        <label for="">Course
Receiver</label>
                        <select name="user" class="form-control" id="">
                            @foreach ($user as $user)
                                @if ($user->role ==
'student')
                                    <option value="{{
$user->id }}>{{ $user->nama }}</option>
                                @endif
                            @endforeach
                        </select>
                    </div>
                    <div class="row mb-3">
                        <label for="">Course Title</label>
                        <input type="text" class="form-control" name="judul" style="width: 100%">
                    </div>
                    <div class="row mb-3">
                        <label for="">Course
Description</label>
                        <textarea name="deskripsi" class="form-control" id="" cols="30" rows="10"></textarea>
                    </div>
                    <div class="row mb-3">
                        <label for="">Course
Location</label>
                        <input type="text" class="form-control" name="lokasi" style="width: 100%">
                    </div>
                    <div class="row mb-3">
                        <label for="">Course
Started</label>
                        <input type="date" class="form-control" name="tanggal_mulai" style="width: 100%">
                    </div>
                    <div class="row mb-3">
                        <label for="">Course
Finished</label>
                    </div>
                </div>
            </div>
        </div>
    </div>
</form>
```

```

        <input type="date" class="form-control" name="tanggal_selesai" style="width: 100%">
    </div>
</div>
<center>
    <div class="container">
        <button type="submit" class="btn btn-primary mb-3">Submit</button>
    </div>
</center>
</div>

</div>
</form>
</div>
</div>
</div>
</main>
@endsection

```

admin_editCourse.blade.php

```

@extends('layouts.admin')
@section('content')
<main>
    <div class="container-fluid py-5" style="width: 50%">
        <div class="card border-0">
            <div class="card justify-content-center align-items-center">
                <div class="card-body mb-3">
                    <p class="h4 card-text">Edit course</p>
                </div>
                <form action="{{ route('admin_updateCourse', ['id' => $jadwal->id]) }}" method="POST">
                    @csrf
                    @method('PUT')
                    <div class="container-fluid">
                        <div class="col">
                            <div class="container">
                                <div class="col mb-3">
                                    <div class="row mb-3">
                                        <label for="">Course Title</label>
                                        <input type="text" class="form-control" name="judul" style="width: 100%" value="{{ $jadwal->judul }}">
                                    </div>
                                </div>
                            </div>
                        </div>
                    </div>
                </form>
            </div>
        </div>
    </div>
</main>

```

```
        <div class="row mb-3">
            <label for="">Course
Description</label>
            <textarea name="deskripsi"
class="form-control" id="" cols="30" rows="10">{{ $jadwal->deskripsi
}}</textarea>
        </div>
        <div class="row mb-3">
            <label for="">Course
Location</label>
            <input type="text" class="form-
control" name="lokasi" style="width: 100%" value="{{ $jadwal->lokasi }}>
        </div>
        <div class="row mb-3">
            <label for="">Course
Started</label>
            <input type="date" class="form-
control" name="tanggal_mulai" style="width: 100%" value="{{ $jadwal-
>tanggal_mulai }}>
        </div>
        <div class="row mb-3">
            <label for="">Course
Finished</label>
            <input type="date" class="form-
control" name="tanggal_selesai" style="width: 100%" value="{{
$jadwal->tanggal_selesai }}>
        </div>
        <div class="row mb-3">
            <label for="">Course
Status</label>
@if ($jadwal->status_id == 1)
            <input type="text" class="form-control bg-white" value="This task is not
done yet" disabled>
@elseif ($jadwal->status_id == 2)
            <input type="text" class="form-control bg-white" value="This task is fully
done" disabled>
@else
            <input type="text" class="form-control bg-white" value="This task is
already expired" disabled>
```


```
        @endif
        </div>
        </div>
    </div>
    <center>
        <div class="container">
            <button
                onclick="window.location.href='{{ url()->previous() }}'"
                class="btn btn-
danger">Cancel</button>
            <button type="submit" class="btn btn-
primary">Edit</button>
        </div>
    </center>
</div>
</div>
</div>
</div>
</main>
@endsection
```

3. Mengimplementasikan fitur


Fitur - fitur :

3.1. Manajemen pengguna


Tampilan admin




Login page untuk admin



Register page untuk admin



Halaman dashboard admin




MyCourses Home Participant Courses Logout

All Participant

No	Name	Action
1	abid	See Details Delete
2	didit	See Details Delete
3	andi	See Details Delete

Halaman admin_participant untuk melihat siapa saja client yang bisa diberi tugas



MyCourses Home Participant Courses Logout

abid Course Details

No	Course	Status
1	Sosialisasi	Undone
2	Framework	Undone

Halaman participant detail, menampilkan course yang diberikan ke user atau client yang dipilih

The screenshot shows a web browser window with the URL <http://127.0.0.1:8000/admin/course/>. The page is titled 'Course List' and displays two course entries:

- Sosialisasi**
Course Description: Melaksanakan sosialisasi ke warga desa dengan tema: Membangun Generasi Berakhlaul Karimah dan Bebas Narkotika; Sosialisasi Parenting Oleh Mahasiswa KKM UIN Malang.
Course Location: Pokus
Course Started: Tuesday, 30 April 2024
Course End: Friday, 03 May 2024
Buttons: [Edit this course](#) (blue), [Delete this course](#) (red)
- Animasi 2**
Course Description: Membuat animasi 2d dengan tema bebas yang memenuhi 12 konsop animasi dan 5 rukun tetangga.
Course Location: Lab Mulmed
Course Started: Tuesday, 30 April 2024
Course End: Saturday, 04 May 2024

Halaman course, menampilkan course yang telah dibuat

The screenshot shows a web browser window with the URL <http://127.0.0.1:8000/admin/course/1/editCourse/>. The page is titled 'Edit course' and displays the following form fields for the 'Sosialisasi' course:

- Course Title: Sosialisasi
- Course Description: Melaksanakan sosialisasi ke warga desa dengan tema: Membangun Generasi Berakhlaul Karimah dan Bebas Narkotika; Sosialisasi Parenting Oleh Mahasiswa KKM UIN Malang.
- Course Location: Pokus
- Course Started: 04/30/2024
- Course Finished: 05/03/2024
- Course Status: (status dropdown)

Halaman edit course, menampilkan form untuk mengedit course yang telah dibuat


Screenshot of the 'Create a new course' form. The 'Course Receiver' dropdown menu is open, showing four options: 'abid', 'abid', 'didi', and 'andi'. The 'Course Description' and 'Course Location' fields are empty. The 'Course Started' field contains 'mm/dd/yyyy' and has a calendar icon. The 'Course Finished' field is also empty.

Halaman create course, untuk membuat course baru dengan memilih client yang akan diberi tugas


Tampilan client atau user

Screenshot of the 'Sharpen Your Skills Here' index page. It features a central illustration of three people sitting on books, surrounded by icons of a lightbulb, gears, and a globe. To the right is a login form with fields for 'Username' and 'Password', a 'Login' button, and a link 'Don't have an account? [Sign In Here](#)'. The top right corner has a 'Login as admin' button.


Index program, juga berisi form login untuk client



Halaman register client



Halaman dashboard client



MyCourses Home Course Logout

Howdy, abid 🌟

Search

Course you have to do

Course to do : Sosialisasi

Course Time : Started Tuesday, 30 April 2024

Finished Friday, 03 May 2024

Do Course


Course to do : Framework

Course Time : Started Tuesday, 30 April 2024

Finished Wednesday, 01 May 2024

Do Course

Halaman course client, menampilkan course yang telah ditugaskan kepada client



MyCourses Home Course Logout

Course Title: Sosialisasi

Course Time: Tuesday, 04/30/2024 Until Friday, 05/03/2024

Course Location: Polku

Task Description: Melaksanakan sosialisasi ke warga deса dengan tema Membangun Generasi Berakhlaul Karimah dan Bebas Narkotika. Sosialisasi Pamting Oleh Mahasiswa KKM UIN Malang


Mark as Done



Halaman course detail, menampilkan detail dari course yang ditugaskan, client juga bisa menyelesaikan course dengan mengeklik tombol mark as done

3.2. Manajemen jadwal

Admin dapat membuat jadwal atau course untuk user yang dipilih. Admin juga bisa melihat, mengedit serta menghapus seluruh course yang telah dibuat.





The screenshot shows a web application interface for creating a new course. The page title is "Create a new course". The form fields are as follows:

- Course Receiver: didi
- Course Title: Laporan Manajemen Proyek
- Course Description: Meribuat laporan dari capstone project yang telah dibuat
- Course Location: Take Home
- Course Started: 04/30/2024
- Course Finished: 04/30/2024

A "Submit" button is located at the bottom of the form.


Sedangkan untuk client, hanya bisa melihat jadwal atau course yang ditugaskan kepada user tersebut. Client juga bisa menyelesaikan course dengan cara submit course. Nantinya status dari course akan berubah dari undone menjadi done.



Setelah course disubmit, user tidak bisa membuka course tersebut lagi.


3.3. Notifikasi

Notifikasi untuk user atau client akan muncul jika terdapat course dengan deadline atau tanggal selesai yang sama dengan hari ini.




Sebagai contoh, course animasi 2 memiliki tenggat waktu yang sama dengan hari ini yaitu 30 April. Program kemudian akan memberi sebuah notifikasi jika ada course yang belum diselesaikan ketika client membuka halaman course.


Selain notifikasi tugas, program juga akan menampilkan notifikasi jika seluruh pengguna baik user atau admin melakukan aksi.



Notifikasi login untuk user dan admin memiliki isi yang sama



Notifikasi submit course



MyCourses Home Participant Courses [Logout](#)

Course List

Sosialisasi
Melaksanakan sosialisasi ke warga desa dengan tema:
Membangun Generasi Berkarakter Karimah dan Bebas Narkotika: Sosialisasi Parenting
Oleh Mahasiswa KKM UIN Malang

Course Location: Pokus
Course Started: Tuesday, 30 April 2024
Course End: Friday, 05 May 2024


[Edit this course](#) [Delete this course](#)

Animasi 2
Membuat animasi 2d dengan tema: bebas yang memenuhi 2 konsep animasi dan 3 rukun tetangga

Course Location: Lab Multimedia
Course Started: Tuesday, 30 April 2024
Course End: Tuesday, 30 April 2024

A modal dialog box is centered on the screen with a green checkmark icon. The text inside the dialog box reads "Success!" and "Course successfully created". Below the message is a blue "OK" button.

Notifikasi membuat course baru



MyCourses Home Participant Courses [Logout](#)

Course List

Sosialisasi
Melaksanakan sosialisasi ke warga desa dengan tema:
Membangun Generasi Berkarakter Karimah dan Bebas Narkotika: Sosialisasi Parenting
Oleh Mahasiswa KKM UIN Malang

Course Location: Pokus
Course Started: Tuesday, 30 April 2024
Course End: Friday, 05 May 2024

[Edit this course](#) [Delete this course](#)

Animasi 2
Membuat animasi 2d dengan tema: bebas yang memenuhi 2 konsep animasi dan 3 rukun tetangga

Course Location: Lab Multimedia
Course Started: Tuesday, 30 April 2024
Course End: Tuesday, 30 April 2024

A modal dialog box is centered on the screen with a green checkmark icon. The text inside the dialog box reads "Deleted!" and "Course already deleted". Below the message is a blue "OK" button.

Notifikasi menghapus course


The screenshot shows a web application interface for managing courses. The main area displays a list of courses. One course, titled 'Sosialisasi', is highlighted with a modal overlay. The modal contains a success message: 'Success! Course has been changed' with an 'OK' button. The course details in the modal are: Metelisasiakan sosialisasi ke warga desa dengan tema: Membangun Generasi Berkarakter Karimah dan Bebas Narkotika; Sosialisasi Parenting Oleh Mahasiswa KKM UIN Malang. Course Location: Pokus. Course Started: Tuesday, 30 April 2024. Course End: Friday, 05 May 2024. Below the modal are two buttons: 'Edit this course' (blue) and 'Delete this course' (red). The course list below includes 'Animasi 2' with similar details.

Notifikasi mengedit course


3.4. Autentikasi dan otorisasi

User dapat melakukan registrasi, login serta keluar dari program.


The screenshot shows a registration form titled 'Make your account here'. It includes fields for 'Username' (filled with 'hadi'), 'Password' (filled with '....'), and 'Name' (filled with 'hadi'). Below the form is a 'Create account' button. At the bottom, there is a link 'Already have an account? [Login Here](#)'. The top right corner of the page has a 'Login as admin' button.



Setelah proses registrasi selesai, akan muncul notifikasi sukses registrasi



User atau client juga bisa masuk ke dalam program




User juga bisa keluar dari program

Seperti tangkapan layar yang telah diberikan sebelumnya, admin dapat melakukan semua proses CRUD pada course yang ditujukan kepada client. Sedangkan client atau user hanya dapat melihat serta melakukan submit hanya pada course yang ditujukan ke mereka.

3.5. Pencarian


Pada halaman course pada client, terdapat search box yang berfungsi untuk melakukan search course yang dimaksud.




Pada contoh diatas, user melakukan search dengan judul sosialisasi. Program kemudian menampilkan course yang memiliki judul sosialisasi.

3.6. UI/UX

Tampilan yang digunakan juga responsive. Dengan menggunakan device yang berbeda, tampilan website dapat tampil dengan baik.





4. Menambahkan validasi input pengguna

Ketika pengguna baik client maupun admin melakukan input atau login, terdapat method yang melakukan proses validate pada field request yang dilakukan.

```
public function loggingIn(Request $request)
{
    $jadwal = Jadwal::all();

    $validator = Validator::make($request->all(), [
        'username' => 'required',
        'password' => 'required'
    ]);

    if (Auth::attempt($request->only(['username', 'password']))) {
        session(['user' => Auth::user()]);

        return redirect(route('admin_dashboard'))->with('loginSuccess', 'You have logged in');
    } else {
        return redirect('/login')->with('salah', 'Your username or password is wrong');
    }
}
```

Pada halaman admin, terdapat method yang memanggil validate yang diletakkan pada controller.

```
public function userLogin(Request $request)
{
    $jadwal = Jadwal::all();
    $validator = Validator::make($request->all(), [
        'username' => 'required',
        'password' => 'required'
    ]);

    // echo 'berhasil login';
    if (Auth::attempt($request->only(['username', 'password']))) {
        session(['userNow' => Auth::user()]);
        return redirect(route('user_dashboard', ['jadwal' => $jadwal]))->with('loginSuccess', 'You have logged in');
    } else {
        return redirect('/')->withErrors(['error' => 'Your Username or password is wrong']);
    }
}
```

Sama halnya dengan admin, terdapat method yang memanggil validate yang diletakkan pada controller.