

# Three-Point Translation Check

Logical slots should keep their labels, indices, styles, and momenta while the generic corner orientation key translates geometric placement.


`orientation={top,left}`





`three-point-corner={left,top}`





`orientation={right}`





`three-point-corner={left}`





`orientation={bottom,left}`





`three-point-diagonal-corner={left,bottom}`




`orientation={bottom,right}`





`three-point-corner={right,bottom}`




The legacy `three-point-orientation` key still maps to the same corner orientation resolver. The styled first slot and per-slot momentum directions should remain attached to the same logical slot after rotation.


right, slot 1 styled





up, slot 1 styled




left, slot 1 styled





down, slot 1 styled




Mixed slot styles, colors, labels, and momentum directions should stay attached to slots 1, 2, and 3 under each corner orientation.


`top,left`: mixed line styles





`top,right`: flipped flow




`bottom,left`: scalar slot 2





`bottom,right`: colored vector slots




Additional slot-style permutations show the same corner orientations with different slots carrying the distinctive styles and momentum choices.


`top,left`: slot 2 emphasized





`top,right`: slot 3 emphasized





`bottom,left`: scalar slot 1





`bottom,right`: scalar slot 3




Equation-style rows exercise the thesis-style wrapper in the compact format used for algebraic rules.





$$= \frac{ig}{m_Z}\epsilon^\alpha(q_1)(-k^*)\Gamma_{\alpha\lambda}(q_1)$$




$$= \frac{ig}{m_Z}\epsilon^\alpha(q_1)(-k^*)\Gamma_{\alpha\lambda}(q_1)$$




$$= \frac{ig}{m_Z}\epsilon^\alpha(q_1)(-k^*)\Gamma_{\alpha\lambda}(q_1)$$




$$= \frac{ig}{m_Z}\epsilon^\alpha(q_1)(-k^*)\Gamma_{\alpha\lambda}(q_1)$$

The thesis-style wrapper still accepts normal three-point overrides, including which logical slot carries the scalar-polarized leg and which momentum labels are printed.

