










Three-Point Translation Check


Logical slots should keep their labels, indices, styles, and momenta while the generic corner orientation key translates geometric placement.




The legacy **three-point-orientation** key still maps to the same corner orientation resolver. The styled first slot and per-slot momentum directions should remain attached to the same logical slot after rotation.




Mixed slot styles, colors, labels, and momentum directions should stay attached to slots 1, 2, and 3 under each corner orientation.



Additional slot-style permutations show the same corner orientations with different slots carrying the distinctive styles and momentum choices.




Equation-style rows exercise the thesis-style wrapper in the compact format used for algebraic rules.




$$= \frac{ig}{m_Z} \epsilon^\alpha(q_1)(-k^*) \Gamma_{\alpha\lambda}(q_1)$$



$$= \frac{ig}{m_Z} \epsilon^\alpha(q_1)(-k^*) \Gamma_{\alpha\lambda}(q_1)$$



$$= \frac{ig}{m_Z} \epsilon^\alpha(q_1)(-k^*) \Gamma_{\alpha\lambda}(q_1)$$



$$= \frac{ig}{m_Z} \epsilon^\alpha(q_1)(-k^*) \Gamma_{\alpha\lambda}(q_1)$$

The thesis-style wrapper still accepts normal three-point overrides, including which logical slot carries the scalar-polarized leg and which momentum labels are printed.

$$\begin{array}{c}
 \begin{array}{c}
 * \alpha \\
 \swarrow r \\
 \bullet \\
 \begin{array}{c}
 \leftarrow s \text{---} \\
 \text{---} t \\
 \text{---} \frac{1}{mz}
 \end{array}
 \end{array}
 \end{array}
 = \mathcal{V}_1(r, s, t)$$

$$\begin{array}{c}
 \begin{array}{c}
 \frac{1}{mz} \\
 \text{---} \ell_3 \\
 \uparrow \\
 \bullet \\
 \begin{array}{c}
 \text{---} * \lambda \\
 \swarrow \ell_1 \\
 \text{---} * \alpha
 \end{array}
 \end{array}
 \end{array}
 = \mathcal{V}_2(\ell_1, \ell_2, \ell_3)$$