Grassland species




Figure 1. Boxplots summarizing the distribution of the lowest (L), best guess (B), and highest (H) expert estimates of the probability of persistence of Grassland species under the Baseline scenario and each of the management strategies (S1 – S17). The thick horizontal lines indicate the median estimate, while the surrounding box shows the interquartile range. Any outliers are shown as points beyond the plot whiskers. Your individual estimates are shown in blue.

Burrow/den species




Figure 2. Boxplots summarizing the distribution of the lowest (L), best guess (B), and highest (H) expert estimates of the probability of persistence of Burrow/den species under the Baseline scenario and each of the management strategies (S1 – S17). The thick horizontal lines indicate the median estimate, while the surrounding box shows the interquartile range. Any outliers are shown as points beyond the plot whiskers. Your individual estimates are shown in blue.

Sand dune species




Figure 3. Boxplots summarizing the distribution of the lowest (L), best guess (B), and highest (H) expert estimates of the probability of persistence of Sand dune species under the Baseline scenario and each of the management strategies (S1 – S17). The thick horizontal lines indicate the median estimate, while the surrounding box shows the interquartile range. Any outliers are shown as points beyond the plot whiskers. Your individual estimates are shown in blue.

Wetland species




Figure 4. Boxplots summarizing the distribution of the lowest (L), best guess (B), and highest (H) expert estimates of the probability of persistence of Wetland species under the Baseline scenario and each of the management strategies (S1 – S17). The thick horizontal lines indicate the median estimate, while the surrounding box shows the interquartile range. Any outliers are shown as points beyond the plot whiskers. Your individual estimates are shown in blue.

Amphibians Baseline S1 S2 **S**3 S4 S5 100 75 50 25 Probability of persistence (%) **S10 S6** S7 S8 S9 S11 100 75 · 50 25 S12 S13 **S14** S15 **S16** S17 100 75

Figure 5. Boxplots summarizing the distribution of the lowest (L), best guess (B), and highest (H) expert estimates of the probability of persistence of Amphibians under the Baseline scenario and each of the management strategies (S1 – S17). The thick horizontal lines indicate the median estimate, while the surrounding box shows the interquartile range. Any outliers are shown as points beyond the plot whiskers. Your individual estimates are shown in blue.

Н

B

Ĥ

В

Н

B

Н

Ь

50

25

B

Н

B

Ĥ

Fish species Baseline S1 S2 **S**3 S4 S5 100 80 60 40 Probability of persistence (%) **S10 S11 S6** S7 S8 S9 100 80 60 40 S12 S13 **S14** S15 **S16** S17 100 80 60 40

Figure 6. Boxplots summarizing the distribution of the lowest (L), best guess (B), and highest (H) expert estimates of the probability of persistence of Fish species under the Baseline scenario and each of the management strategies (S1 – S17). The thick horizontal lines indicate the median estimate, while the surrounding box shows the interquartile range. Any outliers are shown as points beyond the plot whiskers. Your individual estimates are shown in blue.

Н

B

Н

B

Н

B

Н

Ė

B

Н

B

Ĥ

Healthy prairie landscape




Figure 7. Boxplots summarizing the distribution of the lowest (L), best guess (B), and highest (H) expert estimates of the probability of persistence of Healthy prairie landscape under the Baseline scenario and each of the management strategies (S1 – S17). The thick horizontal lines indicate the median estimate, while the surrounding box shows the interquartile range. Any outliers are shown as points beyond the plot whiskers. Your individual estimates are shown in blue.