

Figure 1. Boxplots summarizing the distribution of the lowest (L), best guess (B), and highest (H) expert estimates of the probability of persistence of Alvar species under the Baseline scenario and each of the management strategies (S1 − S15). The thick horizontal lines indicate the median estimate, while the surrounding box shows the interquartile range. Any outliers are shown as points beyond the plot whiskers. Your individual estimates are shown in blue.



Figure 2. Boxplots summarizing the distribution of the lowest (L), best guess (B), and highest (H) expert estimates of the probability of persistence of Artificial structure dependent spp under the Baseline scenario and each of the management strategies (S1 − S15). The thick horizontal lines indicate the median estimate, while the surrounding box shows the interquartile range. Any outliers are shown as points beyond the plot whiskers. Your individual estimates are shown in blue.



Figure 3. Boxplots summarizing the distribution of the lowest (L), best guess (B), and highest (H) expert estimates of the probability of persistence of Bats under the Baseline scenario and each of the management strategies (S1 − S15). The thick horizontal lines indicate the median estimate, while the surrounding box shows the interquartile range. Any outliers are shown as points beyond the plot whiskers. Your individual estimates are shown in blue.



Figure 4. Boxplots summarizing the distribution of the lowest (L), best guess (B), and highest (H) expert estimates of the probability of persistence of Forest species under the Baseline scenario and each of the management strategies (S1 − S15). The thick horizontal lines indicate the median estimate, while the surrounding box shows the interquartile range. Any outliers are shown as points beyond the plot whiskers. Your individual estimates are shown in blue.



Figure 5. Boxplots summarizing the distribution of the lowest (L), best guess (B), and highest (H) expert estimates of the probability of persistence of Mixed forest species under the Baseline scenario and each of the management strategies (S1 − S15). The thick horizontal lines indicate the median estimate, while the surrounding box shows the interquartile range. Any outliers are shown as points beyond the plot whiskers. Your individual estimates are shown in blue.



Figure 6. Boxplots summarizing the distribution of the lowest (L), best guess (B), and highest (H) expert estimates of the probability of persistence of Ciscos under the Baseline scenario and each of the management strategies (S1 − S15). The thick horizontal lines indicate the median estimate, while the surrounding box shows the interquartile range. Any outliers are shown as points beyond the plot whiskers. Your individual estimates are shown in blue.



Figure 7. Boxplots summarizing the distribution of the lowest (L), best guess (B), and highest (H) expert estimates of the probability of persistence of Mussels under the Baseline scenario and each of the management strategies (S1 − S15). The thick horizontal lines indicate the median estimate, while the surrounding box shows the interquartile range. Any outliers are shown as points beyond the plot whiskers. Your individual estimates are shown in blue.



Figure 8. Boxplots summarizing the distribution of the lowest (L), best guess (B), and highest (H) expert estimates of the probability of persistence of Naturalized open habitat spp under the Baseline scenario and each of the management strategies (S1 − S15). The thick horizontal lines indicate the median estimate, while the surrounding box shows the interquartile range. Any outliers are shown as points beyond the plot whiskers. Your individual estimates are shown in blue.



Figure 9. Boxplots summarizing the distribution of the lowest (L), best guess (B), and highest (H) expert estimates of the probability of persistence of Oak savannah species under the Baseline scenario and each of the management strategies (S1 − S15). The thick horizontal lines indicate the median estimate, while the surrounding box shows the interquartile range. Any outliers are shown as points beyond the plot whiskers. Your individual estimates are shown in blue.



Figure 10. Boxplots summarizing the distribution of the lowest (L), best guess (B), and highest (H) expert estimates of the probability of persistence of Riparian species under the Baseline scenario and each of the management strategies (S1 − S15). The thick horizontal lines indicate the median estimate, while the surrounding box shows the interquartile range. Any outliers are shown as points beyond the plot whiskers. Your individual estimates are shown in blue.



Figure 11. Boxplots summarizing the distribution of the lowest (L), best guess (B), and highest (H) expert estimates of the probability of persistence of Riverine species under the Baseline scenario and each of the management strategies (S1 − S15). The thick horizontal lines indicate the median estimate, while the surrounding box shows the interquartile range. Any outliers are shown as points beyond the plot whiskers. Your individual estimates are shown in blue.



Figure 12. Boxplots summarizing the distribution of the lowest (L), best guess (B), and highest (H) expert estimates of the probability of persistence of Sandy species under the Baseline scenario and each of the management strategies (S1 − S15). The thick horizontal lines indicate the median estimate, while the surrounding box shows the interquartile range. Any outliers are shown as points beyond the plot whiskers. Your individual estimates are shown in blue.



Figure 13. Boxplots summarizing the distribution of the lowest (L), best guess (B), and highest (H) expert estimates of the probability of persistence of Snakes and lizard under the Baseline scenario and each of the management strategies (S1 − S15). The thick horizontal lines indicate the median estimate, while the surrounding box shows the interquartile range. Any outliers are shown as points beyond the plot whiskers. Your individual estimates are shown in blue.



Figure 14. Boxplots summarizing the distribution of the lowest (L), best guess (B), and highest (H) expert estimates of the probability of persistence of Turtles under the Baseline scenario and each of the management strategies (S1 − S15). The thick horizontal lines indicate the median estimate, while the surrounding box shows the interquartile range. Any outliers are shown as points beyond the plot whiskers. Your individual estimates are shown in blue.



Figure 15. Boxplots summarizing the distribution of the lowest (L), best guess (B), and highest (H) expert estimates of the probability of persistence of Wetland species under the Baseline scenario and each of the management strategies (S1 − S15). The thick horizontal lines indicate the median estimate, while the surrounding box shows the interquartile range. Any outliers are shown as points beyond the plot whiskers. Your individual estimates are shown in blue.



Figure 16. Boxplots summarizing the distribution of the lowest (L), best guess (B), and highest (H) expert estimates of the probability of persistence of Working landscapes species under the Baseline scenario and each of the management strategies (S1 − S15). The thick horizontal lines indicate the median estimate, while the surrounding box shows the interquartile range. Any outliers are shown as points beyond the plot whiskers. Your individual estimates are shown in blue.