



600X1200MM

INKY COLLECTION

G L O S S Y

*Elevating Spaces
with Nature's Purity.*



The expansive 600x1200mm tiles redefine interior and exterior design by offering a flawless, uninterrupted look that transforms spaces into elegant, cohesive masterpieces. Their large size reduces the need for excessive grout lines, providing a smooth and luxurious finish that enhances the overall aesthetic.

*Elevate Your
Living Experience*



GLAZED VITRIFIED TILES

Tile Body

The finest quality raw materials make up the resilient and robust tile body of Monolith tiles. The raw materials are ethically sourced and sustainably processed.

Engobe Layer

A highly opacous, fusible, and permeable engobe layer makes the second layer of the tiles of Monolith. The layer makes the tiles highly resistant to water absorption for longevity.

Glaze Layer

A high-quality glaze coating is added to the engobe layer of the Monolith tiles giving the tile properties of texture and shine and making them ready for design.

High Pigment Digital Printing Ink

The Monolith surfaces get their unique and versatile properties of the design, color, and more in this stage where digital printing is done on the glaze with high pigment ink for excellent results.

Abrasion-resistant Glaze Layer

The most exceptional aspect of Monolith surfaces is their high abrasion-resistant glaze layer which protects the tile's aesthetics, and properties and enhances the functionality of the tiles to a greater extent.



Technical Features :-



Easy To Maintain

-Our Easy-to-Maintain tiles are designed for durability, convenience, and long-term performance.



Water Proof

-Our Water Proof tiles are specially designed to resist water infiltration, ensuring superior protection against moisture-related damage.



Prevents Bacterial Growth

-Our Anti-Bacterial tiles are designed to prevent bacterial growth, ensuring a hygienic and safe environment.



Non-slip

-Our Non-Slip tiles are designed to provide enhanced traction and safety in wet and high-traffic areas.



Fire Resistant

-Our Fire-Resistant tiles are specially engineered to withstand high temperatures and prevent flame spread, making them ideal for both residential and industrial applications.



Resistant To Acids

-Our Acid-Resistant tiles are specifically designed to withstand exposure to harsh acids, alkalis, and chemicals, making them ideal for industrial, commercial, & laboratory environments.

Application Areas :-



Wall



Floor



Bathroom



Reception



Kitchen



Living Room







Showroom



Restaurants

Masters of contemporary home styles



INDEX



- Tap on particular product to explore full view.




EM KEBON
AQUA



EM KEBON
WHITE



EM LYRIS
GREEN



EM LYRIS
MULTY



EM FRITTA
AQUA



EM FRITTA
GOLD




EM FRITTA
GREY



EM OPAC
AQUA



EM OPAC
BLUE



EM OPAC
VERDE



EM AVELIO
MINT



EM AVELIO
FROST



EM DREAM ONYX
BLUE



EM DREAM ONYX
MULTY




EM DREAM ONYX
NATURAL



EM FISTO
AQUA



EM FISTO
GREEN



EM MORAN
AQUA



EM MORAN
GREEN



EM MORAN
ROSSO




EM FRESTIN
YELLOW



EM FRESTIN
BLUE



EM GOLDEN
ROMAN



EM FRIKO
WHITE



EM DELUXE
GOLD




EM ALVIS
BLUE



ANA GOLD




CAPADI
GOLD



EM MELUR
VERDE



EM BRUGES
VERDE



EM BELARUS
AQUA




EM MAJORCA
SEA



EM OCTUS
GOLD




EM CADIZ
AQUA



DOMLUR
AQUA



CACTUS
AQUA



EMPORIO
AQUA



ENDLESS
KEBON AQUA



FINISH
INKY GLOSSY

SIZE
600 x
1200 mm



Random
2 faces


BACK TO INDEX

SCAN OR
TOUCHFOR 360°




KEBON
AQUA







ENDLESS
KEBON WHITE



FINISH
INKY GLOSSY

SIZE
600 x
1200 mm




Random
2 faces


BACK TO INDEX

SCAN OR
TOUCHFOR 360°




KEBON
WHITE







ENDLESS
LYRIS GREEN



FINISH
INKY GLOSSY

SIZE
600 x
1200 mm




Random
1 faces


BACK TO INDEX

SCAN OR
TOUCHFOR 360°




LYRIS
GREEN







ENDLESS
LYRIS MULTY



FINISH
INKY GLOSSY

SIZE
600 x
1200 mm




Random
1 faces


BACK TO INDEX

SCAN OR
TOUCHFOR 360°




LYRIS MULTY







ENDLESS
FRITTA AQUA



FINISH
INKY GLOSSY

SIZE
600 x
1200 mm

Random
3 faces







BACK TO INDEX

SCAN OR
TOUCHFOR 360°



FRITTA
AQUA







ENDLESS
FRITTA GOLD



FINISH
INKY GLOSSY

SIZE
600 x
1200 mm

Random
3 faces



BACK TO INDEX

SCAN OR
TOUCHFOR 360°




FRITTA
GOLD







ENDLESS FRITTA GREY



FINISH
INKY GLOSSY

SIZE
600 x
1200 mm

Random
3 faces





BACK TO INDEX

SCAN OR
TOUCHFOR 360°



FRITTA
GREY







ENDLESS
OPAC AQUA



FINISH
INKY GLOSSY

SIZE
600 x
1200 mm


Random
4 faces


BACK TO INDEX

SCAN OR
TOUCHFOR 360°



OPAC
AQUA







ENDLESS
OPAC BLUE



FINISH
INKY GLOSSY

SIZE
600 x
1200 mm

Random
4 faces


BACK TO INDEX

SCAN OR
TOUCHFOR 360°



OPAC
BLUE







ENDLESS
OPAC VERDE



FINISH
INKY GLOSSY

SIZE
600 x
1200 mm

Random
4 faces


BACK TO INDEX

SCAN OR
TOUCHFOR 360°



OPAC
VERDE







ENDLESS
AVELIO FROST



FINISH
INKY GLOSSY

SIZE
600 x
1200 mm

Random
4 faces


BACK TO INDEX

SCAN OR
TOUCHFOR 360°




AVELIO
FROST







ENDLESS
AVELIO MINT



FINISH
INKY GLOSSY

SIZE
600 x
1200 mm


Random
4 faces


BACK TO INDEX

SCAN OR
TOUCHFOR 360°




AVELIO
MINT







ENDLESS
DREAM ONYX BLUE



FINISH
INKY GLOSSY

SIZE
600 x
1200 mm




Random
4 faces


BACK TO INDEX

SCAN OR
TOUCHFOR 360°



DREAM
ONYX BLUE







ENDLESS
DREAM ONYX MULTY



FINISH
INKY GLOSSY

SIZE
600 x
1200 mm



Random
4 faces


BACK TO INDEX

SCAN OR
TOUCHFOR 360°



DREAM
ONYX MULTY







ENDLESS
DREAM ONYX NATURAL



FINISH
INKY GLOSSY

SIZE
600 x
1200 mm

Random
4 faces



BACK TO INDEX

SCAN OR
TOUCHFOR 360°



DREAM
ONYX NATURAL







ENDLESS
FISTO GREEN



FINISH
INKY GLOSSY

SIZE
600 x
1200 mm



Random
2 faces


BACK TO INDEX

SCAN OR
TOUCHFOR 360°



FISTO
GREEN







ENDLESS
FISTO AQUA



FINISH
INKY GLOSSY

SIZE
600 x
1200 mm

Random
4 faces



BACK TO INDEX

SCAN OR
TOUCHFOR 360°



FISTO AQUA







ENDLESS
MORAN AQUA



FINISH
INKY GLOSSY

SIZE
**600 x
1200 mm**

Random
4 faces



[BACK TO INDEX](#)

SCAN OR
TOUCHFOR 360°



MORAN
AQUA







ENDLESS
MORAN GREEN



FINISH
INKY GLOSSY

SIZE
600 x
1200 mm

Random
4 faces



BACK TO INDEX

SCAN OR
TOUCHFOR 360°



MORAN
GREEN







ENDLESS
MORAN ROSSO



FINISH
INKY GLOSSY

SIZE
600 x
1200 mm

Random
4 faces






BACK TO INDEX

SCAN OR
TOUCHFOR 360°



MORAN
ROSSO







ENDLESS
FRESTIN YELLOW



FINISH
INKY GLOSSY

SIZE
600 x
1200 mm




Random
4 faces


BACK TO INDEX

SCAN OR
TOUCHFOR 360°



FRESTIN
YELLOW







ENDLESS
FRESTIN BLUE



FINISH
INKY GLOSSY

SIZE
600 x
1200 mm



Random
4 faces


BACK TO INDEX

SCAN OR
TOUCHFOR 360°




FRESTIN
BLUE







ENDLESS GOLDEN ROMAN



FINISH
INKY GLOSSY

SIZE
600 x
1200 mm




Random
4 faces


BACK TO INDEX

SCAN OR
TOUCHFOR 360°




GOLDEN
ROMAN







ENDLESS
FRIKO WHITE



FINISH
INKY GLOSSY

SIZE
600 x
1200 mm




Random
2 faces


BACK TO INDEX

SCAN OR
TOUCHFOR 360°




FRIKO
WHITE







ENDLESS DELUXE GOLD



FINISH
INKY GLOSSY

SIZE
600 x
1200 mm




Random
3 faces


BACK TO INDEX

SCAN OR
TOUCHFOR 360°




DELUXE
GOLD







ENDLESS ALVIS BLUE



FINISH
INKY GLOSSY

SIZE
600 x
1200 mm


Random
3 faces



SCAN OR
TOUCHFOR 360°



ALVIS
BLUE





ANA GOLD



FINISH
INKY GLOSSY

SIZE
600 x
1200 mm



Random
5 faces


BACK TO INDEX

SCAN OR
TOUCHFOR 360°



ANA GOLD





CAPADI GOLD



FINISH
INKY GLOSSY

SIZE
600 x
1200 mm

Random
3 faces


[BACK TO INDEX](#)

SCAN OR
TOUCHFOR 



CAPADI
GOLD







ENDLESS
MELUR VERDE



FINISH
INKY GLOSSY

SIZE
600 x
1200 mm

Random
4 faces





BACK TO INDEX

SCAN OR
TOUCHFOR 360°



MELUR
VERDE







ENDLESS BRUGES VERDE



FINISH
INKY GLOSSY

SIZE
600 x
1200 mm



Random
4 faces


BACK TO INDEX

SCAN OR
TOUCHFOR 360°




BRUGES
VERDE







ENDLESS
BELARUS AQUA



FINISH
INKY GLOSSY

SIZE
**600 x
1200 mm**

Random
3 faces



BACK TO INDEX

SCAN OR
TOUCHFOR 360°



BELARUS
AQUA







ENDLESS
MAJORCA SEA



FINISH
INKY GLOSSY

SIZE
600 x
1200 mm

Random
3 faces




BACK TO INDEX

SCAN OR
TOUCHFOR 360°



MAJORCA
SEA







ENDLESS
OCTUS GOLD



FINISH
INKY GLOSSY

SIZE
600 x
1200 mm


Random
4 faces


BACK TO INDEX

SCAN OR
TOUCHFOR 360°



OCTUS
GOLD







ENDLESS
CADIZ AQUA



FINISH
INKY GLOSSY

SIZE
600 x
1200 mm

Random
4 faces




BACK TO INDEX

SCAN OR
TOUCHFOR 360°




CADIZ
AQUA





DOMLUR AQUA



FINISH
INKY GLOSSY

SIZE
600 x
1200 mm



Random
5 faces


BACK TO INDEX

SCAN OR
TOUCHFOR 360°



DOMLUR
AQUA





CACTUS AQUA



FINISH
INKY GLOSSY

SIZE
600 x
1200 mm


Random
4 faces


[BACK TO INDEX](#)

SCAN OR
TOUCHFOR 



CACTUS
AQUA





EMPORIO AQUA



FINISH
INKY GLOSSY

SIZE
**600 x
1200 mm**


Random
4 faces


BACK TO INDEX

SCAN OR
TOUCHFOR 



EMPORIO
AQUA





CHARACTERISTICS	REQUIRMENT AS PER ISO-13006/EN14411 GROUP Bla	OUR VALUE	ISO / EN TESTING METHOD
DIMENSION AND SURFACE QUALITY			
Deviation in length & width	(+-0.5%)	(+-0.3%)	ISO- 10545- 2
Deviation in thickness	(+-5.0%)	(+-4.0%)	ISO- 10545- 2
Straightness in side	(+-0.5%)	(+-0.1%)	ISO- 10545- 2
Rectangularity	(+-0.5%)	(+-0.1%)	ISO- 10545- 2
Surface flatness	(+-0.5%)	(+-0.2%)	ISO- 10545- 2
Glossiness	MIN 90%	Pass	Glossometer
STRUCTURAL PROPERTIES			
Water absorption	<0.50%	<0.05%	ISO- 10545- 3
MESSIVE MECHANICAL PROPERTIES			
Modulus of repture	MIN. 35N/mm2	MIN. 35N/mm2	ISO- 10545- 4
Breaking strength	MIN. 1300N	MIN. 2000N	ISO- 10545- 4
Impact resistance	As per mfg.	MIN. 0.55	ISO- 10545- 5
SURFACE MECHANICAL PROPERTIES			
Surface abrasion Resistance	MIN. class -2	MIN. Class -3	ISO- 10545- 7
Moh's hardness	MIN. 5	MIN. 6	En101
CHEMICAL PROPERTIES			
Frost Resistance	Requiered	Pass	ISO- 10545- 12
Household chemicals Resistance	MIN. class AA	Pass	ISO- 10545- 13
Stain Resistance	Resistant	Resistant	ISO- 10545- 14
THERMAL PROPERTIES			
Thermal shock Resistance	10 Cycle	Pass	ISO- 10545- 9
Thermal expansion (COE)	MAX.9.0x10.6	MAX.6.5x10.6	ISO- 10545- 8
Moisture expantion	Nill	Nill	ISO- 10545- 10

Laying & Levelling




Base Structure



Cement Laying On Tile



Joints




Fixing The Tile



Spacers + Laveller



Lavelling Wedges



After Lavelling Process
Leave Int For 8-10 Hrs.



Remove Wedges
Ones It Dry



Joint Grouting



Final Cleaning

Floor and Wall Installation

1. First spread the cement mixer onto the floor and wall substrate.
2. At the same time, apply the cement mixer onto the back of the slab with a tile trowel.
3. The recommended cement mixer must be spread over in one direction only.
4. Using a trowel and follow the same direction as previously applied to the back of the slab.
5. Being careful to maintain a minimum joint of 3mm.
6. Tab the slab with a rubber trowel for a complete fixing, ensuring the air is expelled. It is recommended to start from the centre of the slabs and then move towards the edges.
7. Complete the laying operations using a suitable sealant, while keeping at least a 3mm joint through the use of spacers.
8. To make this task easier, use the special device for pulling over the slabs, available in the market.
9. Levelling wedges at each linear metre of the slabs are recommended.
10. After levelling process leave it for 8-10 hours, remove wedges once it gets dry.



valenza

Tiles | Bathware