

Pawn Industry Import Template: CSV v3.2.4 (091615)

Table of contents

Table of contents	1
General information	2
Property Record Format	2
Field Definitions – Transaction Header.....	2
Field Definitions – Customer Information.....	4
Field Definitions – Customer Work Information	6
Field Definitions – Property Information	7
Field Definitions – Jewelry Specific Information	9
Field Definitions – Firearm Specific Information	10
Additional Notes.....	11
Example	11

General Information

LeadsOnline accepts many different file formats for submission of transactional data, such as XML, comma delimited ASCII, and dBase IV. This document highlights the details of the LeadsOnline comma delimited ASCII format for pawn shops. Items are entered one to a line. Each item on a ticket is treated as its own record within the file. For information on naming conventions, refer to the "Uploading Images" document.

Property Record Format

The first line of your file must contain the column header names for the data being sent. No spaces are allowed in the header row. Failure to supply a valid header row will prevent the parser from reading the file.

Field Definitions – Transaction Header

1. **Transaction Type** (column header: ticket_type)
[Enumerated Numeric Data]
 - 0 – Unknown
 - 1 – Buy
 - 2 – Pawn
 - 3 – Trade
 - 4 – Check Cashed
 - 7 – Consignment
 - 9 – Redeemed
 - 10 – Renew
 - 11 – Sold
2. **Transaction Number** (column header: ticket_number)
[AlphaNumeric Data, Length: 25]

Unique numeric transaction/ticket/receipt number associated with the transaction. Customers will typically have 1 transaction number per visit. Only letters, numbers, and hyphens accepted.

3. **Transaction Date** (column header: enter_date)
[DateTime Data, mm/dd/yyyy hh:mm:ss]

Date and time of the transaction using military time. If the time is unknown, use 00:00:00 for the time component of this field.

Example: 11-26-2007 15:44:08

4. **Clerk Name** (column header: clerk)
[Character Data, Length: 50]

Name or ID of the clerk who handled the transaction.

5. **Is Void?** (column header: void)
[Character Data, Y/N]

Is the transaction voided? Y = VOIDED, N = NOT VOIDED

6. **Redemption Date** (column header: redeem_date)
[DateTime Data, mm/dd/yyyy]

Date the pawn loan must be redeemed by. If unknown or not applicable, leave this field blank.

7. **Original Transaction Number** (column header: ticket_number_orig)
[AlphaNumeric Data, Length: 25]

If the transaction is a renew or redeem, include the original ticket number here. If the transaction was not a renew, redeem, or the ticket number is the same, leave this field blank. Only letters, numbers, and hyphens accepted.

8. **Original Transaction Date** (column header: enter_date_orig)
[DateTime Data, mm/dd/yyyy]

If the transaction is a renew or redeem, include the original ticket number here. If the transaction was not a renew or redeem, leave this field blank.

9. **Pledgor Statement** (column header: pledgor_statement) – **OPTIONAL**
[AlphaNumeric Data, Length: 2,000]

Field Definitions – Customer Information

1. **Customer Last Name** (column header: cust_nm_last)
[Character Data, Length: 50]
2. **Customer First Name** (column header: cust_nm_first)
[Character Data, Length: 25]
3. **Customer Middle Name** (column header: cust_nm_middle)
[Character Data, Length: 25]
4. **Customer Name Suffix** (column header: cust_nm_suffix)
[Character Data, Length: 10]
5. **Customer Address** (column header: cust_addr1)
[Character Data, Length: 100]
6. **Customer Address Line 2** (column header: cust_addr2)
[Character Data, Length: 100]
7. **Customer City** (column header name: cust_city)
[Character Data, Length: 50]
8. **Customer State** (column header: cust_state)
[Character Data, Length: 25]
State and Province abbreviations may be used in this field.
9. **Customer Postal Code** (column header: cust_zip)
[Character Data, Length: 10]
10. **Customer Phone** (column header: cust_phone)
[Character Data, Length: 20]
11. **Customer ID Type** (column header: cust_id_type)
[Character Data, Length: 25]

Type of ID the customer presents at the time of transaction, such as Driver's License, Social Security, Passport, Military ID, etc. Abbreviations can be used.

Example: "DL" for Driver's License

...,"cust_id_type","cust_id_state","cust_id_number",...

...,"DL","TX","12345555",...

...,"PASSPORT","","67891234",...

12. **Customer ID State** (column header: cust_id_state)
[Character Data, Length: 2]

If the ID supplied is a state issued ID, the state should be defined here, using 2-letter state abbreviations. If the ID is a federal ID, leave this field blank.

13. **Customer ID Number** (column header: cust_id_number)
[Character Data, Length: 50]

14. **Customer ID Expiration** (column header: cust_id_exp)
[DateTime Data, mm/dd/yyyy]

If expiration date is unknown, leave this field blank.

15. **Customer ID Issue Date** (column header: cust_id_issue_dt) – OPTIONAL
[DateTime Data: mm/dd/yyyy]

16. **Customer Second ID Type** (column header: cust_id_type2)
[Character Data, Length: 25]

17. **Customer Second ID State** (column header: cust_id_state2)
[Character Data, Length: 2]

18. **Customer Second ID Number** (column header: cust_id_number2)
[Character Data, Length: 50]

19. **Customer Second ID Expiration** (column header: cust_id_exp2)
[DateTime Data, mm/dd/yyyy]

If expiration date is unknown, leave this field blank.

20. **Customer Second ID Issue Date** (column header: cust_id_issue_dt2) – OPTIONAL
[DateTime Data: mm/dd/yyyy]

21. **Customer Date of Birth** (column header: cust_birthdate)
[DateTime Data, mm/dd/yyyy]

22. **Customer Weight** (column header: cust_weight)
[Numeric Data]

Values will be treated as pounds.

23. **Customer Height** (column header: cust_height)
[Character Data, Length: 6, f'ii"]]

Example:

...,"cust_height",...

...,"5'06""",...

24. **Customer Eye Color** (column header: cust_eye)
[Character Data, Length: 10]
25. **Customer Hair Color** (column header: cust_hair)
[Character Data, Length: 10]
26. **Customer Race** (column header: cust_race)
[Character Data, Length: 20]
27. **Customer Sex** (column header: cust_sex)
[Character Data, Length: 10]
28. **Other Information About Customer** (column header: cust_info)
[Character Data, Length: 100]

Include distinguishing marks or comments the clerk may have included about the customer at the time of the transaction.

Field Definitions – Customer Work Information

1. **Employer Name** (column header: employer_nm)
[Character Data, Length: 150]

Employer information should be populated when the customer is representing a company for the transaction, and the represented company is not listed as the customer.
2. **Employer Address** (column header: employer_addr1)
[Character Data, Length: 100]
3. **Employer Address Line 2** (column header: employer_addr2)
[Character Data, Length: 100]
4. **Employer City** (column header: employer_city)
[Character Data, Length: 50]
5. **Employer State** (column header: employer_state)
[Character Data, Length: 25]

State and Province abbreviations may be used in this field.

6. **Employer Postal Code** (column header: employer_zip)
[Character Data, Length: 10]
7. **Employer Phone** (column header: employer_phone)
[Character Data, Length: 20]

Field Definitions – Property Information

1. **Line Item Number** (column header: item_number)
[AlphaNumeric Data, Length: 25]

Transactions may contain more than one item. This field is used to ensure a unique identifier for the item within the transaction. This should reflect the sequence position of the item within the transaction. Only letters, numbers, and hyphens accepted.

Example:

```
...,"ticket_number","item_number","item_desc",...  
...,"100","1","My first item on ticket 100",...  
...,"100","2","My second item on ticket 100",...  
...,"101","1","My first item on ticket 101",...  
...,"101","2","My second item on ticket 101",...  
...,"101","3","My third item on ticket 101",...
```

2. **Item Quantity** (column header: item_qty)
[Numeric Data]

Item records which reference batches of items, for example "25 DVDS" or "10 GAMES" should define the quantity here.

3. **Item Make** (column header: item_make)
[Character Data, Length: 50]

Make if the item, if available.

4. **Item Model Number** (column header: item_model)
[Character Data, Length: 50]

Model number of the item, if available.

5. **Item Serial Number** (column header: item_serial)
[Character Data, Length: 50]

Serial number of the item, if available.

6. **Owner Applied Number** (column header: item_oan)
[Character Data, Length: 50]

Serial number of the item, if available.

7. **Item Color** (column header: item_color)
[Character Data, Length: 10]
8. **Item Condition** (column header name: item_condition)
[Character Data, Length: 25]
9. **Item Description** (column header name: item_desc)
[Character Data, Length: 250]

Include any information here about the item to help identify the item that could not be included in other fields.

10. **Item Notes** (column header name: item_notes)
[Character Data, Length: 250]

Include any information here about the item beyond the description that the clerk may have considered noteworthy. Some software tracks Log#'s for firearms. That information, for example, could be supplied here.

11. **Item Category** (column header: item_category)
[Enumerated Numeric Data]

Type category of item.

- 0 – Other
- 1 – Jewelry
- 2 – Firearm

12. **Item NCIC Code** (column header: item_ncic)
[Character Data, Length: 8]

NCIC code for the item, if known. Supplying this field does not exempt the need for a description.

13. **Amount Paid for Item** (column header: item_amount)
[Numeric Data]

This is the amount of money paid for the item. Do not include a dollar sign (\$).

Example: 15.00

Field Definitions – Jewelry Specific Information

1. **Jewelry Style** (column header: jewelry_style)
[Character Data, Length: 25]
2. **Jewelry Metal** (column header: jewelry_metal)
[Character Data, Length: 10]
3. **Jewelry Metal Karat** (column header: jewelry_kt)
[Numeric Data]
4. **Jewelry Weight** (column header: jewelry_wt)
[Character Data, Length: 15]

Do not include the unit of weight here.

5. **Jewelry Unit of Weight** (column header: jewelry_wt_unit)
[Character Data, Length: 10]
6. **Jewelry Size or Length** (column header: jewelry_size)
[Character Data, Length: 10]

Record the size of rings, necklaces, etc. in this field.

Examples:

...,"item_desc","jewelry_size",...
...,"ring","7.5",...
...,"necklace","22""",...

7. **Jewelry Gender** (column header: jewelry_sex)
[Character Data, Length: 10]
8. **Jewelry School Class Name** (column header: jewelry_class_nm)
[Character Data, Length: 50]

If the jewelry is a class ring, include the class name here.

9. **Jewelry School Class Year** (column header: jewelry_class_yr)
[Numeric Data, Length: 4]

If the jewelry is a class ring, include the class year here.

10. **Primary Stone Type** (column header: jewelry_stone1_type)
[Character Data, Length: 15]
11. **Primary Stone Color** (column header: jewelry_stone1_color)
[Character Data, Length: 10]
12. **Primary Stone Quantity** (column header: jewelry_stone1_qty)
[Numeric Data]
13. **Primary Stone Shape/Cut** (column header: jewelry_stone1_shape)
[Character Data, Length: 10]
14. **Primary Stone Carat** (column header: jewelry_stone1_carat)
[Character Data, Length: 10]
15. **Secondary Stone Type** (column header: jewelry_stone2_type)
[Character Data, Length: 15]
16. **Secondary Stone Color** (column header: jewelry_stone2_color)
[Character Data, Length: 10]
17. **Secondary Stone Quantity** (column header: jewelry_stone2_qty)
[Numeric Data]
18. **Secondary Stone Shape/Cut** (column header: jewelry_stone2_shape)
[Character Data, Length: 10]
19. **Secondary Stone Carat** (column header: jewelry_stone2_carat)
[Character Data, Length: 10]

Field Definitions – Firearm Specific Information

1. **Firearm Caliber** (column header: firearm_caliber)
[Character Data, Length: 10]
2. **Firearm Type** (column header: firearm_type)
[Character Data, Length: 15]
3. **Firearm Action** (column header: firearm_action)
[Character Data, Length: 10]

4. **Firearm Finish** (column header: firearm_finish)
[Character Data, Length: 15]
5. **Firearm Barrel** (column header: firearm_barrel)
[Character Data, Length: 15]

Additional Notes

- Every data element must be represented in the file submitted to LeadsOnline (see example on following page). The header row (first record) must contain all of the data element names. All data elements must be included in each record whether that element contains data or not. Any element(s) omitted from the header row or data records will result in errors and fail to process. LeadsOnline cannot be held responsible for corrupt data resulting from invalid header rows or data records.
- The file submitted to LeadsOnline is a flat ASCII text file. Control characters found within the file may prevent the file from passing validation.
- Data fields (just like the column names within the header row) are comma delimited.
- Records may not span more than one row. As such, fields may not contain carriage returns or line breaks (ASCII 10 or 13).
- Any field containing a comma MUST be enclosed within double quotes ("). Failure to do so will result in corrupted data, and LeadsOnline cannot be held responsible for misaligned columns resulting from unquoted fields containing commas. (You can enclose all fields in double quotes, regardless of if the field contains a comma or not. Example: "Doe, John".)
- Any field containing a double quote MUST double the double quote (" becomes "") and the field MUST be enclosed within double quotes ("). Failure to do so may result in corrupted data, and LeadsOnline cannot be held responsible for misaligned columns resulting from unquoted fields containing double quotes. (You can enclose all fields in double quotes, regardless if the field contains a double quote or not. Example: "18" tubing".)
- The first file extract delivered to LeadsOnline.com will be a full extract of all data records for the last three calendar years, plus the present year-to-date. All subsequent uploads will deliver only new data or data that has changed within the last 7 days.
- Supply as much of the information as your software will allow.
- Multiple uploads with overlapping data and date ranges will not cause a problem with our system. We filter duplicate records.

Example

An example file may look like:

ticket_type,ticket_number,enter_date,clerk,void,redeem_date,ticket_number_orig,enter_date_orig,pledgor_statement,cust_nm_last,cust_nm_first,cust_nm_middle,cust_nm_suffix,cust_addr1,cust

_addr2,cust_city,cust_state,cust_zip,cust_phone,cust_id_type,cust_id_state,cust_id_number,cust_id_exp,cust_id_type2,cust_id_state2,cust_id_number2,cust_id_exp2,cust_birthdate,cust_weight,cust_height,cust_eye,cust_hair,cust_race,cust_sex,cust_info,employer_nm,employer_addr1,employer_addr2,employer_city,employer_state,employer_zip,employer_phone,item_number,item_qty,item_make,item_model,item_serial,item_oan,item_color,item_condition,item_desc,item_notes,item_category,item_ncic,item_amount,jewelry_style,jewelry_metal,jewelry_kt,jewelry_wt,jewelry_wt_unit,jewelry_size,jewelry_sex,jewelry_class_nm,jewelry_class_yr,jewelry_stone1_type,jewelry_stone1_color,jewelry_stone1_qty,jewelry_stone1_shape,jewelry_stone1_carat,jewelry_stone2_type,jewelry_stone2_color,jewelry_stone2_qty,jewelry_stone2_shape,jewelry_stone2_carat,firearm_caliber,firearm_type,firearm_action,firearm_finish,firearm_barrel 2,100,6/1/2010 13:30,Bob,N,7/1/2010,,,,,Smith,John,W,,123 MyStreet,,Dallas,TX,75001,214-555-1234,DL,TX,12345678,2/28/2012,,,,,2/28/1970,200,"6'1\"",Brown,Bald,W,M,Has a skulltattoo on left forearm,City of Dallas,,,,,,1,1,Remington,760,A7012870,TX12345678,,Good,Insoft case,,2,,100,,,,,,,,,,,,,30-06,Rifle,Bolt,, 1,101,6/8/2010 14:28,Bob,N,,,,,Doe,Jane,A,,456 SomeOther Street,,Dallas,TX,75001,214-555-4321,DL,TX,18765432,4/15/2014,,,,,4/15/1985,120,5',Brown,Brown,W,F,,,,,,1,1,,,,,Ring,"thirdstone: 2 2 PT ROUND CUBIC ZIRCONIUM ",1,PRING,45,,Yellow Gold,14,2.9,Grams,,LADY'S,,,OPAL,,1,ROUND,8 PT,CUBIC ZIRCONIUM,,2,ROUND,3 PT,,,,, 1,101,6/8/2010 14:28,Bob,N,,,,,Doe,Jane,A,,456 SomeOther Street,,Dallas,TX,75001,214-555-4321,DL,TX,18765432,4/15/2014,,,,,4/15/1985,120,5',Brown,Brown,W,F,,,,,,2,1,,,,,Ring,1 stone missing,1,PRING,15,,Yellow Gold,14,1.2,Grams,,LADY'S,,,CUBIC ZIRCONIUM,,5,ROUND,5 PT,,LIGHT BLUE,1,ROUND,5 PT,,,,, 9,102,6/15/2010 13:15,Bob,N,,100,6/1/2010,,Smith,John,W,,123 MyStreet,,Dallas,TX,75001,214-555-1234,DL,TX,12345678,2/28/2012,,,,,2/28/1970,200,"6'1\"",Brown,Bald,W,M,Has a skull tattoo on left forearm,City of Dallas,,,,,,1,1,Remington,760,A7012870,TX12345678,,Good,In soft case,,2,,100,,,,,,,,,,,,,30-06,Rifle,Bolt,,



Email us at storesupport@leadsonline.com or call (800) 286-5388 for additional assistance.