

Операционные системы

Редактор Vi

Истомин Андрей Евгеньевич

2026-04-05

Цели и задачи работы

Процесс выполнения лабораторной работы


Выводы по проделанной работе

1. Цели и задачи работы

Познакомиться с операционной системой Linux. Получить практические навыки работы с редактором vi, установленным по умолчанию практически во всех дистрибутивах.

1 Изучить возможности редактора Vi

2. Процесс выполнения лабораторной работы

A terminal window with a dark background. The title bar at the top shows 'aeistomin@aeistomin:~' and standard window control icons. The terminal contains three lines of text: a green prompt 'aeistomin@aeistomin:~\$' followed by 'cd', another green prompt followed by 'touch hello.sh', and a third green prompt followed by a white cursor block.

```
aeistomin@aeistomin:~$ cd
aeistomin@aeistomin:~$ touch hello.sh
aeistomin@aeistomin:~$
```

Рисунок 1: Создание каталога



The screenshot shows a terminal window with the title bar "aeistomin@aeistomin:~ — vi hello.sh". The terminal content is a shell script being edited in the Vi editor. The script starts with a shebang line, followed by variable assignments and a function definition. The cursor is positioned at the beginning of the line "hello".

```
#!/bin/bash
HELL=Hello
function hello
{
  LOCAL HELLO=World
  echo $HELLO
}
echo $HELLO
hello
~
~
~
~
~
~
~
```


Рисунок 2: Работа в редакторе Vi


```
aeistomin@aeistomin:~$ cd
aeistomin@aeistomin:~$ touch hello.sh
aeistomin@aeistomin:~$ vi hello.sh
aeistomin@aeistomin:~$ chmod +x hello.sh
aeistomin@aeistomin:~$ ./hello.sh

./hello.sh: line 5: LOCAL: command not found

aeistomin@aeistomin:~$
```


Рисунок 3: Запуск файла



The screenshot shows a terminal window with a dark background. The title bar at the top reads "aeistomin@aeistomin:~ — vi hello.sh". The terminal content shows a shell script being edited in the vi editor. The script starts with a shebang line, followed by a variable assignment, a function definition, and an echo command. The cursor is positioned at the end of the word "hello" on the line following the echo command. Below the script, there are several tilde characters (~) representing empty lines in the editor.

```
#!/bin/bash
HELLO=Hello
function hello
{
  local HELLO=World
  echo $HELLO
}
echo $HELLO
hello
~
~
~
~
~
~
~
```

Рисунок 4: Работа в редакторе Vi



```
aeistomin@aeistomin:~  
aeistomin@aeistomin:~$ cd  
aeistomin@aeistomin:~$ touch hello.sh  
aeistomin@aeistomin:~$ vi hello.sh  
aeistomin@aeistomin:~$ chmod +x hello.sh  
aeistomin@aeistomin:~$ ./hello.sh  
  
./hello.sh: line 5: LOCAL: command not found  
  
aeistomin@aeistomin:~$ vi hello.sh  
aeistomin@aeistomin:~$ ./hello.sh  
Hello  
World  
aeistomin@aeistomin:~$
```

Рисунок 5: Повторный запуск файла

3. Выводы по проделанной работе

В ходе работы мы получили практические навыки работы с редактором vi, установленным по умолчанию практически во всех дистрибутивах UNIX. А также освоили основные режимы и команды