

ADAM MANNING

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gbo	Dm	Addr
(1)	DS TRUSS	13	SGM G-SPOT 1.1kW	ML	 RGB		25/1
(2)	DS TRUSS	10	SGM G-SPOT 1.1kW	ML	 RGB		25/25
(3)	DS TRUSS	8	SGM G-SPOT 1.1kW	ML	 RGB		25/49
(4)	DS TRUSS	7	SGM G-SPOT 1.1kW	ML	 RGB		25/73
(5)	DS TRUSS	5	SGM G-SPOT 1.1kW	ML	 RGB		25/97
(6)	DS TRUSS	2	SGM G-SPOT 1.1kW	ML	 RGB		25/121
(11)	MS TRUSS	11	SGM G-SPOT 1.1kW	ML	 RGB		26/1
(12)	MS TRUSS	9	SGM G-SPOT 1.1kW	ML	 RGB		26/25
(13)	MS TRUSS	7	SGM G-SPOT 1.1kW	ML	 RGB		26/49
(14)	MS TRUSS	6	SGM G-SPOT 1.1kW	ML	 RGB		26/73
(15)	MS TRUSS	4	SGM G-SPOT 1.1kW	ML	 RGB		26/97
(16)	MS TRUSS	2	SGM G-SPOT 1.1kW	ML	 RGB		26/121
(21)	DS TRUSS	14	MAC AURA XB 400w	ML	 RGBW		25/145
(22)	DS TRUSS	12	MAC AURA XB 400w	ML	 RGBW		25/170
(23)	DS TRUSS	9	MAC AURA XB 400w	ML	 RGBW		25/195
(24)	DS TRUSS	6	MAC AURA XB 400w	ML	 RGBW		25/220
(25)	DS TRUSS	3	MAC AURA XB 400w	ML	 RGBW		25/245

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gbo	Dm	Addr
(26)	DS TRUSS	1	MAC AURA XB 400w	ML	 RGBW		25/270
(31)	MS TRUSS	12	MAC AURA 260w	ML	 RGBW		26/145
(32)	MS TRUSS	10	MAC AURA 260w	ML	 RGBW		26/170
(33)	MS TRUSS	8	MAC AURA 260w	ML	 RGBW		26/195
(34)	MS TRUSS	5	MAC AURA 260w	ML	 RGBW		26/220
(35)	MS TRUSS	3	MAC AURA 260w	ML	 RGBW		26/245
(36)	MS TRUSS	1	MAC AURA 260w	ML	 RGBW		26/270
(41)	SR TRUSS	1	MAC AURA 260w	ML	 RGBW		25/345
(42)	SL TRUSS	1	MAC AURA 260w	ML	 RGBW		26/345
(43)	SR TRUSS	3	MAC AURA 260w	ML	 RGBW		25/320
(44)	SL TRUSS	3	MAC AURA 260w	ML	 RGBW		26/320
(45)	SR TRUSS	5	MAC AURA 260w	ML	 RGBW		25/295
(46)	SL TRUSS	5	MAC AURA 260w	ML	 RGBW		26/295
(51)	SR TRUSS	2	WINLITE WMB-230 300w	ML	 N/C		25/402
(52)	SL TRUSS	2	WINLITE WMB-230 300w	ML	 N/C		26/402
(53)	SR TRUSS	4	WINLITE WMB-230 300w	ML	 N/C		25/386
(54)	SL TRUSS	4	WINLITE WMB-230 300w	ML	 N/C		26/386
(55)	SR TRUSS	6	WINLITE WMB-230 300w	ML	 N/C		25/370
(56)	SL TRUSS	6	WINLITE WMB-230 300w	ML	 N/C		26/370

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gbo	Dm	Addr
(91)	DS TRUSS	11	ELATION CUEPIX BLINDER WW4 427w	AUD BLINDERS	☐ N/C		25/418
(92)	DS TRUSS	4	ELATION CUEPIX BLINDER WW4 427w	AUD BLINDERS	☐ N/C		25/419
(101)	FOH BAYS	6	ROBE BMFL WASHBEAM 1.7kW	ML	☐ CMY		5/1
(102)	FOH BAYS	5	ROBE BMFL WASHBEAM 1.7kW	ML	☐ CMY		5/49
(103)	FOH BAYS	4	ROBE BMFL WASHBEAM 1.7kW	ML	☐ CMY		5/97
(104)	FOH BAYS	3	ROBE BMFL WASHBEAM 1.7kW	ML	☐ CMY		5/145
(111)	FOH BAYS	8	ROBE BMFL BLADE 1.7kW	ML	☐ CMY		5/193
(112)	FOH BAYS	7	ROBE BMFL BLADE 1.7kW	ML	☐ CMY		5/242
(113)	FOH BAYS	2	ROBE BMFL BLADE 1.7kW	ML	☐ CMY		5/291
(114)	FOH BAYS	1	ROBE BMFL BLADE 1.7kW	ML	☐ CMY		5/340
(121)	HL TOWER		SGM G-PROFILE 1.1kW	ML	☐ RGBA		6/1
(122)	HR TOWER		SGM G-PROFILE 1.1kW	ML	☐ RGBA		7/1
(123)	HL TOWER		SGM G-PROFILE 1.1kW	ML	☐ RGBA		6/47
(124)	HR TOWER		SGM G-PROFILE 1.1kW	ML	☐ RGBA		7/47
(125)	BOOM 1R		SGM G-PROFILE 1.1kW	ML	☐ RGBA		13/1
(126)	BOOM 1L		SGM G-PROFILE 1.1kW	ML	☐ RGBA		15/1
(127)	BOOM 2R		SGM G-PROFILE 1.1kW	ML	☐ RGBA		14/1
(128)	BOOM 2L		SGM G-PROFILE 1.1kW	ML	☐ RGBA		16/1
(131)	DECK	9	WINLITE WMZB-19 330w	ML	☐ RGBW		27/1

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gbo	Dm	Addr
(132)	DECK	8	WINLITE WMZB-19 330w	ML	☐ RGBW		27/22
(133)	DECK	7	WINLITE WMZB-19 330w	ML	☐ RGBW		27/43
(134)	DECK	6	WINLITE WMZB-19 330w	ML	☐ RGBW		27/64
(135)	DECK	5	WINLITE WMZB-19 330w	ML	☐ RGBW		27/85
(136)	DECK	4	WINLITE WMZB-19 330w	ML	☐ RGBW		27/106
(137)	DECK	3	WINLITE WMZB-19 330w	ML	☐ RGBW		27/127
(141)	HL TOWER		CHAUVET OVATION E-910FC 240w	LED TEMP FRNT>	☐ RGBAL		6/125
(142)	HL TOWER		CHAUVET OVATION E-910FC 240w	LED TEMP FRNT>	☐ RGBAL		6/117
(143)	HL TOWER		CHAUVET OVATION E-910FC 240w	LED TEMP FRNT>	☐ RGBAL		6/109
(144)	HL TOWER		CHAUVET OVATION E-910FC 240w	LED TEMP FRNT>	☐ RGBAL		6/101
(145)	HL TOWER		CHAUVET OVATION E-910FC 240w	LED TEMP FRNT>	☐ RGBAL		6/93
(151)	HR TOWER		CHAUVET OVATION E-910FC 240w	LED TEMP FRNT<	☐ RGBAL		6/93
(152)	HR TOWER		CHAUVET OVATION E-910FC 240w	LED TEMP FRNT<	☐ RGBAL		6/101
(153)	HR TOWER		CHAUVET OVATION E-910FC 240w	LED TEMP FRNT<	☐ RGBAL		6/109
(154)	HR TOWER		CHAUVET OVATION E-910FC 240w	LED TEMP FRNT<	☐ RGBAL		6/117
(155)	HR TOWER		CHAUVET OVATION E-910FC 240w	LED TEMP FRNT<	☐ RGBAL		6/125
(181)	BAFFLE	17	CHROMAQ COLORFORCE COMPACT 60w	LED FOOTS	☐ RGBA		8/51
(182)	BAFFLE	15	CHROMAQ COLORFORCE COMPACT 60w	LED FOOTS	☐ RGBA		8/55
(183)	BAFFLE	13	CHROMAQ COLORFORCE COMPACT 60w	LED FOOTS	☐ RGBA		8/59

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gbo	Dm	Addr
(184)	BAFFLE	11	CHROMAQ COLORFORCE COMPACT 60w	LED FOOTS	☐ RGBA		8/63
(185)	BAFFLE	9	CHROMAQ COLORFORCE COMPACT 60w	LED FOOTS	☐ RGBA		8/67
(186)	BAFFLE	7	CHROMAQ COLORFORCE COMPACT 60w	LED FOOTS	☐ RGBA		8/71
(187)	BAFFLE	5	CHROMAQ COLORFORCE COMPACT 60w	LED FOOTS	☐ RGBA		8/75
(188)	BAFFLE	3	CHROMAQ COLORFORCE COMPACT 60w	LED FOOTS	☐ RGBA		8/79
(189)	BAFFLE	1	CHROMAQ COLORFORCE COMPACT 60w	LED FOOTS	☐ RGBA		8/83
(191)	BAFFLE	16	ALTMAN Q LITE 1kW	N/C FOOTS	☐ N/C		1/259
(192)	BAFFLE	14	ALTMAN Q LITE 1kW	N/C FOOTS	☐ N/C		1/260
(193)	BAFFLE	12	ALTMAN Q LITE 1kW	N/C FOOTS	☐ N/C		1/261
(194)	BAFFLE	10	ALTMAN Q LITE 1kW	N/C FOOTS	☐ N/C		1/262
(195)	BAFFLE	8	ALTMAN Q LITE 1kW	N/C FOOTS	☐ N/C		1/149
(196)	BAFFLE	6	ALTMAN Q LITE 1kW	N/C FOOTS	☐ N/C		1/148
(197)	BAFFLE	4	ALTMAN Q LITE 1kW	N/C FOOTS	☐ N/C		1/147
(198)	BAFFLE	2	ALTMAN Q LITE 1kW	N/C FOOTS	☐ N/C		1/146
(405)	R1		SL PUNCHLITE 220 RGBW 220w	S/L>	☐ RGBW		13/90
(406)	R1		SL PUNCHLITE 220 RGBW 220w	S/L>	☐ RGBW		13/162
(407)	R1		SL PUNCHLITE 220 RGBW 220w	S/L>	☐ RGBW		13/108

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gbo	Dm	Addr
(408)	R1		SL PUNCHLITE 220 RGBW 220w	S/L>	 RGBW		13/180
(409)	R1		SL PUNCHLITE 220 RGBW 220w	S/L>	 RGBW		13/126
(410)	R1		SL PUNCHLITE 220 RGBW 220w	S/L>	 RGBW		13/198
(411)	R1		SL PUNCHLITE 220 RGBW 220w	S/L>	 RGBW		13/144
(412)	R1		SL PUNCHLITE 220 RGBW 220w	S/L>	 RGBW		13/216
(413)	R2		SL PUNCHLITE 220 RGBW 220w	S/L>	 RGBW		15/90
(414)	R2		SL PUNCHLITE 220 RGBW 220w	S/L>	 RGBW		15/162
	"		SL PUNCHLITE RGBW 220 220w	"	"		"
(415)	R2		SL PUNCHLITE 220 RGBW 220w	S/L>	 RGBW		15/108
	"		SL PUNCHLITE RGBW 220 220w	"	"		"
(416)	R2		SL PUNCHLITE 220 RGBW 220w	S/L>	 RGBW		15/180
	"		SL PUNCHLITE RGBW 220 220w	"	"		"
(417)	R2		SL PUNCHLITE 220 RGBW 220w	S/L>	 RGBW		15/126
	"		SL PUNCHLITE RGBW 220 220w	"	"		"
(418)	R2		SL PUNCHLITE 220 RGBW 220w	S/L>	 RGBW		15/198
	"		SL PUNCHLITE RGBW 220 220w	"	"		"
(419)	R2		SL PUNCHLITE 220 RGBW 220w	S/L>	 RGBW		15/144

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gbo	Dm	Addr
(420)	R2		SL PUNCHLITE 220 RGBW 220w	S/L>	☐ RGBW		15/216
	"		SL PUNCHLITE RGBW 220 220w	"	"		"
(421)	DECK	10	ULTRATECFX RADIANCE HAZER 500w	HAZE	☐ N/A		26/422
(422)	DECK	1	ULTRATECFX RADIANCE HAZER 500w	HAZE	☐ N/A		26/424
(423)	DECK	11	ULTRATECFX RADIANCE HAZER 500w	HAZE	☐ N/A		26/418
(424)	DECK	2	ULTRATECFX RADIANCE HAZER 500w	HAZE	☐ N/A		26/420
(435)	L1		SL PUNCHLITE 220 RGBW 220w	S/L<	☐ RGBW		14/90
(436)	L1		SL PUNCHLITE 220 RGBW 220w	S/L<	☐ RGBW		14/162
(437)	L1		SL PUNCHLITE 220 RGBW 220w	S/L<	☐ RGBW		14/108
(438)	L1		SL PUNCHLITE 220 RGBW 220w	S/L<	☐ RGBW		14/180
(439)	L1		SL PUNCHLITE 220 RGBW 220w	S/L<	☐ RGBW		14/126
(440)	L1		SL PUNCHLITE 220 RGBW 220w	S/L<	☐ RGBW		14/198
(441)	L1		SL PUNCHLITE 220 RGBW 220w	S/L<	☐ RGBW		14/144
(442)	L1		SL PUNCHLITE 220 RGBW 220w	S/L<	☐ RGBW		14/216
(443)	L2		SL PUNCHLITE 220 RGBW 220w	S/L<	☐ RGBW		16/90
	"		SL PUNCHLITE RGBW 220 220w	"	"		"

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gbo	Dm	Addr
(444)	L2		SL PUNCHLITE 220 RGBW 220w	S/L<	 RGBW		16/162
	"		SL PUNCHLITE RGBW 220 220w	"	"		"
(445)	L2		SL PUNCHLITE 220 RGBW 220w	S/L<	 RGBW		16/108
	"		SL PUNCHLITE RGBW 220 220w	"	"		"
(446)	L2		SL PUNCHLITE 220 RGBW 220w	S/L<	 RGBW		16/180
	"		SL PUNCHLITE RGBW 220 220w	"	"		"
(447)	L2		SL PUNCHLITE 220 RGBW 220w	S/L<	 RGBW		16/126
	"		SL PUNCHLITE RGBW 220 220w	"	"		"
(448)	L2		SL PUNCHLITE 220 RGBW 220w	S/L<	 RGBW		16/198
	"		SL PUNCHLITE RGBW 220 220w	"	"		"
(449)	L2		SL PUNCHLITE 220 RGBW 220w	S/L<	 RGBW		16/144
	"		SL PUNCHLITE RGBW 220 220w	"	"		"
(450)	L2		SL PUNCHLITE 220 RGBW 220w	S/L<	 RGBW		16/216
	"		SL PUNCHLITE RGBW 220 220w	"	"		"
(680)	L3 TRUSS	9	MARTIN EXT WASH 300 300w	CANYON LED	 RGBW		22/67
(681)	R3 TRUSS	5	MARTIN EXT WASH 300 300w	CANYON LED	 RGBW		21/47
(682)	R3 TRUSS	4	MARTIN EXT WASH 300 300w	CANYON LED	 RGBW		21/51

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gbo	Dm	Addr
(683)	R3 TRUSS	3	MARTIN EXT WASH 300 300w	CANYON LED	☐ RGBW		21/55
(684)	R3 TRUSS	2	MARTIN EXT WASH 300 300w	CANYON LED	☐ RGBW		21/59
(685)	L3 TRUSS	8	MARTIN EXT WASH 300 300w	CANYON LED	☐ RGBW		22/59
(686)	L3 TRUSS	7	MARTIN EXT WASH 300 300w	CANYON LED	☐ RGBW		22/55
(687)	L3 TRUSS	6	MARTIN EXT WASH 300 300w	CANYON LED	☐ RGBW		22/51
(688)	L3 TRUSS	5	MARTIN EXT WASH 300 300w	CANYON LED	☐ RGBW		22/47
(691)	R3 TRUSS	9	MARTIN EXT WASH 300 300w	CANYON LED	☐ RGBW		21/31
(692)	R3 TRUSS	8	MARTIN EXT WASH 300 300w	CANYON LED	☐ RGBW		21/35
(693)	R3 TRUSS	7	MARTIN EXT WASH 300 300w	CANYON LED	☐ RGBW		21/39
(694)	R3 TRUSS	6	MARTIN EXT WASH 300 300w	CANYON LED	☐ RGBW		21/43
(695)	L3 TRUSS	4	MARTIN EXT WASH 300 300w	CANYON LED	☐ RGBW		22/43
(696)	L3 TRUSS	3	MARTIN EXT WASH 300 300w	CANYON LED	☐ RGBW		22/39
(697)	L3 TRUSS	2	MARTIN EXT WASH 300 300w	CANYON LED	☐ RGBW		22/35
(698)	L3 TRUSS	1	MARTIN EXT WASH 300 300w	CANYON LED	☐ RGBW		22/31
(699)	R3 TRUSS	1	MARTIN EXT WASH 300 300w	CANYON LED	☐ RGBW		21/63
(700)	L3 TRUSS	10	MARTIN EXT WASH 300 300w	CANYON LED	☐ RGBW		22/63
(901)	CANYON 1	6	PAR64 VN5P 1kW	CANYON PAR	☐ N/C		1/397
	"	12	"	"	"		"

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gbo	Dm	Addr
(902)	CANYON 1	5	PAR64 VNSP 1kW	CANYON PAR	☐ N/C		1/398
	"	11	"	"	"		"
(903)	CANYON 1	4	PAR64 VNSP 1kW	CANYON PAR	☐ N/C		1/399
	"	10	"	"	"		"
(904)	CANYON 1	3	PAR64 VNSP 1kW	CANYON PAR	☐ N/C		1/400
	"	9	"	"	"		"
(905)	CANYON 1	2	PAR64 VNSP 1kW	CANYON PAR	☐ N/C		1/401
	"	8	"	"	"		"
(906)	CANYON 1	1	PAR64 VNSP 1kW	CANYON PAR	☐ N/C		1/402
	"	7	"	"	"		"
(907)	CANYON 1	18	PAR64 VNSP 1kW	CANYON PAR	☐ N/C		1/385
	"	24	"	"	"		"
(908)	CANYON 1	17	PAR64 VNSP 1kW	CANYON PAR	☐ N/C		1/386
	"	23	"	"	"		"
(909)	CANYON 1	16	PAR64 VNSP 1kW	CANYON PAR	☐ N/C		1/387
	"	22	"	"	"		"
(910)	CANYON 1	15	PAR64 VNSP 1kW	CANYON PAR	☐ N/C		1/388
	"	21	"	"	"		"
(911)	CANYON 1	14	PAR64 VNSP 1kW	CANYON PAR	☐ N/C		1/389
	"	20	"	"	"		"
(912)	CANYON 1	13	PAR64 VNSP 1kW	CANYON PAR	☐ N/C		1/390
	"	19	"	"	"		"

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gbo	Dm	Addr
(913)	CANYON 2	6	PAR64 VNSP 1kW	CANYON PAR	☐ N/C		1/307
	"	12	"	"	"		"
(914)	CANYON 2	5	PAR64 VNSP 1kW	CANYON PAR	☐ N/C		1/308
	"	11	"	"	"		"
(915)	CANYON 2	4	PAR64 VNSP 1kW	CANYON PAR	☐ N/C		1/309
	"	10	"	"	"		"
(916)	CANYON 2	3	PAR64 VNSP 1kW	CANYON PAR	☐ N/C		1/310
	"	9	"	"	"		"
(917)	CANYON 2	2	PAR64 VNSP 1kW	CANYON PAR	☐ N/C		1/311
	"	8	"	"	"		"
(918)	CANYON 2	1	PAR64 VNSP 1kW	CANYON PAR	☐ N/C		1/312
	"	7	"	"	"		"
(919)	CANYON 3	6	PAR64 VNSP 1kW	CANYON PAR	☐ N/C		1/289
	"	12	"	"	"		"
(920)	CANYON 3	5	PAR64 VNSP 1kW	CANYON PAR	☐ N/C		1/290
	"	11	"	"	"		"
(921)	CANYON 3	4	PAR64 VNSP 1kW	CANYON PAR	☐ N/C		1/291
	"	10	"	"	"		"
(922)	CANYON 3	3	PAR64 VNSP 1kW	CANYON PAR	☐ N/C		1/292
	"	9	"	"	"		"
(923)	CANYON 3	2	PAR64 VNSP 1kW	CANYON PAR	☐ N/C		1/293
	"	8	"	"	"		"

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gbo	Dm	Addr
(924)	CANYON 3	1	PAR64 VNSP 1kW	CANYON PAR	☐ N/C		1/294
	"	7	"	"	"		"
(925)	CANYON 4	6	PAR64 VNSP 1kW	CANYON PAR	☐ N/C		1/295
	"	12	"	"	"		"
(926)	CANYON 4	5	PAR64 VNSP 1kW	CANYON PAR	☐ N/C		1/296
	"	11	"	"	"		"
(927)	CANYON 4	4	PAR64 VNSP 1kW	CANYON PAR	☐ N/C		1/297
	"	10	"	"	"		"
(928)	CANYON 4	3	PAR64 VNSP 1kW	CANYON PAR	☐ N/C		1/298
	"	9	"	"	"		"
(929)	CANYON 4	2	PAR64 VNSP 1kW	CANYON PAR	☐ N/C		1/299
	"	8	"	"	"		"
(930)	CANYON 4	1	PAR64 VNSP 1kW	CANYON PAR	☐ N/C		1/300
	"	7	"	"	"		"
(931)	CANYON 4	18	PAR64 VNSP 1kW	CANYON PAR	☐ N/C		1/367
	"	24	"	"	"		"
(932)	CANYON 4	17	PAR64 VNSP 1kW	CANYON PAR	☐ N/C		1/368
	"	23	"	"	"		"
(933)	CANYON 4	16	PAR64 VNSP 1kW	CANYON PAR	☐ N/C		1/369
	"	22	"	"	"		"
(934)	CANYON 4	15	PAR64 VNSP 1kW	CANYON PAR	☐ N/C		1/370
	"	21	"	"	"		"

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gbo	Dm	Addr
(935)	CANYON 4	14	PAR64 VNSP 1kW	CANYON PAR	☐ N/C		1/371
	"	20	"	"	"		"
(936)	CANYON 4	13	PAR64 VNSP 1kW	CANYON PAR	☐ N/C		1/372
	"	19	"	"	"		"
(941)	CATWALK		ETC S4 26DEG 575w	AISLE LTS	☐ N/C		1/286
(942)	CATWALK		ETC S4 26DEG 575w	AISLE LTS	☐ N/C		1/287
(943)	BALC RAIL		ETC S4 26DEG 575w	AISLE LTS	☐ N/C		1/41
(944)	BALC RAIL		ETC S4 19DEG 575w	AISLE LTS	☐ N/C		1/42
(945)	CATWALK		ETC S4 26DEG 575w	AISLE LTS	☐ N/C		1/191
(946)	CATWALK		ETC S4 26DEG 575w	AISLE LTS	☐ N/C		1/190
(947)	BALC RAIL		ETC S4 26DEG 575w	AISLE LTS	☐ N/C		1/58
(948)	BALC RAIL		ETC S4 19DEG 575w	AISLE LTS	☐ N/C		1/57
(951)	BALC RAIL		WINLITE WCW 60X10 LED WASH 650w	HS LTS	☐ N/C		5/389
(952)	BALC RAIL		WINLITE WCW 60X10 LED WASH 650w	HS LTS	☐ N/C		5/391
(953)	BALC RAIL		WINLITE WCW 60X10 LED WASH 650w	HS LTS	☐ N/C		5/393
(954)	BALC RAIL		WINLITE WCW 60X10 LED WASH 650w	HS LTS	☐ N/C		5/395
(955)	BALC RAIL		WINLITE WCW 60X10 LED WASH 650w	HS LTS	☐ N/C		5/397
(956)	CATWALK		WINLITE WCW 60X10 LED WASH 650w	HS LTS	☐ N/C		9/297
(957)	CATWALK		WINLITE WCW 60X10 LED WASH 650w	HS LTS	☐ N/C		9/299

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gbo	Dm	Addr
(958)	CATWALK		WINLITE WCW 60X10 LED WASH 650w	HS LTS	☐ N/C		9/301
(959)	CATWALK		WINLITE WCW 60X10 LED WASH 650w	HS LTS	☐ N/C		9/303
(960)	CATWALK		WINLITE WCW 60X10 LED WASH 650w	HS LTS	☐ N/C		9/305
(961)	HL TOWER		WINLITE WCW 60X10 LED WASH 650w	HS LTS	☐ N/C		6/241
(962)	HR TOWER		WINLITE WCW 60X10 LED WASH 650w	HS LTS	☐ N/C		7/241
(963)	HL TOWER		ALTMAN Q LITE 1kW	HS LTS	☐ N/C		1/196
	"		"	"	"		"
	"		"	"	"		"
(964)	HR TOWER		ALTMAN Q LITE 1kW	HS LTS	☐ N/C		1/100
	"		"	"	"		"
	"		"	"	"		"
(971)	BREEZE WAY		WINLITE WPO-14 150w	HS LTS	☐ N/C		5/399
(972)	BREEZE WAY		WINLITE WPO-14 150w	HS LTS	☐ N/C		5/401
(973)	BREEZE WAY		WINLITE WPO-14 150w	HS LTS	☐ N/C		5/403
(974)	BREEZE WAY		WINLITE WPO-14 150w	HS LTS	☐ N/C		5/405
(975)	BREEZE WAY		WINLITE WPO-14 150w	HS LTS	☐ N/C		5/407
(976)	BREEZE WAY		WINLITE WPO-14 150w	HS LTS	☐ N/C		5/409
(977)	BREEZE WAY		WINLITE WPO-14 150w	HS LTS	☐ N/C		5/411
(981)	MAIN ENTRANCE		HOUSE LIGHT	HS LTS	☐ N/C		1/3

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gbo	Dm	Addr
(982)	BALC RAIL		HOUSE LIGHT	HS LTS	☐ N/C		1/86
(983)	HR TOWER		HOUSE LIGHT	HS LTS	☐ N/C		1/101
(991)	L1		LED RUN LIGHT 50w	RUN LTS	☐ RGB		22/501
	"		"	"	"		"
	"		"	"	"		"
	R1		"	"	"		21/501
	"		"	"	"		"
(992)	L2		LED RUN LIGHT 50w	RUN LTS	☐ RGB		22/504
	"		"	"	"		"
	R2		"	"	"		21/504
	"		"	"	"		"
(993)	L3 TRUSS		LED RUN LIGHT 50w	RUN LTS	☐ RGB		22/507
	"		"	"	"		"
	R3 TRUSS		"	"	"		21/507
	"		"	"	"		"
(994)	OFFSTAG E LEFT		LED RUN LIGHT 50w	RUN LTS	☐ RGB		22/510
	"		"	"	"		"
	"		"	"	"		"
	OFFSTAG E RIGHT		"	"	"		21/510
	"		"	"	"		"

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gbo	Dm	Addr
(999)	ARTS CENTER		HOUSE LIGHT	PATIO LIGHTS	☐ N/C		31/440
	"		"	"	"		31/441
	"		"	"	"		31/442
	"		"	"	"		31/443
	"		"	"	"		31/444
	"		"	"	"		31/445
	"		"	"	"		31/446
	"		"	"	"		31/447
	"		"	"	"		31/448
	"		"	"	"		31/449
	"		"	"	"		31/450
	"		"	"	"		31/451
	"		"	"	"		31/452
(1001)	N/A		NON-DIM @ 50	HOT POWER			2/25
	"		"	"			2/26
	"		"	"			2/27
	"		"	"			2/28
	"		"	"			2/29
	"		"	"			2/30
	"		"	"			2/121
	"		"	"			2/122
	"		"	"			2/123
	"		"	"			2/124
	"		"	"			2/125
	"		"	"			2/126
(1003)	N/A		NON-DIM @ 50	HOT POWER			1/38
	"		"	"			1/55

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gbo	Dm	Addr
(1004)	N/A		NON-DIM @ 50	HOT POWER			1/102
(1005)	N/A		NON-DIM @ 50	HOT POWER			1/204
(1006)	N/A		NON-DIM @ 50	HOT POWER			1/134
(1007)	N/A		NON-DIM @ 50	HOT POWER			1/251
(1008)	N/A		NON-DIM @ 50	HOT POWER			1/4
	"		"	"			1/23
(1009)	N/A		NON-DIM @ 50	HOT POWER			2/113
(1010)	N/A		NON-DIM @ 50	HOT POWER			1/266
(1011)	N/A		NON-DIM @ 50	HOT POWER			2/49
	"		"	"			2/50
	"		"	"			2/51
	"		"	"			2/145
	"		"	"			2/146
	"		"	"			2/147
	"		"	"			2/148
(1012)	N/A		NON-DIM @ 50	HOT POWER			2/12
	"		"	"			2/41
	"		"	"			2/42
	"		"	"			2/107
	"		"	"			2/108
	"		"	"			2/11
	"		"	"			2/134
	"		"	"			2/138