

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gbo	Dim	Addr
(1)	CATWAL K	17	SGM G-PROFILE 1.1kW	ML	 RGB		2/1
(2)	CATWAL K	9	SGM G-PROFILE 1.1kW	ML	 RGB		2/47
	"	"	"	"	"		"
(3)	CATWAL K	1	SGM G-PROFILE 1.1kW	ML	 RGB		2/93
(11)	PRO PIPE	6	SGM G-PROFILE 1.1kW	ML	 RGB		3/1
(12)	PRO PIPE	1	SGM G-PROFILE 1.1kW	ML	 RGB		3/47
(13)	SR LADDER 1	2	SGM G-SPOT 1.1kW	ML	 RGB		3/93
(14)	SL LADDER 1	2	SGM G-SPOT 1.1kW	ML	 RGB		3/123
(21)	E1	6	SGM G-SPOT 1.1kW	ML	 RGB		4/1
(22)	E1	4	SGM G-SPOT 1.1kW	ML	 RGB		4/31
(23)	E1	2	SGM G-SPOT 1.1kW	ML	 RGB		4/61
(24)	SR LADDER 2	2	SGM G-SPOT 1.1kW	ML	 RGB		4/163
(25)	SL LADDER 2	2	SGM G-SPOT 1.1kW	ML	 RGB		4/225
(31)	E2	6	SGM G-SPOT 1.1kW	ML	 RGB		5/1
(32)	E2	4	SGM G-SPOT 1.1kW	ML	 RGB		5/31
(33)	E2	2	SGM G-SPOT 1.1kW	ML	 RGB		5/61
(41)	E3	6	SGM G-SPOT 1.1kW	ML	 RGB		6/1
(42)	E3	4	SGM G-SPOT 1.1kW	ML	 RGB		6/31
(43)	E3	2	SGM G-SPOT 1.1kW	ML	 RGB		6/61
(51)	PRO PIPE	5	19X15W RGBW WASH ZOOM 245w	ML	 RGBW	24	3/153

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gbo	Dim	Addr
(52)	PRO PIPE	4	19X15W RGBW WASH ZOOM 245w	ML	 RGBW	24	3/165
(53)	PRO PIPE	3	19X15W RGBW WASH ZOOM 245w	ML	 RGBW	1	3/177
(54)	PRO PIPE	2	19X15W RGBW WASH ZOOM 245w	ML	 RGBW	1	3/189
(61)	E1	7	19X15W RGBW WASH ZOOM 245w	ML	 RGBW	48	4/91
(62)	E1	5	19X15W RGBW WASH ZOOM 245w	ML	 RGBW	41	4/103
(63)	E1	3	19X15W RGBW WASH ZOOM 245w	ML	 RGBW	32	4/115
(64)	E1	1	19X15W RGBW WASH ZOOM 245w	ML	 RGBW	25	4/127
(71)	E2	7	19X15W RGBW WASH ZOOM 245w	ML	 RGBW	72	5/91
(72)	E2	5	19X15W RGBW WASH ZOOM 245w	ML	 RGBW	65	5/103
(73)	E2	3	19X15W RGBW WASH ZOOM 245w	ML	 RGBW	56	5/115
(74)	E2	1	19X15W RGBW WASH ZOOM 245w	ML	 RGBW	49	5/127
(81)	E3	7	19X15W RGBW WASH ZOOM 245w	ML	 RGBW	96	6/91
(82)	E3	5	19X15W RGBW WASH ZOOM 245w	ML	 RGBW	89	6/103
(83)	E3	3	19X15W RGBW WASH ZOOM 245w	ML	 RGBW	80	6/115
(84)	E3	1	19X15W RGBW WASH ZOOM 245w	ML	 RGBW	73	6/127
(91)	SR LADDER 1	1	19X15W RGBW WASH ZOOM 245w	ML	 RGBW	24	3/201
(92)	SL LADDER 1	1	19X15W RGBW WASH ZOOM 245w	ML	 RGBW	1	3/213

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gbo	Dim	Addr
(93)	SR LADDER 2	1	19X15W RGBW WASH ZOOM 245w	ML	 RGBW	48	4/139
(94)	SL LADDER 2	1	19X15W RGBW WASH ZOOM 245w	ML	 RGBW	25	4/151
(101)	CATWAL K	16	ETC S4 26DEG 575w	DS WASH	 R132	22	1/22
(102)	CATWAL K	14	ETC S4 26DEG 575w	DS WASH	 R132	19	1/19
(103)	CATWAL K	11	ETC S4 26DEG 575w	DS WASH	 R132	16	1/16
(104)	CATWAL K	7	ETC S4 26DEG 575w	DS WASH	 R132	9	1/9
(105)	CATWAL K	4	ETC S4 26DEG 575w	DS WASH	 R132	6	1/6
(106)	CATWAL K	2	ETC S4 26DEG 575w	DS WASH	 R132	3	1/3
(111)	CATWAL K	15	ETC S4 19DEG 575w	MS WASH	 R132	21	1/21
(112)	CATWAL K	12	ETC S4 19DEG 575w	MS WASH	 R132	17	1/17
(113)	CATWAL K	10	ETC S4 19DEG 575w	MS WASH	 R132	14	1/14
(114)	CATWAL K	6	ETC S4 19DEG 575w	MS WASH	 R132	8	1/8
(115)	CATWAL K	3	ETC S4 19DEG 575w	MS WASH	 R132	4	1/4
(121)	CATWAL K	13	ETC S4 19DEG 575w	US WASH	 R132	18	1/18
(122)	CATWAL K	8	ETC S4 19DEG 575w	US WASH	 R132	11	1/11
(123)	CATWAL K	5	ETC S4 19DEG 575w	US WASH	 R132	7	1/7
(131)	BALC RAIL		ETC S4 19DEG 575w	CURTAIN WARMER	 N/C	10	1/10

Channel Hookup

2/16/21

THS HAFEN REP 2021.lw6

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gbo	Dim	Addr
(132)	BALC RAIL		ETC S4 19DEG 575w	CURTAIN WARMER	☐ N/C	12	1/12
(133)	BALC RAIL		S4 PAR NSP 575w	CURTAIN WARMER	☐ N/C	13	1/13
(134)	BALC RAIL		S4 PAR NSP 575w	CURTAIN WARMER	☐ N/C	15	1/15
(201)	E4	4	ALTMAN SPECTRA CYC 100 100w	CYC	☐ RGBA	99	4/193
(202)	E4	3	ALTMAN SPECTRA CYC 100 100w	CYC	☐ RGBA	99	4/197
(203)	E4	2	ALTMAN SPECTRA CYC 100 100w	CYC	☐ RGBA	99	4/201
(204)	E4	1	ALTMAN SPECTRA CYC 100 100w	CYC	☐ RGBA	99	4/205
(205)	E4	4	ALTMAN SPECTRA CYC 100 100w	CYC	☐ RGBA	121	4/209
(206)	E4	3	ALTMAN SPECTRA CYC 100 100w	CYC	☐ RGBA	121	4/213
(207)	E4	2	ALTMAN SPECTRA CYC 100 100w	CYC	☐ RGBA	121	4/217
(208)	E4	1	ALTMAN SPECTRA CYC 100 100w	CYC	☐ RGBA	121	4/221
(901)			NON-DIM @ 50	HS LIGHTS - CANS HL		186	1/186
(902)			NON-DIM @ 50	HS LIGHTS - CANS HR		189	1/189
(903)			DIMMER	HS LIGHTS - WALL SCONCES		188	1/188
(904)			S4 PAR WFL	HS LIGHTS - INCANDESCENT		23	1/23
			"	"		24	1/24
			"	"		1	1/1
			"	"		20	1/20
			"	"		5	1/5

Channel Hookup

2/16/21

THS HAFEN REP 2021.lw6

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gbo	Dim	Addr
(905)			DIMMER	HS LIGHTS - VESTIBULES		192	1/192
(1001)			NON-DIM @ 50	HOT POWER - PRO PIPE SR		158	1/158
(1002)			NON-DIM @ 50	HOT POWER - PRO PIPE SL		157	1/157
(1003)			NON-DIM @ 50	HOT POWER - E1 LEDS		26	1/26
(1004)			NON-DIM @ 50	HOT POWER - E1 LEDS		32	1/32
(1005)			NON-DIM @ 50	HOT POWER - E1 LEDS		40	1/40
(1006)			NON-DIM @ 50	HOT POWER - E1 LEDS		47	1/47
(1007)			NON-DIM @ 50	HOT POWER - E2 LEDS		49	1/49
(1008)			NON-DIM @ 50	HOT POWER - E2 LEDS		56	1/56
(1009)			NON-DIM @ 50	HOT POWER - E2 LEDS		65	1/65
(1010)			NON-DIM @ 50	HOT POWER - E2 LEDS		72	1/72
(1011)			NON-DIM @ 50	HOT POWER - E3 LEDS		73	1/73
(1012)			NON-DIM @ 50	HOT POWER - E3 LEDS		80	1/80
(1013)			NON-DIM @ 50	HOT POWER - E3 LEDS		89	1/89
(1014)			NON-DIM @ 50	HOT POWER - E3 LEDS		96	1/96
(1015)			NON-DIM @ 50	HOT POWER - E4 LEDS		101	1/101
(1016)			NON-DIM @ 50	HOT POWER - E4 LEDS		106	1/106

Channel Hookup

2/16/21

THS HAFEN REP 2021.lw6

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gbo	Dim	Addr
(1017)			NON-DIM @ 50	HOT POWER - E4 LEDS		111	1/111
(1018)			NON-DIM @ 50	HOT POWER - E4 LEDS		116	1/116
(1019)			NON-DIM @ 50	HOT POWER - CYC ON DECK		121	1/121

TABLE OF CONTENTS

PRO PIPE	1	SL LADDER 1	3
E1	1	SR LADDER 1	3
E2	2	SL LADDER 2	3
E3	2	SR LADDER 2	4
E4	3	CATWALK	4
		BALC RAIL	5

PRO PIPE

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Addr	Dim
1	ML	SGM G-PROFILE	1.1kW	 RGB	(12)	3/47	
2	ML	19X15W RGBW WASH ZOOM	245w	 RGBW	(54)	3/189	1
3	ML	19X15W RGBW WASH ZOOM	245w	 RGBW	(53)	3/177	1
4	ML	19X15W RGBW WASH ZOOM	245w	 RGBW	(52)	3/165	24
5	ML	19X15W RGBW WASH ZOOM	245w	 RGBW	(51)	3/153	24
6	ML	SGM G-PROFILE	1.1kW	 RGB	(11)	3/1	

E1

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Addr	Dim
1	ML	19X15W RGBW WASH ZOOM	245w	 RGBW	(64)	4/127	25
2	ML	SGM G-SPOT	1.1kW	 RGB	(23)	4/61	
3	ML	19X15W RGBW WASH ZOOM	245w	 RGBW	(63)	4/115	32
4	ML	SGM G-SPOT	1.1kW	 RGB	(22)	4/31	
5	ML	19X15W RGBW WASH ZOOM	245w	 RGBW	(62)	4/103	41
6	ML	SGM G-SPOT	1.1kW	 RGB	(21)	4/1	
7	ML	19X15W RGBW WASH ZOOM	245w	 RGBW	(61)	4/91	48

E2

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Addr	Dim
1	ML	19X15W RGBW WASH ZOOM	245w	 RGBW	(74)	5/127	49
2	ML	SGM G-SPOT	1.1kW	 RGB	(33)	5/61	
3	ML	19X15W RGBW WASH ZOOM	245w	 RGBW	(73)	5/115	56
4	ML	SGM G-SPOT	1.1kW	 RGB	(32)	5/31	
5	ML	19X15W RGBW WASH ZOOM	245w	 RGBW	(72)	5/103	65
6	ML	SGM G-SPOT	1.1kW	 RGB	(31)	5/1	
7	ML	19X15W RGBW WASH ZOOM	245w	 RGBW	(71)	5/91	72

E3

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Addr	Dim
1	ML	19X15W RGBW WASH ZOOM	245w	 RGBW	(84)	6/127	73
2	ML	SGM G-SPOT	1.1kW	 RGB	(43)	6/61	
3	ML	19X15W RGBW WASH ZOOM	245w	 RGBW	(83)	6/115	80
4	ML	SGM G-SPOT	1.1kW	 RGB	(42)	6/31	
5	ML	19X15W RGBW WASH ZOOM	245w	 RGBW	(82)	6/103	89
6	ML	SGM G-SPOT	1.1kW	 RGB	(41)	6/1	
7	ML	19X15W RGBW WASH ZOOM	245w	 RGBW	(81)	6/91	96

E4

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Addr	Dim
1	CYC	ALTMAN SPECTRA CYC 100	100w	 RGBA	(208)	4/221	121
1	CYC	ALTMAN SPECTRA CYC 100	100w	 RGBA	(204)	4/205	99
2	CYC	ALTMAN SPECTRA CYC 100	100w	 RGBA	(207)	4/217	121
2	CYC	ALTMAN SPECTRA CYC 100	100w	 RGBA	(203)	4/201	99
3	CYC	ALTMAN SPECTRA CYC 100	100w	 RGBA	(206)	4/213	121
3	CYC	ALTMAN SPECTRA CYC 100	100w	 RGBA	(202)	4/197	99
4	CYC	ALTMAN SPECTRA CYC 100	100w	 RGBA	(201)	4/193	99
4	CYC	ALTMAN SPECTRA CYC 100	100w	 RGBA	(205)	4/209	121

SL LADDER 1

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Addr	Dim
1	ML	19X15W RGBW WASH ZOOM	245w	 RGBW	(92)	3/213	1
2	ML	SGM G-SPOT	1.1kW	 RGB	(14)	3/123	

SR LADDER 1

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Addr	Dim
1	ML	19X15W RGBW WASH ZOOM	245w	 RGBW	(91)	3/201	24
2	ML	SGM G-SPOT	1.1kW	 RGB	(13)	3/93	

SL LADDER 2

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Addr	Dim
1	ML	19X15W RGBW WASH ZOOM	245w	 RGBW	(94)	4/151	25
2	ML	SGM G-SPOT	1.1kW	 RGB	(25)	4/225	

SR LADDER 2

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Addr	Dim
1	ML	19X15W RGBW WASH ZOOM	245w	 RGBW	(93)	4/139	48
2	ML	SGM G-SPOT	1.1kW	 RGB	(24)	4/163	

CATWALK

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Addr	Dim
1	ML	SGM G-PROFILE	1.1kW	 RGB	(3)	2/93	
2	DS WASH	ETC S4 26DEG	575w	 R132	(106)	1/3	3
3	MS WASH	ETC S4 19DEG	575w	 R132	(115)	1/4	4
4	DS WASH	ETC S4 26DEG	575w	 R132	(105)	1/6	6
5	US WASH	ETC S4 19DEG	575w	 R132	(123)	1/7	7
6	MS WASH	ETC S4 19DEG	575w	 R132	(114)	1/8	8
7	DS WASH	ETC S4 26DEG	575w	 R132	(104)	1/9	9
8	US WASH	ETC S4 19DEG	575w	 R132	(122)	1/11	11
9	ML	SGM G-PROFILE	1.1kW	 RGB	(2)	2/47	
9	ML	SGM G-PROFILE	1.1kW	 RGB	(2)	2/47	
10	MS WASH	ETC S4 19DEG	575w	 R132	(113)	1/14	14
11	DS WASH	ETC S4 26DEG	575w	 R132	(103)	1/16	16
12	MS WASH	ETC S4 19DEG	575w	 R132	(112)	1/17	17
13	US WASH	ETC S4 19DEG	575w	 R132	(121)	1/18	18
14	DS WASH	ETC S4 26DEG	575w	 R132	(102)	1/19	19
15	MS WASH	ETC S4 19DEG	575w	 R132	(111)	1/21	21
16	DS WASH	ETC S4 26DEG	575w	 R132	(101)	1/22	22
17	ML	SGM G-PROFILE	1.1kW	 RGB	(1)	2/1	

BALC RAIL

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Addr	Dim
	CURTAIN WARMER	ETC S4 19DEG	575w	 N/C	(132)	1/12	12
	CURTAIN WARMER	ETC S4 19DEG	575w	 N/C	(131)	1/10	10
	CURTAIN WARMER	S4 PAR NSP	575w	 N/C	(134)	1/15	15
	CURTAIN WARMER	S4 PAR NSP	575w	 N/C	(133)	1/13	13

TABLE OF CONTENTS

RGB	1	RGBA	5
RGBW	3	R132	6
		N/C	7

Color	Position	U#	Type & Acc	Load	Purpose	Gobo	Ch	Dim
 RGB	PRO PIPE	1	SGM G- PROFILE	1.1kW	ML		(12)	
	PRO PIPE	6	SGM G- PROFILE	1.1kW	ML		(11)	
	E1	2	SGM G- SPOT	1.1kW	ML		(23)	
	E1	4	SGM G- SPOT	1.1kW	ML		(22)	
	E1	6	SGM G- SPOT	1.1kW	ML		(21)	
	E2	2	SGM G- SPOT	1.1kW	ML		(33)	
	E2	4	SGM G- SPOT	1.1kW	ML		(32)	
	E2	6	SGM G- SPOT	1.1kW	ML		(31)	
	E3	2	SGM G- SPOT	1.1kW	ML		(43)	
	E3	4	SGM G- SPOT	1.1kW	ML		(42)	
	E3	6	SGM G- SPOT	1.1kW	ML		(41)	
	SL LADDER 1	2	SGM G- SPOT	1.1kW	ML		(14)	
	SR LADDER 1	2	SGM G- SPOT	1.1kW	ML		(13)	
	SL LADDER 2	2	SGM G- SPOT	1.1kW	ML		(25)	
	SR LADDER 2	2	SGM G- SPOT	1.1kW	ML		(24)	
	CATWALK	1	SGM G- PROFILE	1.1kW	ML		(3)	

Color	Position	U#	Type & Acc	Load	Purpose	Gobo	Ch	Dim
 RGB	CATWALK	9	SGM G- PROFILE	1.1kW	ML		(2)	
	CATWALK	9	SGM G- PROFILE	1.1kW	ML		(2)	
	CATWALK	17	SGM G- PROFILE	1.1kW	ML		(1)	

Color	Position	U#	Type & Acc	Load	Purpose	Gobo	Ch	Dim
 RGBW	PRO PIPE	2	19X15W RGBW WASH ZOOM	245w	ML		(54)	1
	PRO PIPE	3	19X15W RGBW WASH ZOOM	245w	ML		(53)	1
	PRO PIPE	4	19X15W RGBW WASH ZOOM	245w	ML		(52)	24
	PRO PIPE	5	19X15W RGBW WASH ZOOM	245w	ML		(51)	24
	E1	1	19X15W RGBW WASH ZOOM	245w	ML		(64)	25
	E1	3	19X15W RGBW WASH ZOOM	245w	ML		(63)	32
	E1	5	19X15W RGBW WASH ZOOM	245w	ML		(62)	41
	E1	7	19X15W RGBW WASH ZOOM	245w	ML		(61)	48
	E2	1	19X15W RGBW WASH ZOOM	245w	ML		(74)	49
	E2	3	19X15W RGBW WASH ZOOM	245w	ML		(73)	56
	E2	5	19X15W RGBW WASH ZOOM	245w	ML		(72)	65
	E2	7	19X15W RGBW WASH ZOOM	245w	ML		(71)	72
	E3	1	19X15W RGBW WASH ZOOM	245w	ML		(84)	73
	E3	3	19X15W RGBW WASH ZOOM	245w	ML		(83)	80
	E3	5	19X15W RGBW WASH ZOOM	245w	ML		(82)	89
	E3	7	19X15W RGBW WASH ZOOM	245w	ML		(81)	96
	SL LADDER 1	1	19X15W RGBW WASH ZOOM	245w	ML		(92)	1
	SR LADDER 1	1	19X15W RGBW WASH ZOOM	245w	ML		(91)	24

Color	Position	U#	Type & Acc	Load	Purpose	Gobo	Ch	Dim
 RGBW	SL LADDER 2	1	19X15W RGBW WASH ZOOM	245w	ML		(94)	25
	SR LADDER 2	1	19X15W RGBW WASH ZOOM	245w	ML		(93)	48

Color	Position	U#	Type & Acc	Load	Purpose	Gobo	Ch	Dim
 RGBA	E4	1	ALTMAN SPECTRA CYC 100	100w	CYC		(208)	121
	E4	1	ALTMAN SPECTRA CYC 100	100w	CYC		(204)	99
	E4	2	ALTMAN SPECTRA CYC 100	100w	CYC		(207)	121
	E4	2	ALTMAN SPECTRA CYC 100	100w	CYC		(203)	99
	E4	3	ALTMAN SPECTRA CYC 100	100w	CYC		(206)	121
	E4	3	ALTMAN SPECTRA CYC 100	100w	CYC		(202)	99
	E4	4	ALTMAN SPECTRA CYC 100	100w	CYC		(201)	99
	E4	4	ALTMAN SPECTRA CYC 100	100w	CYC		(205)	121

Color	Position	U#	Type & Acc	Load	Purpose	Gobo	Ch	Dim
R132	CATWALK	2	ETC S4 26DEG	575w	DS WASH		(106)	3
	CATWALK	3	ETC S4 19DEG	575w	MS WASH		(115)	4
	CATWALK	4	ETC S4 26DEG	575w	DS WASH		(105)	6
	CATWALK	5	ETC S4 19DEG	575w	US WASH		(123)	7
	CATWALK	6	ETC S4 19DEG	575w	MS WASH		(114)	8
	CATWALK	7	ETC S4 26DEG	575w	DS WASH		(104)	9
	CATWALK	8	ETC S4 19DEG	575w	US WASH		(122)	11
	CATWALK	10	ETC S4 19DEG	575w	MS WASH		(113)	14
	CATWALK	11	ETC S4 26DEG	575w	DS WASH		(103)	16
	CATWALK	12	ETC S4 19DEG	575w	MS WASH		(112)	17
	CATWALK	13	ETC S4 19DEG	575w	US WASH		(121)	18
	CATWALK	14	ETC S4 26DEG	575w	DS WASH		(102)	19
	CATWALK	15	ETC S4 19DEG	575w	MS WASH		(111)	21
	CATWALK	16	ETC S4 26DEG	575w	DS WASH		(101)	22

Color	Position	U#	Type & Acc	Load	Purpose	Gobo	Ch	Dim
 N/C	BALC RAIL		ETC S4 19DEG	575w	CURTAIN WARMER		(132)	12
	BALC RAIL		ETC S4 19DEG	575w	CURTAIN WARMER		(131)	10
	BALC RAIL		S4 PAR NSP	575w	CURTAIN WARMER		(134)	15
	BALC RAIL		S4 PAR NSP	575w	CURTAIN WARMER		(133)	13