






Bill Evers Reservoir 0.125 -0.100 -SpeciesFrequency_ha Herbicide (prop. treated/year) 0 0.025 -0.000 -1990 2000 2010 2020 SurveyDate










































































































































































































Ft. Meade Pits 0.4 -0.3 -SpeciesFrequency_ha Herbicide (prop. treated/year) 0.004 0.003 0.002 0.001 0.000 0.1 -0.0 -1995 2000 2010 1990 2005 SurveyDate




































































































Hurricane Lake FMA 0.125 -0.100 -SpeciesFrequency_ha Herbicide (prop. treated/year) 0.0015 0.0010 0.0005 0.0000 0.025 -0.000 -2010 2014 2012 SurveyDate


















































































































Little Red Water Lake 7e-04 -6e-04 **-**SpeciesFrequency_ha Herbicide (prop. treated/year) 0.006 0.004 0.002 0.000 4e-04 -1998 2000 2004 2002 2006 SurveyDate











Lochloosa, Lake 1.00 -0.75 -SpeciesFrequency_ha Herbicide (prop. treated/year) 0.015 0.010 0.005 0.000 0.25 -0.00 -1990 2010 2000 2020 SurveyDate



































































































































































































































































































































Thomas, Lake 0.4 -0.3 -SpeciesFrequency_ha Herbicide (prop. treated/year) 1.00 0.75 0.50 0.25 0.00 0.1 -0.0 -2000 1990 2010 2020 SurveyDate

